

```
1: /*Grid*/
2: /* Mods: WJK2, on/after 20110104 */
3: .ui-jqgrid {position: relative; /*font-size: 11px; */ font-size: 0.85em; }
4: .ui-jqgrid .ui-jqgrid-view {position: relative;left:0px; top: 0px; padding: .0em;}
5: /* caption*/
6: .ui-jqgrid .ui-jqgrid-titlebar {padding: .3em .2em .2em .3em; position: relative; border-left:
0px none;border-right: 0px none; border-top: 0px none;}
7: .ui-jqgrid .ui-jqgrid-title { float: left; /*margin: .1em 0 .2em;*/ margin: .1em 0 .2em 5px;
font-size: 1.15em; }
8: .ui-jqgrid .ui-jqgrid-titlebar-close { position: absolute;top: 50%; width: 19px; margin: -10px 0
0 0; padding: 1px; height:18px;}.ui-jqgrid .ui-jqgrid-titlebar-close span { display: block;
margin: 1px; }
9: .ui-jqgrid .ui-jqgrid-titlebar-close:hover { padding: 0; }
10: /* header*/
11: .ui-jqgrid .ui-jqgrid-hdiv {position: relative; margin: 0em;padding: 0em; overflow-x: hidden;
overflow-y: auto; border-left: 0px none !important; border-top : 0px none !important; border-
right : 0px none !important;};
12: .ui-jqgrid .ui-jqgrid-hbox {float: left; /*padding-right: 20px;*/ padding-right: 0; }
13: .ui-jqgrid .ui-jqgrid-htable {table-layout:fixed;margin:0em;}
14: .ui-jqgrid .ui-jqgrid-htable th {height:22px;padding: 0 2px 0 2px;}
15: .ui-jqgrid .ui-jqgrid-htable th div {overflow: hidden; position:relative; height:17px;}
16: .ui-th-column, .ui-jqgrid .ui-jqgrid-htable th.ui-th-column {overflow: hidden;white-space:
nowrap;text-align:center;border-top : 0px none;border-bottom : 0px none;}
17: .ui-th-ltr, .ui-jqgrid .ui-jqgrid-htable th.ui-th-ltr {border-left : 0px none;}
18: .ui-th-rtl, .ui-jqgrid .ui-jqgrid-htable th.ui-th-rtl {border-right : 0px none;}
19: .ui-jqgrid .ui-th-div-ie {white-space: nowrap; zoom :1; height:17px;}
20: .ui-jqgrid .ui-jqgrid-resize {height:20px !important;position: relative; cursor :e-
resize;display: inline;overflow: hidden;}
21: .ui-jqgrid .ui-grid-ico-sort {overflow:hidden;position:absolute;display:inline; cursor: pointer !
important;}
22: .ui-jqgrid .ui-icon-asc {margin-top:-3px; height:12px;}
23: .ui-jqgrid .ui-icon-desc {margin-top:3px;height:12px;}
24: .ui-jqgrid .ui-i-asc {margin-top:0px;height:16px;}
25: .ui-jqgrid .ui-i-desc {margin-top:0px;margin-left:13px;height:16px;}
26: .ui-jqgrid .ui-jqgrid-sortable {cursor:pointer;}
27: .ui-jqgrid tr.ui-search-toolbar th { border-top-width: 1px !important; border-top-color:
inherit !important; border-top-style: ridge !important }
28: tr.ui-search-toolbar input {margin: 1px 0px 0px 0px}
29: tr.ui-search-toolbar select {margin: 1px 0px 0px 0px}
30: /* body */
31: .ui-jqgrid .ui-jqgrid-bdiv {position: relative; margin: 0em; padding:0; overflow: auto; text-
align:left;};
32: .ui-jqgrid .ui-jqgrid-btable {table-layout:fixed; margin:0em;}
33: .ui-jqgrid tr.jqgrow td {font-weight: normal; overflow: hidden; white-space: pre; height:
22px;padding: 0 2px 0 2px;border-bottom-width: 1px; border-bottom-color: inherit; border-bottom-
style: solid;};
34: /* Added 20110105-1801 WJK2, updated 20110131 WJK2 */
35: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgrow td { height: auto; vertical-align: top;
white-space: normal; }
36: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgrow td.ui-act-icons { white-space: normal; }
37: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgrow td.ui-act-icons a.ui-icon,
38: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgrow td.ui-act-icons input[type="button"].ui-icon
{ margin-left: 4px; border: 1px solid #333333; display: block; text-decoration: none; float:
left; }
39: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgrow td.ui-act-icons input[type="button"].ui-icon
{ padding: 9px; }
40: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgrow td.ui-act-icons a.ui-icon:hover,
41: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgrow td.ui-act-icons a.ui-icon:focus,
42: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgrow td.ui-act-icons input[type="button"].ui-
icon:hover,
43: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgrow td.ui-act-icons input[type="button"].ui-
icon:focus { background-color: #CCCCCC !important; }
44: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgrow td.ui-address {}
45: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgrow td.ui-code {}
46: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgrow td.ui-control {}
47: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgrow td.ui-city {}
48: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgrow td.ui-date {}
49: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgrow td.ui-id {}
50: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgrow td.ui-name {}
51: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgrow td.ui-org {}
```

```
52: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgtr td.ui-pc {}
53: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgtr td.ui-program-office {}
54: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgtr td.ui-report {}
55: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgtr td.ui-state {}
56: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgtr td.ui-status {}
57: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgtr td.ui-symbol {}
58: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgtr td.ui-tec-amt {}
59: #Content .ui-jqgrid table.ui-jqgrid-btable tr.jqgtr td.ui-title {}
60: /* End added classes */
61: .ui-jqgrid tr.jqgtr td {padding: 0 2px 0 2px;border-right-width: 1px; border-right-style:
solid;}
62: .ui-jqgrid tr.jqgtr td {font-weight: normal; overflow: hidden; white-space: pre; height:
22px;padding: 0 2px 0 2px;border-bottom-width: 1px; border-bottom-color: inherit; border-bottom-
style: solid;}
63: .ui-jqgrid tr.jqgtr td {font-weight: bold; overflow: hidden; white-space: pre; height:
22px;padding: 0 2px 0 2px;border-bottom-width: 1px; border-bottom-color: inherit; border-bottom-
style: solid;}
64: .ui-jqgrid tr.ui-row-ltr td {text-align:left;border-right-width: 1px; border-right-color:
inherit; border-right-style: solid;}
65: .ui-jqgrid tr.ui-row-rtl td {text-align:right;border-left-width: 1px; border-left-color: inherit;
border-left-style: solid;}
66: .ui-jqgrid td.jqgrid-rownum { padding: 0 2px 0 2px; margin: 0px; border: 0px none;}
67: .ui-jqgrid .ui-jqgrid-resize-mark { width:2px; left:0; background-color:#777; cursor: e-resize;
cursor: col-resize; position:absolute; top:0; height:100px; overflow:hidden; display:none;
border:0 none;}
68: /* footer */
69: .ui-jqgrid .ui-jqgrid-sdiv {position: relative; margin: 0em;padding: 0em; overflow: hidden;
border-left: 0px none !important; border-top : 0px none !important; border-right : 0px none !
important;}
70: .ui-jqgrid .ui-jqgrid-ftable {table-layout:fixed; margin-bottom:0em;}
71: .ui-jqgrid tr.ftrow td {font-weight: bold; overflow: hidden; white-space:nowrap; height:
21px;padding: 0 2px 0 2px;border-top-width: 1px; border-top-color: inherit; border-top-style:
solid;}
72: .ui-jqgrid tr.ftrow-ltr td {text-align:left;border-right-width: 1px; border-right-color:
inherit; border-right-style: solid;}
73: .ui-jqgrid tr.ftrow-rtl td {text-align:right;border-left-width: 1px; border-left-color:
inherit; border-left-style: solid;}
74: /* Pager*/
75: .ui-jqgrid .ui-jqgrid-pager { border-left: 0px none !important;border-right: 0px none !important;
border-bottom: 0px none !important; margin: 0px !important; padding: 0px !important; position:
relative; /*height: 25px;*/ height: auto; white-space: nowrap;overflow: hidden;}
76: .ui-jqgrid .ui-pager-control {position: relative;}
77: .ui-jqgrid .ui-pg-table {position: relative; padding-bottom:2px; width:auto; margin: 0em;}
78: .ui-jqgrid .ui-pg-table td {font-weight:normal; vertical-align:middle; padding:1px;}
79: .ui-jqgrid .ui-pg-button { height:19px !important; border: none; /* border property, WJK2*/ }
80: .ui-jqgrid .ui-pg-button span { display: block; margin: 1px; float:left;}
81: .ui-jqgrid .ui-pg-button:hover { padding: 0px; }
82: .ui-jqgrid .ui-state-disabled:hover {padding:1px;}
83: .ui-jqgrid .ui-pg-input { height:13px;font-size:.8em; margin: 0em;}
84: .ui-jqgrid .ui-pg-selbox {font-size:.8em; line-height:18px; display:block; height:18px; margin:
0em;}
85: .ui-jqgrid .ui-separator {height: 18px; border-left: 1px solid #ccc ; border-right: 1px solid
#ccc ; margin: 1px; float: right;}
86: .ui-jqgrid .ui-paging-info {font-weight: normal;height:19px; margin-top:3px;margin-right:4px;}
87: .ui-jqgrid .ui-jqgrid-pager .ui-pg-div {padding:1px 0;float:left;list-style-image:none;list-
style-position:outside;list-style-type:none;position:relative;}
88: .ui-jqgrid .ui-jqgrid-pager .ui-pg-button { cursor:pointer; }
89: .ui-jqgrid .ui-jqgrid-pager .ui-pg-div span.ui-icon {float:left;margin:0 2px;}
90: .ui-jqgrid td input, .ui-jqgrid td select .ui-jqgrid td textarea { margin: 0em;}
91: .ui-jqgrid td textarea {width:auto;height:auto;}
92: .ui-jqgrid .ui-jqgrid-toppager {border-left: 0px none !important;border-right: 0px none !
important; border-top: 0px none !important; margin: 0px !important; padding: 0px !important;
position: relative; height: 25px !important;white-space: nowrap;overflow: hidden;}
93: /*subgrid*/
94: .ui-jqgrid .ui-jqgrid-btable .ui-sgcollapsed span {display: block;}
95: .ui-jqgrid .ui-subgrid {margin:0em;padding:0em; width:100%;}
96: .ui-jqgrid .ui-subgrid table {table-layout: fixed;}
97: .ui-jqgrid .ui-subgrid tr.ui-subtblcell td {height:18px;border-right-width: 1px; border-right-
color: inherit; border-right-style: solid;border-bottom-width: 1px; border-bottom-color: inherit;
border-bottom-style: solid;}
98: .ui-jqgrid .ui-subgrid td.subgrid-data {border-top: 0px none !important;}
```

```
99: .ui-jqgrid .ui-subgrid td.subgrid-cell {border-width: 0px 0px 1px 0px;}
100: .ui-jqgrid .ui-th-subgrid {height:20px;}
101: /* loading */
102: .ui-jqgrid .loading {position: absolute; top: 45%;left: 45%;width: auto;z-index:101;padding: 6px;
margin: 5px;text-align: center;font-weight: bold;display: none;border-width: 2px !important;}
103: .ui-jqgrid .jqgrid-overlay {display:none;z-index:100;}
104: * html .jqgrid-overlay {width: expression(this.parentNode.offsetWidth+'px');height:
expression(this.parentNode.offsetHeight+'px');}
105: * .jqgrid-overlay iframe {position:absolute;top:0;left:0;z-index:-1;width:
expression(this.parentNode.offsetWidth+'px');height: expression(this.parentNode.offsetHeight
+'px')};}
106: /* end loading div */
107: /* toolbar */
108: .ui-jqgrid .ui-userdata {border-left: 0px none; border-right: 0px none; height : 21px;overflow:
hidden; }
109: /*Modal Window */
110: .ui-jqdialog { display: none; width: 300px; position: absolute; padding: .2em; font-size:11px;
overflow:visible;}
111: .ui-jqdialog .ui-jqdialog-titlebar { padding: .3em .2em; position: relative; }
112: .ui-jqdialog .ui-jqdialog-title { margin: .1em 0 .2em; }
113: .ui-jqdialog .ui-jqdialog-titlebar-close { position: absolute; top: 50%; width: 19px; margin:
-10px 0 0 0; padding: 1px; height: 18px; }
114:
115: .ui-jqdialog .ui-jqdialog-titlebar-close span { display: block; margin: 1px; }
116: .ui-jqdialog .ui-jqdialog-titlebar-close:hover, .ui-jqdialog .ui-jqdialog-titlebar-close:focus
{ padding: 0; }
117: .ui-jqdialog .content, .ui-jqdialog .ui-jqdialog-content { border: 0; padding: .3em .2em;
background: none; height:auto;}
118: .ui-jqdialog .ui-jqconfirm {padding: .4em 1em; border-width:3px;position:absolute;bottom:
10px;right:10px;overflow:visible;display:none;height:80px;width:220px;text-align:center;}
119: /* end Modal window*/
120: /* Form edit */
121: .ui-jqdialog-content .FormGrid {margin: 0px;}
122: .ui-jqdialog-content .EditTable { width: 100%; margin-bottom:0em;}
123: .ui-jqdialog-content .DelTable { width: 100%; margin-bottom:0em;}
124: .EditTable td input, .EditTable td select, .EditTable td textarea {margin: 0em;}
125: .EditTable td textarea { width:auto; height:auto;}
126: .ui-jqdialog-content td.EditButton {text-align: right;border-top: 0px none;border-left: 0px
none;border-right: 0px none; padding-bottom:5px; padding-top:5px;}
127: .ui-jqdialog-content td.navButton {text-align: center; border-left: 0px none;border-top: 0px
none;border-right: 0px none; padding-bottom:5px; padding-top:5px;}
128: .ui-jqdialog-content input.FormElement {padding:.3em}
129: .ui-jqdialog-content .data-line {padding-top:.1em;border: 0px none;}
130:
131: .ui-jqdialog-content .CaptionTD {text-align: left; vertical-align: middle;border: 0px none;
padding: 2px;white-space: nowrap;}
132: .ui-jqdialog-content .DataTD {padding: 2px; border: 0px none; vertical-align: top;}
133: .ui-jqdialog-content .form-view-data {white-space:pre}
134: .fm-button { display: inline-block; margin:0 4px 0 0; padding: .4em .5em; text-decoration:none !
important; cursor:pointer; position: relative; text-align: center; zoom: 1; }
135: .fm-button-icon-left { padding-left: 1.9em; }
136: .fm-button-icon-right { padding-right: 1.9em; }
137: .fm-button-icon-left .ui-icon { right: auto; left: .2em; margin-left: 0; position: absolute; top:
50%; margin-top: -8px; }
138: .fm-button-icon-right .ui-icon { left: auto; right: .2em; margin-left: 0; position: absolute;
top: 50%; margin-top: -8px;}
139: #pData, #pData { float: left; margin:3px;padding: 0; width: 15px; }
140: /* End Eorm edit */
141: /*.ui-jqgrid .edit-cell {}*/
142: .ui-jqgrid .selected-row, div.ui-jqgrid .selected-row td {font-style : normal;border-left: 0px
none;}
143: /* Tree Grid */
144: .ui-jqgrid .tree-wrap {float: left; position: relative;height: 18px;white-space: nowrap;overflow:
hidden;}
145: .ui-jqgrid .tree-minus {position: absolute; height: 18px; width: 18px; overflow: hidden;}
146: .ui-jqgrid .tree-plus {position: absolute; height: 18px; width: 18px; overflow: hidden;}
147: .ui-jqgrid .tree-leaf {position: absolute; height: 18px; width: 18px;overflow: hidden;}
148: .ui-jqgrid .treeclick {cursor: pointer;}
149: /* moda dialog */
150: .jqmOverlay { background-color: #000; }
```

```
151: * iframe.jqm {position:absolute;top:0;left:0;z-index:-1;width:
    expression(this.parentNode.offsetWidth+'px');height: expression(this.parentNode.offsetHeight
    +'px');}
152: .ui-jqgrid-dnd tr td {border-right-width: 1px; border-right-color: inherit; border-right-style:
    solid; height:20px}
153: /* RTL Support */
154: .ui-jqgrid .ui-jqgrid-title-rtl {float:right;margin: .1em 0 .2em; }
155: .ui-jqgrid .ui-jqgrid-hbox-rtl {float: right; padding-left: 20px;}
156: .ui-jqgrid .ui-jqgrid-resize-ltr {float: right;margin: -2px -2px -2px 0px;}
157: .ui-jqgrid .ui-jqgrid-resize-rtl {float: left;margin: -2px 0px -1px -3px;}
158: .ui-jqgrid .ui-sort-rtl {left:0px;}
159: .ui-jqgrid .tree-wrap-ltr {float: left;}
160: .ui-jqgrid .tree-wrap-rtl {float: right;}
161: .ui-jqgrid .ui-ellipsis {text-overflow:ellipsis; -moz-binding:url('ellipsis-xbl.xml#ellipsis');}
162: .ui-searchFilter { display: none; position: absolute; z-index: 770; overflow: visible;}
163: .ui-searchFilter table {position:relative; margin:0em; width:auto}
164: .ui-searchFilter table td {margin: 0em; padding: 1px;}
165: .ui-searchFilter table td input, .ui-searchFilter table td select {margin: 0.1em;}
166: .ui-searchFilter .ui-state-default { cursor: pointer; }
167: .ui-searchFilter .divider hr {margin: 1px; }
168:
169: /* Added by WJK2 to fix various issues */
170: .HeaderButton { display: none; } /* Added by WJK2 to remove close button.*/
171: #Content.afpChngReq table.ui-jqgrid-htable thead tr.ui-jqgrid-labels th,
172: #Content.appAdm table.ui-jqgrid-htable thead tr.ui-jqgrid-labels th { padding: 3px 0 0 0; font-
    weight: bolder; }
173: #Content.afpChngReq table.ui-jqgrid-btable tbody tr.jqgfirstrow td,
174: #Content.appAdm table.ui-jqgrid-btable tbody tr.jqgfirstrow td { padding: 0; }
175: #Content.editableCellFixer table.ui-jqgrid-btable tbody tr.ui-widget-content { height: 30px; }
176: /*#Content.afpChngReq .resultsTable .ui-jqgrid .ui-jqgrid-htable th div { font-size: 0.90em;
    height: 20px; }*/
177: #Content.afpChngReq .ui-tabs-panel .ui-jqgrid .ui-jqgrid-htable th div { font-size: 0.90em;
    height: 20px; }
178: /*#Content.afpChngReq .resultsTable .ui-jqgrid table.ui-jqgrid-btable tr.jqgrowse td { font-size:
    0.90em; }*/
179: #Content.afpChngReq .ui-tabs-panel .ui-jqgrid table.ui-jqgrid-btable tr.jqgrowse td { font-size:
    0.90em; }
180:
181: /* CSS to enable functioning of the jquery.inputHintOverlay-1.1.9.js script -- Same functional
    code exists in the jquery.inputHintOverlay-1.1.9.css file. It is included here so that the
    separate CSS file need not be loaded */
182: #Content th.ui-th-column div form { margin: 4px 0 0 0; padding: 0; border: 1px solid #333333; }
183: #Content .ui-jqgrid .ui-jqgrid-htable th.ui-th-column div form { height: auto; }
184: #Content th.ui-th-column div form input { border: none; }
185: #Content th.ui-th-column div form label:after { content: ""; }
186: #Content th.ui-th-column div form div .inputHintOverlay { background-color: transparent; color:
    #006699; font-size: 0.9em; font-style: italic; width: auto; }
187: #Content th.ui-th-column div form div input[type="text"],
188: #Content th.ui-th-column div form div textarea { padding: 2px; font-size: 1.0em; width: 95%;
    float: left; clear: both; margin-bottom: auto; }
189:
190: #Content th.ui-th-column div form div input[type="button"] { float: left; clear: both; font-size:
    1.0em; padding: 1px; }
```