

```

1 @charset "utf-8";
2 /*      CSS Document -- print.css
3 |      Site: OCIO
4 |      Owner: ISD
5 |      Author: ISD
6 |      Created: 2009.01.29 (Finalized)
7 |      Usage:      The print style sheet modifies page elements
8 |                  and text to ensure that printed pages
9 |                  are correctly formatted and readable.
10 |      Edit Date (Initials/Purpose): 2009.01.29, wjk2 - creation
11 |-----*/
12
13 /* Section - Defaults
14 | Function - Sets basic defaults and universal settings for margins, links, fonts, invisible and
15 | alternative elements, etc. Also zero-outs printer defaults. Fonts will be changed to points.
16 | Examples - base a tags, body tag, skip navs, etc.
17 |-----*/
18
19 @import url(default.css);
20 @import url(lists.css);
21
22 /* Section - Default modifications
23 | Function - Modification of defaults inherited from default.css
24 |-----*/
25 /* Set default print link colors */
26 a:link,
27 a:visited,
28 a:hover,
29 a:active,
30 a:focus {
31     background-color: #FFFFFF;
32     color: #000000;
33     text-decoration: underline;
34 }
35
36 body {
37     font-family: Arial, Helvetica, sans-serif;
38     font-size: 10pt;
39     text-align: left;
40 }
41 /* End default modification */
42
43 /* Section - General Rules
44 | Function - General rules.
45 |-----*/
46 /* Rules for placing elements outside the viewport.
47 nonVisual = Element intended for aural usage only.
48 nonScreen = Element intended for aural or print usage, but not the screen. Turns on in print css.
49 nonPrint = Element shows or is read in both aural and screen media. Non shown in print css.
50 printOnly = Element intended for only for printing.
51 */
52
53 .nonScreen,
54 .printOn { display: block; }
55
56 .nonDisplay,
57 .nonVisual,
58 .printOff { display: none; }
59
60 /* ClearFix - Usage to force elements to wrap properly */
61 /*.clearFix:after {
62     content: ".";
63     display: block;
64     height: 0;
65     clear: both;
66     visibility: hidden;
67 }
68
69 .clearFix { display: inline-block; }*/
70
71
72 /* Used to force a margin above an element */
73 .paraAfter { margin-top: 1.0em; }
74
75 /*Sets general rules for callOut boxes. May be overridden by more specific settings later in stylesheet. */
76 .callOut {
77     color: #000000;
78     margin-left: auto;
79     margin-right: auto;
80     border-top: thin solid #000000;
81     border-bottom: thin solid #000000;

```

```

82 padding-bottom: 7px;
83 padding-top: 2px;
84 width: 98%;
85 }
86
87 /*text alignment classes - Only to be used to override the default*/
88 .alignCenter { text-align: center; }
89 .alignRight { text-align: right; }
90 .alignLeft { text-align: left; }
91 .alignJustify { text-align: justify; }
92
93 /* Image alignment classes */
94 img.imgAlignBaseline,
95 img.imgAlignTop,
96 img.imgAlignMiddle,
97 img.imgAlignBottom,
98 img.imgAlignTextBottom {
99     margin-left: 10px;
100    margin-right: 10px;
101 }
102
103 img.imgAlignBaseline { vertical-align: baseline; }
104 img.imgAlignTop { vertical-align: top; }
105 img.imgAlignMiddle { vertical-align: middle; }
106 img.imgAlignBottom { vertical-align: bottom; }
107 img.imgAlignTextBottom { vertical-align: text-bottom; }
108
109 /* Float classes */
110 img.imgFloatLeft,
111 .floatLeft {
112     padding: 4px;
113     float: left;
114 }
115
116 img.imgFloatRight,
117 .floatRight {
118     padding: 4px;
119     float: right;
120 }
121
122 /* Paragraph margins*/
123 .marginLeft { margin-left:70px; }
124 .marginRight { margin-right:70px; }
125
126 /* Specialized text types */
127 .textTyped {
128     background-color: transparent;
129     color: #000000;
130     border: 1px solid #000000;
131     padding: 0.25em;
132     font-family: "Courier New", Courier, monospace;
133     line-height: 1.5em;
134 }
135 /* End General Rules */
136
137 /* Section - Page Breaks Rules
138 | Function - Sets Page Breaks
139 |-----*/
140 .pagebreakAlwaysBefore {
141     page-break-before: always;
142 }
143
144 .pagebreakAlwaysAfter {
145     page-break-after: always;
146 }
147
148 .pagebreakAvoidBefore {
149     page-break-before: avoid;
150 }
151 .pagebreakAvoidAfter {
152     page-break-after: avoid;
153 }
154 /* End Page Breaks Section */
155
156 /* Section - Turn-Off Page Elements |
157 | Function - Prevents unneeded page elements from being printed.
158 | Examples - Navigation, page footers, etc.
159 |-----*/
160 #WrapperHeader,
161 #WrapperNavGlobalSite,
162 #WrapperSidebarLeft,

```

```

170 #FooterDisclaimer { display: none; }
171
172 /* Section - General layout settings
173 | Function - Provides controls and formatting for common layout elements.
174 | Examples - Headers, breadcrumbs, etc.
175 |-----*/
176
177 /* BodyContainer - Floats all content within body */
178 #Wrapper {
179     background-color: #FFFFFF;
180     color: #333333;
181     border: none;
182     text-align: left;
183     width: 100%;
184     position: static;
185 }
186
187 /* Sub-section - WrapperHeader
188 | Function - Provides formatting for WrapperHeader elements
189 | Examples - Site name, logo, etc.
190 |-----*/
191
192
193 /* Sub-section - WrapperContent
194 | Function - Provides controls for content divs.
195 | Examples - Sidebars, callouts, etc.
196 |-----*/
197 #Wrapper #WrapperContent {
198     width: 100%;
199     position: static;
200     margin-bottom: 10px;
201 }
202
203 /* Sub-section - WrapperContentMain
204 | Function - Provides controls for content divs.
205 | Examples - Sidebars, callouts, etc.
206 |-----*/
207 #WrapperContent #WrapperContentMain {
208     width: 100%;
209     text-align: left;
210 }
211
212 #WrapperContent #WrapperContentMain .contentMain {
213     margin-left: 0;
214 }
215
216 /* Sub-section - WrapperFooter
217 | Function - Provides controls and formatting of footer items.
218 | Examples - Branding, last modified date, etc.
219 |-----*/
220 #Wrapper #WrapperFooter {
221     margin: 0px;
222     border-top: 1px solid #000000;
223     border-bottom: 1px solid #000000;
224     background-color: #FFFFFF;
225     background-image: none;
226     color: #000000;
227     text-align: center;
228     clear: both;
229 }
230
231 #WrapperFooter #FooterISDBranding {
232     margin: 0;
233     border: none;
234     padding: 0.5em;
235     background-color: #FFFFFF;
236     background-image: none;
237     color: #000000;
238     clear: both;
239     font-size: 8pt;
240     font-weight: bold;
241 }
242
243 #WrapperFooter #FooterISDBranding a,

```

```

244 #WrapperFooter #FooterISDBranding a:visited,
245 #WrapperFooter #FooterISDBranding a:hover,
246 #WrapperFooter #FooterISDBranding a:active {
247     background-color: #FFFFFF;
248     color: #000000;
249     text-decoration: none;
250 }
251
252 #WrapperFooter #FooterLastModified {
253     font-size: 8pt;
254 }
255
256 #WrapperFooter #FooterLastModified script { margin-left: 8px; }
257 /* End General Layout section */
258
259 /* Section - WrapperContentMain Formatting
260 | Function - Provides controls and formatting for common text elements
261 | in the main content area.
262 | Examples - Headings, paragraphs, tables, forms, etc.
263 |-----*/
264
265 /* Sub-section - Heading rules
266 | Function - Provides formatting for headings.
267 | Examples - h1-h6, plus special ids and classes.
268 |-----*/
269 #WrapperContent h1,
270 #WrapperContent h2,
271 #WrapperContent h3,
272 #WrapperContent h4,
273 #WrapperContent h5,
274 #WrapperContent h6 {
275     background-color: #FFFFFF;
276     color: #000000;
277     margin-bottom: 20px;
278 }
279
280 #WrapperContentMain h2 { font-size: 14pt; }
281 #WrapperContentMain h3 { font-size: 12pt; }
282 #WrapperContentMain h4 { font-size: 10pt; }
283 #WrapperContentMain h5 { font-size: 9pt; }
284 #WrapperContentMain h6 { font-size: 8pt; }
285
286 #WrapperContentMain h2,
287 #WrapperContentMain h3,
288 #WrapperContentMain h4,
289 #WrapperContentMain h5,
290 #WrapperContentMain h6 { padding-left: 0.5em; }
291
292
293 /* WrapperContentHeader */
294 #WrapperContentHeader {
295     background-color: transparent;
296     padding: 2px 0 0 0;
297 }
298
299 #WrapperContentHeader h1 {
300     color: #000000;
301     margin-bottom: 25px;
302     border-bottom: 3px solid #000000;
303     padding-bottom: 0.25em;
304     padding-left: 5px;
305     font-size: 16pt;
306     line-height: 1em;
307     /*margin-top: 15px;*/
308 }
309
310 #WrapperContentHeader h1#pageTitle {
311     background-color: transparent;
312     color: #000000;
313     padding-top: 2px;
314     font-size: 16pt;
315 }
316
317 #WrapperContentHeader h1#pageTitle .parentTitle { color: #8B8B8B; }
318
319 /* Sub-section - Paragraph rules
320 | Function - Provides formatting for paragraphs NOT within special divs, forms or tables.
321 | Examples - Paragraphs.
322 |-----*/
323 #WrapperContentMain p {
324     margin-bottom: 1em;

```

```

325 font-size: 10pt;
326 padding: 0 0.5em;
327 }
328
329 /* Sub-section - List rules
330 | Function - Provides formatting for lists.
331 | Examples - Paragraphs.
332 |-----*/
333 #WrapperContentMain dl,
334 #WrapperContentMain ol,
335 #WrapperContentMain ul {
336     margin: 10px 0 20px 30px;
337     font-size: 10pt;
338 }
339
340 #WrapperContentMain dl dt {
341     font-size: 10pt;
342     font-weight: bold;
343     margin-bottom: 1.0em;
344 }
345
346 #WrapperContentMain dl dd { margin-bottom: 1.5em; }
347 #WrapperContentMain dl dd p {
348     margin-bottom: 1.0em;
349     padding: 0;
350 }
351
352 #WrapperContentMain ol { list-style-type: decimal; }
353
354 #WrapperContentMain ul li { margin: 4px 0 4px 30px; }
355
356 #WrapperContentMain ul,
357 #WrapperContentMain ul ul,
358 #WrapperContentMain ul ul ul,
359 #WrapperContentMain ul ul ul ul,
360 #WrapperContentMain ul ul ul ul ul,
361 #WrapperContentMain ul ul ul ul ul ul { list-style-image: none; }
362
363
364 #WrapperContentMain ul { list-style-type: disc; }
365 #WrapperContentMain ul ul { list-style-type: square; }
366 #WrapperContentMain ul ul ul { list-style-type: circle; }
367 #WrapperContentMain ul ul ul ul { list-style-type: disc; }
368 #WrapperContentMain ul ul ul ul ul { list-style-type: square; }
369 #WrapperContentMain ul ul ul ul ul ul { list-style-type: circle; }
370
371 /* Sub-section - Form rules
372 | Function - Provides formatting for forms.
373 | Examples - Forms.
374 |-----*/
375 #WrapperContentMain form {
376     width: 90%;
377     border: 1px solid #000000;
378     padding: 10px;
379     margin-bottom: 10px;
380 }
381
382 #WrapperContentMain form br {
383     margin-bottom: 10px;
384     margin-top: 10px;
385 }
386
387 #WrapperContentMain form fieldset {
388     border: 1px solid #000000;
389     padding: 10px;
390 }
391
392 #WrapperContentMain form fieldset legend {
393     font-size: 12pt;
394     font-weight: bold;
395 }
396
397 #WrapperContentMain form label {
398     width: 15%;
399     font-weight: bold;
400 }
401
402 #WrapperContentMain form input {
403     border: 1px solid #000000;
404     margin-bottom: 5px;
405 }

```

```

407 #WrapperContentMain form select {
408     border: 1px solid #000000;
409     margin-bottom: 5px;
410 }
411
412 #WrapperContentMain form textarea {
413     border: 1px solid #000000;
414 }
415
416 /* Sub-section - Table rules
417 | Function - Provides formatting for tables.
418 | Examples - Tables.
419 |-----*/
420 #WrapperContentMain table {
421     border-spacing: 0px;
422     border-collapse: collapse;
423     width: auto;
424     margin: 0 5px 20px 5px;
425 }
426
427 #WrapperContentMain table caption {
428     padding: 5px;
429     font-size: 11pt;
430     font-weight: bold;
431 }
432
433 #WrapperContentMain table thead th {
434     font-size: 9pt;
435     text-align: center;
436 }
437
438 #WrapperContentMaintable tfoot th {
439     font-size: 9pt;
440     font-style: italic;
441     text-align: center;
442 }
443
444 #WrapperContentMain table th,
445 #WrapperContentMain table tbody th {
446     font-size: 8pt;
447     text-align: left;
448     font-weight: bold;
449     padding: 2px 3px;
450     border: 1px solid #000000;
451 }
452
453 #WrapperContentMain table td,
454 #WrapperContentMain table tbody td {
455     font-size: 8pt;
456     text-align: left;
457     padding: 2px 3px;
458     border: 1px solid #000000;
459 }
460
461 #WrapperContentMain table th.Corner { text-align: left; }
462
463 /* Sub-section - Specialized divisional (DIV) rules
464 | Function - Provides formatting for special divisions.
465 | Examples - Warnings, notes.
466 |-----*/
467
468 /*warnings/note - put class on div*/
469 #WrapperContentMain div.warning,
470 #WrapperContentMain div.note {
471     background-image: none;
472     padding: 10px 50px 10px 65px;
473     border-top: 1px dashed #000000;
474     border-bottom: 1px dashed #000000;
475     background-color: #FFFFFF;
476     line-height: 1.6em;
477     margin-bottom: 20px;
478 }
479
480 #WrapperContentMain .callOut {
481     margin: 0 10px 10px 5px;
482     border: 1px solid #000000;
483     padding: 10px;
484     width: 30%;
485     float: left;
486 }

```

```

488 #WrapperContentMain .callOut p { font-size: 8pt; }
489
490 #Coll.secondarySection #WrapperContentMain #Overview .navSectionalLinks { padding: 0 0.5em; }
491 #Coll.secondarySection #WrapperContentMain #Overview .navSectionalLinks ul {
492     margin-left: 0;
493     font-size: 10pt;
494     list-style-image: url(../images/bullets/arrow_print.gif);
495 }
496
497 #Coll.secondarySection #WrapperContentMain #Overview .navSectionalLinks ul li { margin-left: 20px; }
498
499 /* Spry Widgets */
500 /* Accordion Panels */
501 .Accordion,
502 .CollapsiblePanel {
503     border: none;
504     overflow: visible !important;
505 }
506
507 .AccordionPanelTab,
508 .AccordionPanelContent,
509 .CollapsiblePanelContent {
510     display: block !important;
511     height: auto !important;
512     overflow: visible !important;
513 }
514
515 .AccordionPanelTab,
516 .CollapsiblePanelTab {
517     background-color: transparent;
518     background-image: none;
519     padding: 5px 2px 2px 5px;
520     font-size: 14pt;
521     font-weight: bold;
522     font-family: Arial, Helvetica, sans-serif;
523     color: #000000;
524 }
525
526 .AccordionPanelContent { margin-bottom: 1em; }
527
528 /* Collapsible Panels */
529
530 /* Tabbed Panels */
531 .TabbedPanelsTabGroup,
532 .tabbedPanelsFooter {
533     display: none;
534 }
535
536 #Coll.tabsSimple #WrapperContentMain .TabbedPanelsContentGroup,
537 #Col2.orgSub #WrapperContentMain .TabbedPanelsContentGroup,
538 #Col2.tabsComplex #WrapperContentMain .TabbedPanelsContentGroup { border: none; }
539
540 .TabbedPanelsContent {
541     margin-bottom: 1.5em;
542     /*border-bottom: 1px solid #000000;*/
543     padding-bottom: 0.25em;
544     display: block !important;
545 }
546
547 .TabbedPanelsContentDisabled { display: none; }
548
549 /* End Content Section */
550
551 /* Section - Layout Specialization Controls
552 | Function - Provides rules for multi-columnar formats.
553 | Examples - Layouts Coll, Col2, Col3.
554 | Note - Widths calculated in inches.
555 |-----*/
556
557 /* Sub-section - Coll Layout Controls
558 | Function - Provides rules for single column.
559 |-----*/
560 #Coll #WrapperContentHeader { width: auto; }
561 #Coll #WrapperContentMain { padding-top: 10px; }
562
563 /* Home Page */
564 #Coll.home #Desk { display: none; }
565
566 #Coll.home #WrapperSidebarLeft {
567     display: block;

```

```

568     float: left;
569     width: 150px;
570 }
571
572 #Coll.home #WrapperSidebarLeft h2 { font-size: 14pt; }
573
574 #Coll.home #WrapperSidebarLeft p,
575 #Coll.home #WrapperSidebarLeft ul { font-size: 8pt; }
576
577 #Coll.home #WrapperSidebarLeft ul {
578     margin-left: 15px;
579     list-style-type: disc;
580 }
581
582 #Coll.home #WrapperSidebarLeft #Comms ul {
583     margin-left: 0;
584     list-style-type: none;
585 }
586
587 #Coll.home #WrapperSidebarLeft .AccordionPanelTab,
588 #Coll.home #WrapperSidebarLeft .CollapsiblePanelTab { padding-left: 0; font-size: 12pt; }
589
590 #Coll.home #WrapperContentMain {
591     margin-left: 160px;
592     border-left: 2px solid #000000;
593     padding-top: 0;
594     padding-left: 5px;
595     width: auto;
596 }
597
598 #Coll.home #WrapperContentMain h3 { font-style: italic; }
599
600
601 /* Sub-section - Col2 Layout Controls
602 | Function - Provides rules for two columns.
603 |-----*/
604 #Col2 #WrapperContentMain {
605     margin-left: 0;
606     padding: inherit;
607 }
608
609 #Col2.faq #WrapperContentMain dl {
610     margin-left: 10px;
611     margin-right: 10px;
612 }
613
614 #Col2.faq #WrapperContentMain dt {
615     background-image: none;
616     background-position: left 5px;
617     margin-bottom: 1em;
618     border-top: 1px solid #9F9F9F;
619     padding-top: 5px;
620     font-weight: bold;
621     position: relative;
622 }
623
624 #Col2.faq #WrapperContentMain dd {
625     background-image: none;
626     padding-bottom: 0.5em;
627     position: relative;
628 }
629
630 #Col2.faq .faqLetter {
631     font-size: 22pt;
632     font-weight: bold;
633     position: absolute;
634     left: 0px;
635 }
636
637 #Col2.faq .faqA { top: 6px; }
638 #Col2.faq .faqQ { top: 11px; }
639 #Col2.faq #WrapperContentMain dt.firstDT { border-top: none; }
640
641 /* End Layout Specialization Section */
642

```