

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-tran
sitional.dtd">
2 <!-- saved from url=(0014)about:internet -->
3 <html xmlns="http://www.w3.org/1999/xhtml" xmlns:spry="http://ns.adobe.com/spry/" lang="en-us" xml:lang="en
-us"><!-- InstanceBegin template="/Templates/g4_c2_genCntM1_tabsCmplx_sdLcDocsV3.dwt" codeOutsideHTMLIsLock
ed="false" -->
4 <!--saved from url is necessary to prevent the IE warning message when file is run locally-->
5 <head>
6 <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
7 <meta name="keywords" content="CIO, Chief Information Officer, OCIO Website, OCIO, Office of the Chief Info
rmation Officer" />
8 <meta name="description" content="Providing USPTO Customers with a Central Location for OCIO Information."
/>
9 <meta name="author" content="CSSG/ISD" />
10
11
12
13 <title>OCIO :: SDLC :: Artifacts</title>
14
15
16 <!-- Begin screen CSS links -->
17 <link href="../assets/css/screen.css" id="CSSScreen" rel="stylesheet" type="text/css" media="screen" />
18 <!-- DW Template conditional CSS. They are turned on using the template parameter menu. -->
19
20 <link href="../assets/css/tables.css" id="CSSTables" rel="stylesheet" type="text/css" media="screen" />
21
22 <!-- InstanceBeginEditable name="CSSRegular" --><!-- InstanceEndEditable -->
23 <link href="../assets/spry/SpryValidationTextField.css" id="CSSSpryValTxt" rel="stylesheet" type="text/css"
media="screen" />
24
25
26
27 <link href="../assets/spry/SpryAccordion.css" id="CSSSpryAccordion" rel="stylesheet" type="text/css" media=
"screen" />
28
29
30 <link href="../assets/spry/SpryTabbedPanels.css" id="CSSSpryTabbedPanels" rel="stylesheet" type="text/css"
media="screen" />
31
32
33 <!-- The print CSS -->
34 <link href="../assets/css/print.css" id="CSSPrint" rel="stylesheet" type="text/css" media="print" />
35
36 <!-- End CSS links. Begin JavaScript links. -->
37 <script src="../assets/scripts/common.js" type="text/JavaScript"></script>
38 <script src="../assets/spry/xpath.js" type="text/javascript"></script>
39 <script src="../assets/spry/SpryData.js" type="text/javascript"></script>
40 <script src="../assets/spry/SpryDOMUtils.js" type="text/javascript"></script>
41 <script src="../assets/spry/SpryURLUtils.js" type="text/javascript"></script>
42 <script src="../assets/spry/SpryValidationTextField.js" type="text/javascript"></script>
43 <script src="../assets/spry/SpryGOMaster.js" type="text/javascript"></script>
44
45
46
47 <!-- DW Template conditional JavaScripts. They are turned on using the template parameter menu. -->
48
49
50 <script src="../assets/spry/SpryAccordion.js" type="text/javascript"></script>
51
52
53 <script src="../assets/spry/SpryTabbedPanels.js" type="text/javascript"></script>
54
55
56 <!-- End JavaScript links. Begin JavaScript statements. -->
57 <!-- Necessary scripts for Spry widgets -->
58 <!-- InstanceBeginEditable name="JSDataSetsCode" -->
59 <script src="../assets/spry/SprySDLC3.js" type="text/javascript"></script>
60 <!--<link href="../assets/spry/SpryDebug.css" rel="stylesheet" type="text/css" />
61 <script src="../assets/spry/SpryDebug.js" type="text/javascript"></script>-->
62 <!-- InstanceEndEditable -->
63 <!-- End JavaScript statements. -->
64 <!-- Begin editable region for the head. This is where extra javascripts and css files can be added. A new
editable region will be added per nested template level, creating a editable region down to the page level.
-->
65 <!-- InstanceBeginEditable name="head" --><!-- InstanceEndEditable -->
66 <!-- The following are dreamweaver parameters. They should be in the head. It is recommended to keep them a
ll together in 1 place, preferably at the end of the head -->
67
68
69
70
```

```
72 <!-- InstanceParam name="SectionName" type="text" value="SDLC" -->
73 <!-- InstanceParam name="PageName" type="text" value="Artifacts" -->
74
75
76
77
78
79
80
81
82
83 <!-- InstanceParam name="SDLCVersionNumber" type="number" value="3" -->
84 <!-- InstanceParam name="SDLCCollectionType" type="text" value="Artifact" -->
85
86 <!-- These variables relate allow setting of Spry info. -->
87 <!-- Tabs: Level 1 -->
88 <!-- InstanceParam name="TabL100A_On" type="boolean" value="true" -->
89 <!-- InstanceParam name="TabL100B_Name" type="text" value="Alpha" -->
90 <!-- InstanceParam name="TabL100C_Disabled" type="text" value="" -->
91
92 <!-- InstanceParam name="TabL101A_On" type="boolean" value="true" -->
93 <!-- InstanceParam name="TabL101B_Name" type="text" value="Phase" -->
94 <!-- InstanceParam name="TabL101C_Disabled" type="text" value="" -->
95
96 <!-- InstanceParam name="TabL102A_On" type="boolean" value="true" -->
97 <!-- InstanceParam name="TabL102B_Name" type="text" value="Lead&nbsp;SDLC&nbsp;Role" -->
98 <!-- InstanceParam name="TabL102C_Disabled" type="text" value="" -->
99
100 <!-- InstanceParam name="TabL103A_On" type="boolean" value="false" -->
101 <!-- InstanceParam name="TabL103B_Name" type="text" value="" -->
102 <!-- InstanceParam name="TabL103C_Disabled" type="text" value="" -->
103
104 <!-- InstanceParam name="TabL104A_On" type="boolean" value="false" -->
105 <!-- InstanceParam name="TabL104B_Name" type="text" value="" -->
106 <!-- InstanceParam name="TabL104C_Disabled" type="text" value="" -->
107
108 <!-- InstanceParam name="TabL105A_On" type="boolean" value="false" -->
109 <!-- InstanceParam name="TabL105B_Name" type="text" value="" -->
110 <!-- InstanceParam name="TabL105C_Disabled" type="text" value="" -->
111
112
113 <!-- Level 2: Tab Set 1 -->
114 <!-- InstanceParam name="TabL100L200A_On" type="boolean" value="true" -->
115 <!-- InstanceParam name="TabL100L200B_Name" type="text" value="A" -->
116 <!-- InstanceParam name="TabL100L200C_Disabled" type="text" value="" -->
117
118 <!-- InstanceParam name="TabL100L201A_On" type="boolean" value="true" -->
119 <!-- InstanceParam name="TabL100L201B_Name" type="text" value="B" -->
120 <!-- InstanceParam name="TabL100L201C_Disabled" type="text" value="Disabled" -->
121
122 <!-- InstanceParam name="TabL100L202A_On" type="boolean" value="true" -->
123 <!-- InstanceParam name="TabL100L202B_Name" type="text" value="C" -->
124 <!-- InstanceParam name="TabL100L202C_Disabled" type="text" value="" -->
125
126 <!-- InstanceParam name="TabL100L203A_On" type="boolean" value="true" -->
127 <!-- InstanceParam name="TabL100L203B_Name" type="text" value="D" -->
128 <!-- InstanceParam name="TabL100L203C_Disabled" type="text" value="" -->
129
130 <!-- InstanceParam name="TabL100L204A_On" type="boolean" value="true" -->
131 <!-- InstanceParam name="TabL100L204B_Name" type="text" value="E" -->
132 <!-- InstanceParam name="TabL100L204C_Disabled" type="text" value="" -->
133
134 <!-- InstanceParam name="TabL100L205A_On" type="boolean" value="true" -->
135 <!-- InstanceParam name="TabL100L205B_Name" type="text" value="F" -->
136 <!-- InstanceParam name="TabL100L205C_Disabled" type="text" value="" -->
137
138 <!-- InstanceParam name="TabL100L206A_On" type="boolean" value="true" -->
139 <!-- InstanceParam name="TabL100L206B_Name" type="text" value="G" -->
140 <!-- InstanceParam name="TabL100L206C_Disabled" type="text" value="Disabled" -->
141
142 <!-- InstanceParam name="TabL100L207A_On" type="boolean" value="true" -->
143 <!-- InstanceParam name="TabL100L207B_Name" type="text" value="H" -->
144 <!-- InstanceParam name="TabL100L207C_Disabled" type="text" value="Disabled" -->
145
146 <!-- InstanceParam name="TabL100L208A_On" type="boolean" value="true" -->
147 <!-- InstanceParam name="TabL100L208B_Name" type="text" value="I" -->
148 <!-- InstanceParam name="TabL100L208C_Disabled" type="text" value="" -->
149
150 <!-- InstanceParam name="TabL100L209A_On" type="boolean" value="true" -->
151 <!-- InstanceParam name="TabL100L209B_Name" type="text" value="J" -->
```

153 <!-- InstanceParam name="TabL100L209C_Disabled" type="text" value="Disabled" -->
154 <!-- InstanceParam name="TabL100L210A_On" type="boolean" value="true" -->
155 <!-- InstanceParam name="TabL100L210B_Name" type="text" value="K" -->
156 <!-- InstanceParam name="TabL100L210C_Disabled" type="text" value="Disabled" -->
157
158 <!-- InstanceParam name="TabL100L211A_On" type="boolean" value="true" -->
159 <!-- InstanceParam name="TabL100L211B_Name" type="text" value="L" -->
160 <!-- InstanceParam name="TabL100L211C_Disabled" type="text" value="" -->
161
162 <!-- InstanceParam name="TabL100L212A_On" type="boolean" value="true" -->
163 <!-- InstanceParam name="TabL100L212B_Name" type="text" value="M" -->
164 <!-- InstanceParam name="TabL100L212C_Disabled" type="text" value="Disabled" -->
165
166 <!-- InstanceParam name="TabL100L213A_On" type="boolean" value="true" -->
167 <!-- InstanceParam name="TabL100L213B_Name" type="text" value="N" -->
168 <!-- InstanceParam name="TabL100L213C_Disabled" type="text" value="Disabled" -->
169
170 <!-- InstanceParam name="TabL100L214A_On" type="boolean" value="true" -->
171 <!-- InstanceParam name="TabL100L214B_Name" type="text" value="O" -->
172 <!-- InstanceParam name="TabL100L214C_Disabled" type="text" value="" -->
173
174 <!-- InstanceParam name="TabL100L215A_On" type="boolean" value="true" -->
175 <!-- InstanceParam name="TabL100L215B_Name" type="text" value="P" -->
176 <!-- InstanceParam name="TabL100L215C_Disabled" type="text" value="" -->
177
178 <!-- InstanceParam name="TabL100L216A_On" type="boolean" value="true" -->
179 <!-- InstanceParam name="TabL100L216B_Name" type="text" value="Q" -->
180 <!-- InstanceParam name="TabL100L216C_Disabled" type="text" value="" -->
181
182 <!-- InstanceParam name="TabL100L217A_On" type="boolean" value="true" -->
183 <!-- InstanceParam name="TabL100L217B_Name" type="text" value="R" -->
184 <!-- InstanceParam name="TabL100L217C_Disabled" type="text" value="" -->
185
186 <!-- InstanceParam name="TabL100L218A_On" type="boolean" value="true" -->
187 <!-- InstanceParam name="TabL100L218B_Name" type="text" value="S" -->
188 <!-- InstanceParam name="TabL100L218C_Disabled" type="text" value="" -->
189
190 <!-- InstanceParam name="TabL100L219A_On" type="boolean" value="true" -->
191 <!-- InstanceParam name="TabL100L219B_Name" type="text" value="T" -->
192 <!-- InstanceParam name="TabL100L219C_Disabled" type="text" value="" -->
193
194 <!-- InstanceParam name="TabL100L220A_On" type="boolean" value="true" -->
195 <!-- InstanceParam name="TabL100L220B_Name" type="text" value="U" -->
196 <!-- InstanceParam name="TabL100L220C_Disabled" type="text" value="" -->
197
198 <!-- InstanceParam name="TabL100L221A_On" type="boolean" value="true" -->
199 <!-- InstanceParam name="TabL100L221B_Name" type="text" value="V" -->
200 <!-- InstanceParam name="TabL100L221C_Disabled" type="text" value="Disabled" -->
201
202 <!-- InstanceParam name="TabL100L222A_On" type="boolean" value="true" -->
203 <!-- InstanceParam name="TabL100L222B_Name" type="text" value="W" -->
204 <!-- InstanceParam name="TabL100L222C_Disabled" type="text" value="" -->
205
206 <!-- InstanceParam name="TabL100L223A_On" type="boolean" value="true" -->
207 <!-- InstanceParam name="TabL100L223B_Name" type="text" value="X" -->
208 <!-- InstanceParam name="TabL100L223C_Disabled" type="text" value="Disabled" -->
209
210 <!-- InstanceParam name="TabL100L224A_On" type="boolean" value="true" -->
211 <!-- InstanceParam name="TabL100L224B_Name" type="text" value="Y" -->
212 <!-- InstanceParam name="TabL100L224C_Disabled" type="text" value="Disabled" -->
213
214 <!-- InstanceParam name="TabL100L225A_On" type="boolean" value="true" -->
215 <!-- InstanceParam name="TabL100L225B_Name" type="text" value="Z" -->
216 <!-- InstanceParam name="TabL100L225C_Disabled" type="text" value="Disabled" -->
217
218 <!-- InstanceParam name="TabL100L226A_On" type="boolean" value="false" -->
219 <!-- InstanceParam name="TabL100L226B_Name" type="text" value="" -->
220 <!-- InstanceParam name="TabL100L226C_Disabled" type="text" value="" -->
221
222 <!-- InstanceParam name="TabL100L227A_On" type="boolean" value="false" -->
223 <!-- InstanceParam name="TabL100L227B_Name" type="text" value="" -->
224 <!-- InstanceParam name="TabL100L227C_Disabled" type="text" value="" -->
225
226 <!-- InstanceParam name="TabL100L228A_On" type="boolean" value="false" -->
227 <!-- InstanceParam name="TabL100L228B_Name" type="text" value="" -->
228 <!-- InstanceParam name="TabL100L228C_Disabled" type="text" value="" -->
229
230 <!-- InstanceParam name="TabL100L229A_On" type="boolean" value="false" -->
231 <!-- InstanceParam name="TabL100L229B_Name" type="text" value="" -->
232 <!-- InstanceParam name="TabL100L229C_Disabled" type="text" value="" -->

234 <!-- Level 2: Tab Set 2 and Table Caption -->
235 <!-- InstanceParam name="TabL101L200A_On" type="boolean" value="true" -->
236 <!-- InstanceParam name="TabL101L200B_Name" type="text" value="1" -->
237 <!-- InstanceParam name="TabL101L200C_Disabled" type="text" value="" -->
238 <!-- InstanceParam name="TabL101L200D_Caption" type="text" value="Concept" -->
239
240 <!-- InstanceParam name="TabL101L201A_On" type="boolean" value="true" -->
241 <!-- InstanceParam name="TabL101L201B_Name" type="text" value="2" -->
242 <!-- InstanceParam name="TabL101L201C_Disabled" type="text" value="" -->
243 <!-- InstanceParam name="TabL101L201D_Caption" type="text" value="Definition" -->
244
245 <!-- InstanceParam name="TabL101L202A_On" type="boolean" value="true" -->
246 <!-- InstanceParam name="TabL101L202B_Name" type="text" value="3" -->
247 <!-- InstanceParam name="TabL101L202C_Disabled" type="text" value="" -->
248 <!-- InstanceParam name="TabL101L202D_Caption" type="text" value="Design" -->
249
250 <!-- InstanceParam name="TabL101L203A_On" type="boolean" value="true" -->
251 <!-- InstanceParam name="TabL101L203B_Name" type="text" value="4" -->
252 <!-- InstanceParam name="TabL101L203C_Disabled" type="text" value="" -->
253 <!-- InstanceParam name="TabL101L203D_Caption" type="text" value="Development" -->
254
255 <!-- InstanceParam name="TabL101L204A_On" type="boolean" value="true" -->
256 <!-- InstanceParam name="TabL101L204B_Name" type="text" value="5" -->
257 <!-- InstanceParam name="TabL101L204C_Disabled" type="text" value="" -->
258 <!-- InstanceParam name="TabL101L204D_Caption" type="text" value="Testing" -->
259
260 <!-- InstanceParam name="TabL101L205A_On" type="boolean" value="true" -->
261 <!-- InstanceParam name="TabL101L205B_Name" type="text" value="6" -->
262 <!-- InstanceParam name="TabL101L205C_Disabled" type="text" value="" -->
263 <!-- InstanceParam name="TabL101L205D_Caption" type="text" value="Deployment" -->
264
265 <!-- InstanceParam name="TabL101L206A_On" type="boolean" value="true" -->
266 <!-- InstanceParam name="TabL101L206B_Name" type="text" value="7" -->
267 <!-- InstanceParam name="TabL101L206C_Disabled" type="text" value="" -->
268 <!-- InstanceParam name="TabL101L206D_Caption" type="text" value="Operations" -->
269
270 <!-- InstanceParam name="TabL101L207A_On" type="boolean" value="true" -->
271 <!-- InstanceParam name="TabL101L207B_Name" type="text" value="8" -->
272 <!-- InstanceParam name="TabL101L207C_Disabled" type="text" value="" -->
273 <!-- InstanceParam name="TabL101L207D_Caption" type="text" value="Retirement" -->
274
275 <!-- InstanceParam name="TabL101L208A_On" type="boolean" value="false" -->
276 <!-- InstanceParam name="TabL101L208B_Name" type="text" value="9" -->
277 <!-- InstanceParam name="TabL101L208C_Disabled" type="text" value="" -->
278 <!-- InstanceParam name="TabL101L208D_Caption" type="text" value="" -->
279
280 <!-- InstanceParam name="TabL101L209A_On" type="boolean" value="false" -->
281 <!-- InstanceParam name="TabL101L209B_Name" type="text" value="10" -->
282 <!-- InstanceParam name="TabL101L209C_Disabled" type="text" value="" -->
283 <!-- InstanceParam name="TabL101L209D_Caption" type="text" value="" -->
284
285 <!-- Level 2: Tab Set 3: and Table Caption -->
286 <!-- InstanceParam name="TabL102L200A_On" type="boolean" value="true" -->
287 <!-- InstanceParam name="TabL102L200B_Name" type="text" value="A - N" -->
288 <!-- InstanceParam name="TabL102L200C_Disabled" type="text" value="" -->
289
290 <!-- InstanceParam name="TabL102L201A_On" type="boolean" value="true" -->
291 <!-- InstanceParam name="TabL102L201B_Name" type="text" value="O - Z" -->
292 <!-- InstanceParam name="TabL102L201C_Disabled" type="text" value="" -->
293
294 <!-- InstanceParam name="TabL102L202A_On" type="boolean" value="false" -->
295 <!-- InstanceParam name="TabL102L202B_Name" type="text" value="" -->
296 <!-- InstanceParam name="TabL102L202C_Disabled" type="text" value="" -->
297
298 <!-- InstanceParam name="TabL102L203A_On" type="boolean" value="false" -->
299 <!-- InstanceParam name="TabL102L203B_Name" type="text" value="" -->
300 <!-- InstanceParam name="TabL102L203C_Disabled" type="text" value="" -->
301
302 <!-- InstanceParam name="TabL102L204A_On" type="boolean" value="false" -->
303 <!-- InstanceParam name="TabL102L204B_Name" type="text" value="" -->
304 <!-- InstanceParam name="TabL102L204C_Disabled" type="text" value="" -->
305
306 <!-- InstanceParam name="TabL102L205A_On" type="boolean" value="false" -->
307 <!-- InstanceParam name="TabL102L205B_Name" type="text" value="" -->
308 <!-- InstanceParam name="TabL102L205C_Disabled" type="text" value="" -->
309
310 <!-- InstanceParam name="TabL102L206A_On" type="boolean" value="false" -->
311 <!-- InstanceParam name="TabL102L206B_Name" type="text" value="" -->
312 <!-- InstanceParam name="TabL102L206C_Disabled" type="text" value="" -->
313

```
315 <!-- InstanceParam name="TabL102L207A_On" type="boolean" value="false" -->
316 <!-- InstanceParam name="TabL102L207B_Name" type="text" value="" -->
317 <!-- InstanceParam name="TabL102L207C_Disabled" type="text" value="" -->
318 <!-- InstanceParam name="TabL102L208A_On" type="boolean" value="false" -->
319 <!-- InstanceParam name="TabL102L208B_Name" type="text" value="" -->
320 <!-- InstanceParam name="TabL102L208C_Disabled" type="text" value="" -->
321
322 <!-- InstanceParam name="TabL102L209A_On" type="boolean" value="false" -->
323 <!-- InstanceParam name="TabL102L209B_Name" type="text" value="" -->
324 <!-- InstanceParam name="TabL102L209C_Disabled" type="text" value="" -->
325
326
327 <!-- Only used in SDLC v3 -->
328 <!-- InstanceParam name="TAccL100A_On" type="boolean" value="false" -->
329 <!-- InstanceParam name="TAccL100B_Name" type="text" value="A" -->
330
331 <!-- InstanceParam name="TAccL101A_On" type="boolean" value="true" -->
332 <!-- InstanceParam name="TAccL101B_Name" type="text" value="B" -->
333
334 <!-- InstanceParam name="TAccL102A_On" type="boolean" value="true" -->
335 <!-- InstanceParam name="TAccL102B_Name" type="text" value="C" -->
336
337 <!-- InstanceParam name="TAccL103A_On" type="boolean" value="true" -->
338 <!-- InstanceParam name="TAccL103B_Name" type="text" value="D" -->
339
340 <!-- InstanceParam name="TAccL104A_On" type="boolean" value="false" -->
341 <!-- InstanceParam name="TAccL104B_Name" type="text" value="E" -->
342
343 <!-- InstanceParam name="TAccL105A_On" type="boolean" value="false" -->
344 <!-- InstanceParam name="TAccL105B_Name" type="text" value="F" -->
345
346 <!-- InstanceParam name="TAccL106A_On" type="boolean" value="false" -->
347 <!-- InstanceParam name="TAccL106B_Name" type="text" value="G" -->
348
349 <!-- InstanceParam name="TAccL107A_On" type="boolean" value="false" -->
350 <!-- InstanceParam name="TAccL107B_Name" type="text" value="H" -->
351
352 <!-- InstanceParam name="TAccL108A_On" type="boolean" value="true" -->
353 <!-- InstanceParam name="TAccL108B_Name" type="text" value="I" -->
354
355 <!-- InstanceParam name="TAccL109A_On" type="boolean" value="false" -->
356 <!-- InstanceParam name="TAccL109B_Name" type="text" value="J" -->
357
358 <!-- InstanceParam name="TAccL110A_On" type="boolean" value="false" -->
359 <!-- InstanceParam name="TAccL110B_Name" type="text" value="K" -->
360
361 <!-- InstanceParam name="TAccL111A_On" type="boolean" value="true" -->
362 <!-- InstanceParam name="TAccL111B_Name" type="text" value="L" -->
363
364 <!-- InstanceParam name="TAccL112A_On" type="boolean" value="false" -->
365 <!-- InstanceParam name="TAccL112B_Name" type="text" value="M" -->
366
367 <!-- InstanceParam name="TAccL113A_On" type="boolean" value="true" -->
368 <!-- InstanceParam name="TAccL113B_Name" type="text" value="N" -->
369
370 <!-- InstanceParam name="TAccL114A_On" type="boolean" value="true" -->
371 <!-- InstanceParam name="TAccL114B_Name" type="text" value="O" -->
372
373 <!-- InstanceParam name="TAccL115A_On" type="boolean" value="true" -->
374 <!-- InstanceParam name="TAccL115B_Name" type="text" value="P" -->
375
376 <!-- InstanceParam name="TAccL116A_On" type="boolean" value="true" -->
377 <!-- InstanceParam name="TAccL116B_Name" type="text" value="Q" -->
378
379 <!-- InstanceParam name="TAccL117A_On" type="boolean" value="true" -->
380 <!-- InstanceParam name="TAccL117B_Name" type="text" value="R" -->
381
382 <!-- InstanceParam name="TAccL118A_On" type="boolean" value="true" -->
383 <!-- InstanceParam name="TAccL118B_Name" type="text" value="S" -->
384
385 <!-- InstanceParam name="TAccL119A_On" type="boolean" value="true" -->
386 <!-- InstanceParam name="TAccL119B_Name" type="text" value="T" -->
387
388 <!-- InstanceParam name="TAccL120A_On" type="boolean" value="false" -->
389 <!-- InstanceParam name="TAccL120B_Name" type="text" value="U" -->
390
391 <!-- InstanceParam name="TAccL121A_On" type="boolean" value="false" -->
392 <!-- InstanceParam name="TAccL121B_Name" type="text" value="V" -->
393
394 <!-- InstanceParam name="TAccL122A_On" type="boolean" value="false" -->
```

```
396 <!-- InstanceParam name="TAccL122B_Name" type="text" value="W" -->
397 <!-- InstanceParam name="TAccL123A_On" type="boolean" value="false" -->
398 <!-- InstanceParam name="TAccL123B_Name" type="text" value="X" -->
399
400 <!-- InstanceParam name="TAccL124A_On" type="boolean" value="false" -->
401 <!-- InstanceParam name="TAccL124B_Name" type="text" value="Y" -->
402
403 <!-- InstanceParam name="TAccL125A_On" type="boolean" value="false" -->
404 <!-- InstanceParam name="TAccL125B_Name" type="text" value="Z" -->
405
406 <!-- Only used in SDLC v3: Accordion Table Captions -->
407 <!-- InstanceParam name="TAccTbl00A_On" type="boolean" value="true" -->
408 <!-- InstanceParam name="TAccTbl00B_Caption" type="text" value="Budget Advisor" -->
409
410 <!-- InstanceParam name="TAccTbl01A_On" type="boolean" value="true" -->
411 <!-- InstanceParam name="TAccTbl01B_Caption" type="text" value="Business PM Senior Management" -->
412
413 <!-- InstanceParam name="TAccTbl02A_On" type="boolean" value="true" -->
414 <!-- InstanceParam name="TAccTbl02B_Caption" type="text" value="Business Project Manager" -->
415
416 <!-- InstanceParam name="TAccTbl03A_On" type="boolean" value="true" -->
417 <!-- InstanceParam name="TAccTbl03B_Caption" type="text" value="Change Control Manager" -->
418
419 <!-- InstanceParam name="TAccTbl04A_On" type="boolean" value="true" -->
420 <!-- InstanceParam name="TAccTbl04B_Caption" type="text" value="Chief Information Officer" -->
421
422 <!-- InstanceParam name="TAccTbl05A_On" type="boolean" value="true" -->
423 <!-- InstanceParam name="TAccTbl05B_Caption" type="text" value="Chief Information System Security Officer"
-->
424
425 <!-- InstanceParam name="TAccTbl06A_On" type="boolean" value="true" -->
426 <!-- InstanceParam name="TAccTbl06B_Caption" type="text" value="Chief Technology Officer" -->
427
428 <!-- InstanceParam name="TAccTbl07A_On" type="boolean" value="true" -->
429 <!-- InstanceParam name="TAccTbl07B_Caption" type="text" value="Configuration Manager" -->
430
431 <!-- InstanceParam name="TAccTbl08A_On" type="boolean" value="true" -->
432 <!-- InstanceParam name="TAccTbl08B_Caption" type="text" value="Contracting Officer Technical Representativ
e" -->
433
434 <!-- InstanceParam name="TAccTbl09A_On" type="boolean" value="true" -->
435 <!-- InstanceParam name="TAccTbl09B_Caption" type="text" value="Contractors" -->
436
437 <!-- InstanceParam name="TAccTbl10A_On" type="boolean" value="true" -->
438 <!-- InstanceParam name="TAccTbl10B_Caption" type="text" value="CPIC Review Board" -->
439
440 <!-- InstanceParam name="TAccTbl11A_On" type="boolean" value="true" -->
441 <!-- InstanceParam name="TAccTbl11B_Caption" type="text" value="Customer Support" -->
442
443 <!-- InstanceParam name="TAccTbl12A_On" type="boolean" value="true" -->
444 <!-- InstanceParam name="TAccTbl12B_Caption" type="text" value="Database Administrator" -->
445
446 <!-- InstanceParam name="TAccTbl13A_On" type="boolean" value="true" -->
447 <!-- InstanceParam name="TAccTbl13B_Caption" type="text" value="Information System Security Officer" -->
448
449 <!-- InstanceParam name="TAccTbl14A_On" type="boolean" value="true" -->
450 <!-- InstanceParam name="TAccTbl14B_Caption" type="text" value="IT Investment Review Board" -->
451
452 <!-- InstanceParam name="TAccTbl15A_On" type="boolean" value="true" -->
453 <!-- InstanceParam name="TAccTbl15B_Caption" type="text" value="IT Security Facilitator" -->
454
455 <!-- InstanceParam name="TAccTbl16A_On" type="boolean" value="true" -->
456 <!-- InstanceParam name="TAccTbl16B_Caption" type="text" value="Lead Solution Architect" -->
457
458 <!-- InstanceParam name="TAccTbl17A_On" type="boolean" value="true" -->
459 <!-- InstanceParam name="TAccTbl17B_Caption" type="text" value="Network Manager" -->
460
461 <!-- InstanceParam name="TAccTbl18A_On" type="boolean" value="true" -->
462 <!-- InstanceParam name="TAccTbl18B_Caption" type="text" value="OCIO Customer Liaison" -->
463
464 <!-- InstanceParam name="TAccTbl19A_On" type="boolean" value="true" -->
465 <!-- InstanceParam name="TAccTbl19B_Caption" type="text" value="OCIO Personnel" -->
466
467 <!-- InstanceParam name="TAccTbl20A_On" type="boolean" value="true" -->
468 <!-- InstanceParam name="TAccTbl20B_Caption" type="text" value="OCIO Project Manager" -->
469
470 <!-- InstanceParam name="TAccTbl21A_On" type="boolean" value="true" -->
471 <!-- InstanceParam name="TAccTbl21B_Caption" type="text" value="OCIO Senior Management" -->
472
473 <!-- InstanceParam name="TAccTbl22A_On" type="boolean" value="true" -->
```

```
474 <!-- InstanceParam name="TAccTbl22B_Caption" type="text" value="Operations Manager" -->
475
476 <!-- InstanceParam name="TAccTbl23A_On" type="boolean" value="true" -->
477 <!-- InstanceParam name="TAccTbl23B_Caption" type="text" value="Project Team" -->
478
479 <!-- InstanceParam name="TAccTbl24A_On" type="boolean" value="true" -->
480 <!-- InstanceParam name="TAccTbl24B_Caption" type="text" value="Quality Assurance Team" -->
481
482 <!-- InstanceParam name="TAccTbl25A_On" type="boolean" value="true" -->
483 <!-- InstanceParam name="TAccTbl25B_Caption" type="text" value="Records Manager" -->
484
485 <!-- InstanceParam name="TAccTbl26A_On" type="boolean" value="true" -->
486 <!-- InstanceParam name="TAccTbl26B_Caption" type="text" value="Release Manager" -->
487
488 <!-- InstanceParam name="TAccTbl27A_On" type="boolean" value="true" -->
489 <!-- InstanceParam name="TAccTbl27B_Caption" type="text" value="Requirements Lead" -->
490
491 <!-- InstanceParam name="TAccTbl28A_On" type="boolean" value="true" -->
492 <!-- InstanceParam name="TAccTbl28B_Caption" type="text" value="Roadmap Advisory Committee" -->
493
494 <!-- InstanceParam name="TAccTbl29A_On" type="boolean" value="true" -->
495 <!-- InstanceParam name="TAccTbl29B_Caption" type="text" value="Section 508 Coordinator" -->
496
497 <!-- InstanceParam name="TAccTbl30A_On" type="boolean" value="true" -->
498 <!-- InstanceParam name="TAccTbl30B_Caption" type="text" value="Server Manager" -->
499
500 <!-- InstanceParam name="TAccTbl31A_On" type="boolean" value="true" -->
501 <!-- InstanceParam name="TAccTbl31B_Caption" type="text" value="Systems Development Lead" -->
502
503 <!-- InstanceParam name="TAccTbl32A_On" type="boolean" value="true" -->
504 <!-- InstanceParam name="TAccTbl32B_Caption" type="text" value="Telecommunication Manager" -->
505
506 <!-- InstanceParam name="TAccTbl33A_On" type="boolean" value="true" -->
507 <!-- InstanceParam name="TAccTbl33B_Caption" type="text" value="TBD" -->
508
509 <!-- InstanceParam name="TAccTbl34A_On" type="boolean" value="true" -->
510 <!-- InstanceParam name="TAccTbl34B_Caption" type="text" value="ORVal" -->
511
512 <!-- InstanceParam name="TAccTbl35A_On" type="boolean" value="true" -->
513 <!-- InstanceParam name="TAccTbl35B_Caption" type="text" value="ORVal" -->
514
515
516
517
518 <!-- InstanceBeginEditable name="DWTempParams3" --><!-- InstanceEndEditable -->
519 <!-- InstanceBeginEditable name="DWTempParams4" --><!-- InstanceEndEditable -->
520 <!-- The line below starts the IE conditional comment and links to the ie hack files via absolute URLs. The
URLs must be absolute. Dreamweaver cannot update the links because it sees in the comment as an HTML comm
ent only. Remember to change the URLs when necessary (e.g. move site to production, move folders)-->
521 <!--[if lt IE 7]>
522 <link id="CSSHacksIE6" href="http://ptoweb.uspto.gov/ptointranet/cisd/cio/assets/css/ie6_hacks.css"
rel="stylesheet" type="text/css" media="screen" />
523 <link id="CSSHacksIE6Print" href="http://ptoweb.uspto.gov/ptointranet/cisd/cio/assets/css/ie6_hacks
_print.css" rel="stylesheet" type="text/css" media="print" />
524 <script type="text/JavaScript" src="http://ptoweb.uspto.gov/ptointranet/cisd/cio/assets/scripts/ie6
_hacks.js"></script>
525 <![endif]-->
526 <!-- This ends the IE conditional comment -->
527 </head>
528
529 <!-- Page layout controlled by combination of correct id and class(es) on the body tag via template paramet
ers in child templates -->
530 <body class="generalContentModel tabsComplex sdlcDocs" id="Col2">
531 <!-- BodyInnerLeft and BodyInnerRight set backgrounds -->
532 <div id="BodyInnerLeft">
533 <div id="BodyInnerRight">
534 <!-- WrapperOuter sets the shadow of Wrapper -->
535 <div id="WrapperOuter">
536 <div id="Wrapper">
537 <!-- Start WrapperHeader DIV: Holds all header content, including navigational elements, lo
go, and site name -->
538 <div id="WrapperHeader">
539 <!-- Start Skipto links: Skips to content and the topic index. -->
540 <a class="nonVisual" href="#aContent" id="SkipToContent" tabindex="1" title="Jump to co
ntent">Go to the content.</a>
541 <a class="nonVisual" href="#aTopicIndex" id="SkipToTopicIndex" tabindex="2" title="Jump
to the topic index">Go to the topic index.</a>
542 <!-- End Skipto links -->
543 <!-- Start NavGlobalUSPTO DIV -->
544 <div id="NavGlobalUSPTO">
545 <a href="http://ptoweb/" id="aUSPTOIntranetLogo" name="aUSPTOIntranetLogo" tabindex
```

```
"10"></a>
546     <ul>
547         <li><a href="http://ptoweb/" id="aUSPTOIntranetHome" name="aUSPTOIntranetHome"
tabindex="11">Home</a></li>
548         <li><a href="http://ptoweb/ptointranet/sitemap2.htm" id="aUSPTOIndex" name="aUS
PTOIndex" tabindex="12">Index</a></li>
549         <li><a href="http://ptoweb/ptointranet/resources.htm" id="aUSPTOResources" name
="aUSPTOResources" tabindex="13">Resources</a></li>
550         <li><a href="http://ptoweb/ptointranet/contacts.htm" id="aUSPTOContacts" name="
aUSPTOContacts" tabindex="14">Contacts</a></li>
551         <li><a href="http://ptoweb/cgi-bin/exitconf.pl?target=www.uspto.gov" id="aUSPTO
Internet" name="aUSPTOInternet" tabindex="15">Internet</a></li>
552         <li><a href="http://ptoweb2:8080/" id="aUSPTOSearch" name="aUSPTOSearch" tabind
ex="16">Search</a></li>
553     </ul>
554 </div>
555 <!-- End NavGlobalUSPTO -->
556
557     <a name="aTopOfPage" id="aTopOfPage" tabindex="48"></a>
558 <!-- Start NavUtilities DIV: Accessibility, etc. -->
559     <div id="NavUtilities"><a id="aNavUtilities" name="aNavUtilities" tabindex="49"></a><a
accesskey="C" href="#aContent" id="aGoContent" name="aGoContent">Skip to Content</a> | <a accesskey="T" href="
../topic_index.html" id="aTopicIndex" name="aTopicIndex" title="Topic Index" tabindex="51">Topic Index</
a> |
560     <a accesskey="A" href="../accessibility.html" id="aAccessibility" name="aAccessibility"
title="Accessibility" tabindex="50">Accessibility</a> | <a accesskey="W" href="../site_support/site_supportor
t.html" id="aSiteSupport" name="aSiteSupport" title="Site Support" tabindex="52">Site Support</a></div>
561     <!-- End NavUtilities -->
562     <!-- Start FormQuickLinks: Jump menu to other areas -->
563     <form action="" class="formJumpMenu" id="FormQuickLinks">
564         <label for="FormQuickLinksSelect" class="nonVisual">Quick Links:</label>
565         <span spry:region="dsJMQuick" id="jmQuickSelector" class="SpryHiddenRegion">
566             <select spry:repeatchildren="dsJMQuick" tabindex="100" id="FormQuickLinksSelect
" name="FormQuickLinksSelect" onchange="MM_jumpMenu('parent',this,0)">
567                 <option spry:if="{ds_RowID} == 0" id="LQ{ds_RowID}" title="The menu default
" value="" selected="selected">Quick Links</option>
568                 <option id="LQ{ds_RowNumberPlus1}" title="{title}" value="{url}">{name}</op
tion>
569             </select>
570         </span>
571     </form>
572     <!-- End FormQuickLinks -->
573     <!-- Start SiteName DIV: Holds site name -->
574     <div class="nonVisual" id="SiteName">
575         <p id="SiteTitle">Office of the Chief Information Officer</p>
576     </div>
577     <!-- End SiteName DIV -->
578 </div>
579 <!-- End WrapperHeader --><!-- #BeginLibraryItem "/Library/NavGlobalSite.lbi" -->
<!-- Start WrapperNavGlobalSite DIV: Absolutely positioned. Allows placement of the NavGlobalSiteMenu
DIV. -->
580     <div id="WrapperNavGlobalSite">
581         <!-- Start NavGlobalSiteMenu DIV: Nav menus float within this div. -->
582         <div id="NavGlobalSiteMenu">
583             <a id="aNavGlobalSite" name="aNavGlobalSite" tabindex="498"></a>
584             <a accesskey="H" href="../index.html" id="L499" tabindex="499" title="CSM Home"></a>
585             <ol id="NavGlobalSite">
586                 <!-- CIO Desk begins: Access code 1 -->
587                 <li><a accesskey="1" class="menuArrowDown" href="../cio_desk/cio_desk.html" id=
"L500" tabindex="500" title="C I O's Desk">CIO's Desk</a>
588                     <ol>
589                         <li><a href="../cio_desk/cio_all_hands.html" id="L510" tabindex="510" t
itle="CIO All Hands Meetings">All Hands Meetings</a></li>
590                         <li><a class="menuArrow" href="../cio_desk/cio_comm_ini.html" id="L520" tabi
ndex="520" title="CIO Communications Initiatives">Communications Initiatives</a>
591                             <ol>
592                                 <li><a href="../cio_desk/cio_comm-ini_ppa.html" id="L521" tabin
dex="521" title="P P A Bulletins">PPA Bulletins</a></li>
593                                 <li><a href="../cio_desk/cio_comm-ini_ocio.html" id="L522" tabi
ndex="522" title="News in the O C I O">News in the OCIO</a></li>
594                                 <li><a href="../policies/policies.html#aOCIOPolicyBulletins" id
="L523" tabindex="523" title="O C I O Policy Bulletins">OCIO Policy Bulletins</a></li>
595                                 <li><a href="sdlc.html#aSDLCBulletins" id="L524" tabindex="524"
title="S D L C Bulletins">SDLC Bulletins</a></li>
596                             </ol>
597                         </li>
598                         <li><a href="../cio_desk/cio_memoranda.html" id="L530" tabindex="530" t
itle="C I O Memoranda">Memoranda</a></li>
599                     </ol>
600                 </li>
601             </ol>
602         </div>
603     </div>
604 </div>
605 </div>
606 </div>
607 </div>
608 </div>
609 </div>
610 </div>
611 </div>
612 </div>
613 </div>
614 </div>
615 </div>
616 </div>
617 </div>
618 </div>
619 </div>
620 </div>
621 </div>
622 </div>
623 </div>
624 </div>
625 </div>
626 </div>
627 </div>
628 </div>
629 </div>
630 </div>
631 </div>
632 </div>
633 </div>
634 </div>
635 </div>
636 </div>
637 </div>
638 </div>
639 </div>
640 </div>
641 </div>
642 </div>
643 </div>
644 </div>
645 </div>
646 </div>
647 </div>
648 </div>
649 </div>
650 </div>
651 </div>
652 </div>
653 </div>
654 </div>
655 </div>
656 </div>
657 </div>
658 </div>
659 </div>
660 </div>
661 </div>
662 </div>
663 </div>
664 </div>
665 </div>
666 </div>
667 </div>
668 </div>
669 </div>
670 </div>
671 </div>
672 </div>
673 </div>
674 </div>
675 </div>
676 </div>
677 </div>
678 </div>
679 </div>
680 </div>
681 </div>
682 </div>
683 </div>
684 </div>
685 </div>
686 </div>
687 </div>
688 </div>
689 </div>
690 </div>
691 </div>
692 </div>
693 </div>
694 </div>
695 </div>
696 </div>
697 </div>
698 </div>
699 </div>
700 </div>
701 </div>
702 </div>
703 </div>
704 </div>
705 </div>
706 </div>
707 </div>
708 </div>
709 </div>
710 </div>
711 </div>
712 </div>
713 </div>
714 </div>
715 </div>
716 </div>
717 </div>
718 </div>
719 </div>
720 </div>
721 </div>
722 </div>
723 </div>
724 </div>
725 </div>
726 </div>
727 </div>
728 </div>
729 </div>
730 </div>
731 </div>
732 </div>
733 </div>
734 </div>
735 </div>
736 </div>
737 </div>
738 </div>
739 </div>
740 </div>
741 </div>
742 </div>
743 </div>
744 </div>
745 </div>
746 </div>
747 </div>
748 </div>
749 </div>
750 </div>
751 </div>
752 </div>
753 </div>
754 </div>
755 </div>
756 </div>
757 </div>
758 </div>
759 </div>
760 </div>
761 </div>
762 </div>
763 </div>
764 </div>
765 </div>
766 </div>
767 </div>
768 </div>
769 </div>
770 </div>
771 </div>
772 </div>
773 </div>
774 </div>
775 </div>
776 </div>
777 </div>
778 </div>
779 </div>
780 </div>
781 </div>
782 </div>
783 </div>
784 </div>
785 </div>
786 </div>
787 </div>
788 </div>
789 </div>
790 </div>
791 </div>
792 </div>
793 </div>
794 </div>
795 </div>
796 </div>
797 </div>
798 </div>
799 </div>
800 </div>
801 </div>
802 </div>
803 </div>
804 </div>
805 </div>
806 </div>
807 </div>
808 </div>
809 </div>
810 </div>
811 </div>
812 </div>
813 </div>
814 </div>
815 </div>
816 </div>
817 </div>
818 </div>
819 </div>
820 </div>
821 </div>
822 </div>
823 </div>
824 </div>
825 </div>
826 </div>
827 </div>
828 </div>
829 </div>
830 </div>
831 </div>
832 </div>
833 </div>
834 </div>
835 </div>
836 </div>
837 </div>
838 </div>
839 </div>
840 </div>
841 </div>
842 </div>
843 </div>
844 </div>
845 </div>
846 </div>
847 </div>
848 </div>
849 </div>
850 </div>
851 </div>
852 </div>
853 </div>
854 </div>
855 </div>
856 </div>
857 </div>
858 </div>
859 </div>
860 </div>
861 </div>
862 </div>
863 </div>
864 </div>
865 </div>
866 </div>
867 </div>
868 </div>
869 </div>
870 </div>
871 </div>
872 </div>
873 </div>
874 </div>
875 </div>
876 </div>
877 </div>
878 </div>
879 </div>
880 </div>
881 </div>
882 </div>
883 </div>
884 </div>
885 </div>
886 </div>
887 </div>
888 </div>
889 </div>
890 </div>
891 </div>
892 </div>
893 </div>
894 </div>
895 </div>
896 </div>
897 </div>
898 </div>
899 </div>
900 </div>
901 </div>
902 </div>
903 </div>
904 </div>
905 </div>
906 </div>
907 </div>
908 </div>
909 </div>
910 </div>
911 </div>
912 </div>
913 </div>
914 </div>
915 </div>
916 </div>
917 </div>
918 </div>
919 </div>
920 </div>
921 </div>
922 </div>
923 </div>
924 </div>
925 </div>
926 </div>
927 </div>
928 </div>
929 </div>
930 </div>
931 </div>
932 </div>
933 </div>
934 </div>
935 </div>
936 </div>
937 </div>
938 </div>
939 </div>
940 </div>
941 </div>
942 </div>
943 </div>
944 </div>
945 </div>
946 </div>
947 </div>
948 </div>
949 </div>
950 </div>
951 </div>
952 </div>
953 </div>
954 </div>
955 </div>
956 </div>
957 </div>
958 </div>
959 </div>
960 </div>
961 </div>
962 </div>
963 </div>
964 </div>
965 </div>
966 </div>
967 </div>
968 </div>
969 </div>
970 </div>
971 </div>
972 </div>
973 </div>
974 </div>
975 </div>
976 </div>
977 </div>
978 </div>
979 </div>
980 </div>
981 </div>
982 </div>
983 </div>
984 </div>
985 </div>
986 </div>
987 </div>
988 </div>
989 </div>
990 </div>
991 </div>
992 </div>
993 </div>
994 </div>
995 </div>
996 </div>
997 </div>
998 </div>
999 </div>
1000 </div>
```



```
599 0" title="C I O Presentations">Presentations</a></li>
600     <li><a href=" ../cio_desk/cio_reference.html" id="L550" tabindex="550" t
title="C I O Desk Reference">Reference</a></li>
601     </ol>
602     </li>
603     <!-- CIO Desk ends, IT Investment and Planning begins: Access code 2 -->
604     <li><a acceskey="2" class="menuArrowDown" href=" ../it_invest.html" id="L600" t
abindex="600" title="I T Investment and Planning">IT Investment & Planning</a>
605     <ol>
606     <li><a class="menuArrow" href=" ../budget/budget.html" id="L610" tabindex="610" title="Budget">Budge
t</a>
607     <ol>
608     <li><a href=" ../budget/project_funding.html" id="L611" tabindex="611" title="Project Funding">Proje
ct Funding</a></li>
609     <li><a href=" ../budget/budget_formulation.html" id="L612" tabindex="612" title="Budget Formulation"
>Budget Formulation</a></li>
610     <li><a href=" ../budget/be_ca.html" id="L613" tabindex="613" title="Budget Execution and Cost Accoun
ting">Budget Execution & Cost Accounting</a></li>
611     <li><a href=" ../budget/ppa_request_form.html" id="L614" tabindex="614" title="I T Program, Project,
and Activity Request Form">IT PPA Request Form</a></li>
612     </ol>
613     </li>
614     <li><a href=" ../oitp_sitp/sitp.html" id="L620" tabindex="620" title="St
rategic Information Technology Plan">SITP</a>
615     <li><a href=" ../oitp_sitp/oitp.html" id="L630" tabindex="630" title="Op
erational Information Technology Plan">OITP</a></li>
616     <li><a href=" ../planning_docs/overview.html" id="L640" tabindex="640" t
itle="Strategic and Operational Planning">Strategic & Operational Planning</a></li>
617     <li><a href=" ../itirb/itirb.html" id="L650" tabindex="650" title="IT In
vestment Review Board">ITIRB</a></li>
618     <li><a class="menuArrow" href=" ../uea/uea.html" id="L660" tabindex="660
" title="U S P T O Enterprise Architecture">UEA</a>
619     <ol>
620     <li><a class="externalLink" href="http://ptoweb/ptointranet/cis
d/aetsg/uea/uea_framework.htm" id="L661" tabindex="661" title="Goes to the external U E A Framework">UEA Fr
amework</a></li>
621     <li><a class="externalLink" href="http://ptoweb/ptointranet/cis
d/aetsg/uea/uea_governance.htm" id="L662" tabindex="662" title="Goes to the external U E A Governance">UEA
Governance</a></li>
622     <li><a class="externalLink" href="http://ptoweb/ptointranet/cis
d/aetsg/uea/uea_current.htm" id="L663" tabindex="663" title="Goes to the external Current U E A">Current UE
A</a></li>
623     <li><a class="externalLink" href="http://ptoweb/ptointranet/cis
d/aetsg/uea/uea_artifacts.htm" id="L664" tabindex="664" title="Goes to the external U E A Artifacts">UEA Ar
tifacts</a></li>
624     <li><a class="externalLink" href="http://ptoweb/ptointranet/cis
d/aetsg/uea/uea_references.htm" id="L665" tabindex="1665" title="Goes to the external U E A References">UEA
References</a></li>
625     </ol>
626     </li>
627     <li><a class="menuArrow" href=" ../it_roadmap/it_roadmap.html" id="L670"
tabindex="670" title="I T Roadmap">IT Roadmap</a>
628     <ol>
629     <li><a href=" ../transformation_roadmap_logo/transformation_road
map_logo.html" id="L671" tabindex="671" title="Transformation Roadmap Logos">Transformation Roadmap Logos</
a></li>
630     </ol>
631     </li>
632     <li><a href=" ../it_invest_ref/it_invest_ref.html" id="L680" tabindex="6
80" title="IT Investment and Planning Reference">Reference</a></li>
633     <li><a href=" ../it_invest_other/it_invest_other.html" id="L690" tabinde
x="690" title="IT Investment and Planning Other">Other</a></li>
634     </ol>
635     </li>
636     <!-- IT Investment and Planning ends, IT Development begins: Access code 3 -->
637     <li><a acceskey="3" class="menuArrowDown" href=" ../it_dev.html" id="L1000" tab
index="1000" title="I T Development">IT Development</a>
638     <ol>
639     <li><a href="http://ptoweb/ptointranet/cisd/pcd/re/re.htm" title="Requi
rements Engineering" class="externalLink" id="L1100" tabindex="1100">Requirements Engineering</a></li>
640     <li><a class="menuArrow" href=" ../it_security/it_security.html" id="L12
00" tabindex="1200" title="I T Security">IT Security</a>
641     <ol>
642     <li><a href=" ../policies/it_security_policies.html" id="L1210"
tabindex="1210" title="Security Policies">Security Policies</a></li>
643     <li><a href=" ../it_security/it_security_standards.html" id="L12
20" tabindex="1220" title="Security Standards">Security Standards</a></li>
644     <li><a href=" ../it_security/it_security_guidelines.html" id="L1
230" tabindex="1230" title="Security Guidelines">Security Guidelines</a></li>
645     <li><a class="menuArrow" href=" ../it_security/it_security_ca.ht
```

ml" id="L1240" tabindex="1240" title="Certification and Accreditation">Certification and Accreditation

Contractor C&A Compliance
C&A FAQs
C&A Responsibilities

Security Training

Security Role-based Training
Security Awareness Training Website
Security Training FAQs
Security Training Instructions

Media Shredders

<!--IT Technical Working Group-->
<!--Development Lab-->
<!--Enterprise Configuration Mgmt-->
<!--Website Services-->
SDLC

Artifacts
FAQs
Models
Activity and Role Descriptions
Training
Archive (v2.0)

<!--Testing-->
ORR
Projects

Definition Phase Decision Meetings
Project Schedule Status

Standards & Best Practices
Developer Tools
IT in Transition
Reference
Other


```
692         <!-- IT Development ends, IT Operations begins: Access code 4 -->
693         <li><a accesskey="4" class="menuArrowDown" href="../it_ops.html" id="L3000" tab
index="3000" title="I T Operations">IT Operations</a>
694         <ol>
695             <li><a class="externalLink" href="http://ptoweb/ptointranet/cisd/era/"
id="L3100" tabindex="3100" title="Goes to the Enterprise Remote Access Programs website">ERA Website</a></li>
696             <li><a class="externalLink" href="http://ptoweb/ptointranet/cisd/it_sup
port/policies/policies.htm#CRP" id="L3200" tabindex="3200" title="Goes to the C P U Replacement Program sec
tion of the I T Support website">CPU Replacement Program</a></li>
697             <li><a href="../test_eval/test_eval.html" id="L3300" tabindex="3300" ti
tle="IT Operations Testing and Evaluation">Test & Evaluation</a></li>
698             <li><a class="menuArrow" href="../eit_accessiblity_programs/eit_accessi
bilty_programs.html" id="L3400" tabindex="3400" title="Electronic and Information Technology Accessibility
Programs">EIT Accessibility Programs</a>
699             <ol>
700                 <li><a class="externalLink" href="http://ptoweb/ptointranet/cis
d/amg/eit_accessibility_program/501_504.htm" id="L3410" tabindex="3410" title="Goes to the Sections 501 and
504 pages on the AMG site">Section 501/504</a></li>
701                 <li><a class="externalLink" href="http://ptoweb/ptointranet/cis
d/amg/eit_accessibility_program/508.htm" id="L3420" tabindex="3420" title="Goes to the Section 508 page on
the AMG site">Section 508</a></li>
702             </ol>
703             </li>
704             <li><a class="externalLink" href="http://ptoweb/ptointranet/cisd/it_sup
port/services/services.htm" id="L3500" tabindex="3500" title="Goes to the O C I O Help Desk site">Help Desk
</a></li>
705             <!--<li><a href="../desktop_services/desktop_services.html" id="L3600"
tabindex="3600" title="Desktop Services">Desktop Services</a></li-->
706             <li><a href="../it_security_ops/it_security_ops.html" id="L3700" tabind
ex="3700" title="Security Operations">Security Operations</a></li>
707             <li><a class="menuArrow" href="../it_ops_reports.html" id="L3800" tabin
dex="3800" title="I T Operational Reports">Reports</a>
708             <ol>
709                 <li><a class="externalLink" href="http://ptoweb/ptointranet/cis
d/it_support/reports/reports_ais_exec_rpts.htm" id="L3810" tabindex="3810" title="Goes to the Automated Inf
ormation Systems Executive Reports section of the IT Support website">AIS Executive Reports</a></li>
710                 <li><a href="../it_facilities_reports_drawings/it_facilities_re
ports_drawings.html" id="L3820" tabindex="3820" title="I T Facilities Management System Reports and Drawing
s">IT Facilities Mgmt System Reports & Drawings</a></li>
711                 <li><a class="externalLink" href="http://ptoweb/ptointranet/cio
/monthlystats/current/index.htm" id="L3830" tabindex="3830" title="Goes to the external Website Statistics
for USPTO Internet and Intranet Sites">USPTO Website Statistics</a></li>
712                 <li><a href="../web_access_reports/web_access_reports.html" id=
"L3840" tabindex="3840" title="Wireless Activity Reports">Web Access Reports</a></li>
713             </ol>
714             </li>
715             <li><a href="../it_ops_ref/it_ops_ref.html" id="L3900" tabindex="3900"
title="I T Operational Reference" class="menuArrow">Reference</a>
716             <ol>
717                 <li><a href="../it_ops_ref/quiet_times.html" id="L3910" tabinde
x="3910" title="Quiet Times (Deployment Windows)">Quiet Times</a></li>
718                 <li><a href="../it_ops_ref/sw_product_inventory.html" title="So
ftware Product Inventory" id="L3920" tabindex="3920">Software Product Inventory</a></li>
719                 <li><a class="externalLink" href="http://ptoweb/ptointranet/cis
d/it_support/user_guides/user_guides.htm" id="L3930" tabindex="3930" title="Goes to the User Guide section
of the I T Support website">User Guides</a></li>
720             </ol>
721             </li>
722             <li><a href="../it_ops_other/it_ops_other.html" id="L4000" tabindex="40
00" title="Other items related to I T Operations">Other</a></li>
723             </ol>
724         </li>
725         <!-- IT Operations ends, OCIO Admin begins: Access code 5 -->
726         <li><a accesskey="5" class="menuArrowDown" href="../ocio_admin.html" id="L5000"
tabindex="5000" title="O C I O Administration">OCIO Admin</a>
727         <ol>
728             <li><a class="menuArrow" href="../policies/policies.html" id="L5100" ta
bindex="5100" title="Policies">Policies</a>
729             <ol>
730                 <li><a href="../policies/admin_policies.html" id="L5110" tabind
ex="5110" title="Administrative Policies">Admin Policies</a></li>
731                 <li><a href="../policies/hr_policies.html" id="L5120" tabindex=
"5120" title="Human Resource Policies">HR Policies</a></li>
732                 <li><a href="../policies/budget_finance_policies.html" id="L513
0" tabindex="5130" title="Budget and Finance Policies">Budget & Finance Policies</a></li>
733                 <li><a href="../policies/it_dev_policies.html" id="L5140" tabin
dex="5140" title="IT Development Policies">IT Development Policies</a></li>
734                 <li><a href="../policies/it_ops_policies.html" id="L5150" tabin
dex="5150" title="IT Operations Policies">IT Operations Policies</a></li>
735             </ol>
736         </li>
```

```
736 dex="5150" title="IT Operations Policies">IT Operations Policies</a></li>
    <li><a href=" ../policies/it_security_policies.html" id="L5160"
737 tabindex="5160" title="IT Security Policies">IT Security Policies</a></li>
    </ol>
738 </li>
739 <li><a class="menuArrow" href=" ../contracts_acquisitions/contracts_acqu
isitions.html" id="L5200" tabindex="5200" title="Contracts and Acquisitions">Contracts & Acquisitions</
a>
    <ol>
740 <li><a class="externalLink" href="http://ptoweb/ptointranet/cis
d/amd/overview/acquisition_contract_info.htm" id="L5210" tabindex="5210" title="Goes to the Acquisition and
741 Contract Information section of the AMD website.">Acquisition & Contract Info</a></li>
742 <li><a class="externalLink" href="http://ptoweb/ptointranet/cis
d/amd/overview/purchases_creditcard_actions.htm" id="L5220" tabindex="5220" title="Goes to the Simplified P
urchases and Credit Card Actions section of the AMD website.">Simplified Purchases & Credit Card Action
s</a></li>
743 </ol>
744 </li>
745 <li><a class="menuArrow" href=" ../records_mgmt/records_mgmt.html" id="L
5300" tabindex="5300" title="Records Management">Records Management</a>
    <ol>
746 <li><a href=" ../records_mgmt/records_mgmt_crs.html" id="L5310"
747 tabindex="5310" title="Comprehensive Records Schedule">Comprehensive Records Schedule</a></li>
    </ol>
748 </li>
749 <li><a class="menuArrow" href=" ../information_collection/information_co
llection.html" id="L5400" tabindex="5400" title="Information Collection/Paperwork Reduction Act Compliance"
750 >Information Collection</a>
    <ol>
751 <li><a href=" ../information_collection/active_information_colle
752 ction.html" id="L5410" tabindex="5410" title="Active PRA Information Collections">Active PRA Info Collectio
ns</a></li>
753 <li><a href=" ../information_collection/information_collection_t
imeline.html" id="L5420" tabindex="5420" title="Information Collection Request Time Line">Info Collection R
equest Time Line</a></li>
754 <li><a href=" ../information_collection/information_collection_s
urveys.html" id="L5430" tabindex="5430" title="Information Collection Surveys">Info Collection Surveys</a><
/li>
    </ol>
755 </li>
756 <li><a href=" ../edison_room/edison_room.html" id="L5500" tabindex="5500
757 " title="The Edison Room, M D W dash 3 C 49">Edison Room</a></li><!-->
758 <li><a href=" ../virtual_collab_tools/virtual_collab_tools.html" id="L56
00" tabindex="5600" title="Virtual Collaborative Tools">Virtual Collaborative Tools</a></li>
759 <li><a href=" ../forms/forms.html" id="L5700" tabindex="5700" title="For
ms and Templates">Forms & Templates</a></li>
760 <li><a class="menuArrow" href=" ../ocio_admin_ref/ocio_admin_ref.html" i
d="L5800" tabindex="5800" title="O C I O Administrative Reference">Reference</a>
    <ol>
761 <li><a href=" ../ocio_admin_ref/uspto_acronym_list.html" id="L58
762 10" tabindex="5810" title="U S P T O Acronym List">USPTO Acronym List</a></li>
    </ol>
763 </li>
764 <li><a class="menuArrow" href=" ../ocio_admin_other/ocio_admin_other.htm
765 l" id="L5900" tabindex="5900" title="Other administrative items">Other</a>
    <ol>
766 <li><a href=" ../social_events/social_events.html" id="L5910" ta
767 bindex="5910" title="O C I O Social Events">Social Events</a></li>
    </ol>
768 </li>
769 </ol>
770 </li>
771 </li>
772 <!-- OCIO Admin ends, OCIO Org begins: Access code 6 -->
773 <li><a accesskey="6" class="menuArrowDown" href=" ../org/org.html" id="L6000" ti
tle="O C I O Organizational Information" tabindex="6000">OCIO Org</a>
    <ol>
774 <li><a href=" ../org/cio.html" id="L6100" tabindex="6100" title="The O C
775 I O front office">CIO</a></li>
776 <li><a href=" ../org/aetsg.html" id="L6200" tabindex="6200" title="Archi
777 tecture, Engineering, and Technical Services Group">AETSG</a></li>
778 <li><a href=" ../org/amg.html" id="L6300" tabindex="6300" title="Adminis
779 trative Management Group">AMG</a></li>
780 <li><a href=" ../org/bfd.html" id="L6400" tabindex="6400" title="Budget
781 and Finance Division">BFD</a></li>
782 <li><a href=" ../org/brmg.html" id="L6500" tabindex="6500" title="Busine
ss Relationship Management Group">BRMG</a></li>
780 <li><a href=" ../org/cisg.html" id="L6600" tabindex="6600" title="Custom
er Information Services Group">CISG</a></li>
781 <li><a href=" ../org/cssg.html" id="L6700" tabindex="6700" title="Custom
er Support Services Group">CSSG</a></li>
782 <li><a href=" ../org/essg.html" id="L6800" tabindex="6800" title="Enterp
```

```
rise Systems Services Group">ESSG</a></li>
783 <li><a href=" ../org/itsmg.html" id="L6900" tabindex="6900" title="IT Se
curity Management Group">ITSMG</a></li>
784 <li><a href=" ../org/ntsg.html" id="L7000" tabindex="7000" title="Networ
k and Telecommunications Services Group">NTSG</a></li>
785 <li><a href=" ../org/pmg.html" id="L7100" tabindex="7100" title="Program
Management Group">PMG</a></li>
786 <li><a href=" ../org/qmg.html" id="L7200" tabindex="7200" title="Quality
Management Group">QMG</a></li>
787 <li><a href=" ../org/sdmg.html" id="L7300" tabindex="7300" title="System
s Development and Maintenance Group">SDMG</a></li>
788 </ol>
789 </li>
790 <!-- OCIO Org ends, OCIO BizCust begins: Access code 7 -->
791 <li><a accesskey="7" class="menuArrowDown" href=" ../biz_customers/biz_customers
.html" id="L8000" tabindex="8000" title="Biz Customers">Biz Customers</a></li>
792 <!-- BizCust ends -->
793 </ol>
794 </div>
795 <!-- End NavGlobalSiteMenu -->
796 </div>
797 <!-- End WrapperNavGlobalSite --><!-- #EndLibraryItem --><!-- Start WrapperSidebarRight: Co
ntains 'In this Section', 'Related Links', 'Content Update/Comments', and a standard optional region -->
798 <div id="WrapperSidebarRight">
799 <a id="aSidebarRight" name="aSidebarRight" tabindex="11099"></a>
800
801 <!-- Start NavSection -->
802 <div id="NavSection">
803 <h4>In this Section</h4>
804 <!-- InstanceBeginEditable name="NavSection" --><p>SDLC Section:</p>
805 <ul>
806 <li><a href="sdlc.html">SDLC Main Page</a></li>
807 <li><a href="activity_role_descriptions.html">Activity and <br />
Role Descriptions</a></li>
808 <li><a href="faq.html">SDLC FAQs</a></li>
809 <li><a href="training.html">Training</a></li>
810 <li><a href="models.html">Models</a></li>
811 <li><a href="#" class="here">Artifacts</a></li>
812 <li><a href=" ../archive/archive.html#SDLC2">Archive (v2.0)</a></li>
813 </ul>
814 <!-- InstanceEndEditable -->
815 <div id="NavSectionFooter"></div>
816 </div>
817
818
819
820
821
822 <div id="RelatedLinks">
823 <h4>Related Links</h4>
824 <div id="RelatedLinksContent">
825 <!-- InstanceBeginEditable name="RelatedLinks" -->
826 <ul>
827 <li><a href=" ../orr/orr.html">ORR Main Page</a></li>
828 <li><a href=" ../policies/policies.html">Policies Main Page</a></li>
829 <li><a href=" ../projects/projects.html">Projects Main Page</a></li>
830 </ul>
831 <!-- InstanceEndEditable -->
832 </div>
833 </div>
834
835
836 <div id="ContentUpdate">
837 <h4>Content Update/Comments</h4>
838 <!-- InstanceBeginEditable name="ContentUpdate" -->
839 <p>Page content is managed by <a href=" ../org/pmg.html">PMG</a>.</p>
840 <p>Please send content updates to <a href="mailto:SDLCHelp@uspto.gov">SDLC Help</a
>.</p>
841 <p>Please send comments and suggestions to <a href="mailto:SDLCHelp@uspto.gov">SDLC
Help</a>.</p>
842 <!-- InstanceEndEditable -->
843 <div id="ContentUpdateFooter"></div>
844 </div>
845
846
847
848
849
850 <!-- End NavSection -->
851
852 </div>
853 <!-- End WrapperSidebarRight -->
```

```
855
856         <!-- Begin FormSearchSite. It CANNOT be a library item as it uses Spry. -->
857         <a name="aSearchSite" id="aSearchSite"></a>
858         <form id="FormSearchSite" method="get" accept-charset="iso-8859-1" action="http://ptoweb2:8
080/cio/query.html">
859             <fieldset id="FsSearchSite">
860                 <label id="LblSearchSite" class="nonVisual" for="qt">Search:</label>
861                 <span id="vSearch">
862                     <input name="qt" type="text" id="qt" maxlength="1991" tabindex="11510" title="Search
the OCIO site" size="20" />
863                 </span>
864                 <input type="hidden" name="charset" value="iso-8859-1" />
865                 <input type="hidden" name="ql" value="" />
866                 <input type="hidden" name="col" value="cio" />
867                 <input type="image" name="Submit" id="Submit" class="formbutton" tabindex="11511" s
rc="../assets/images/icons/icon_search.gif" alt="Search Site" />
868             </fieldset>
869             <p><a href="http://ptoweb2:8080/cio/index.html?ql=a" tabindex="11512">Advanced</a>|<a href="http://ptoweb2:8080/cio/help/?la=en"
tabindex="11513">Help</a></p>
870         </form>
871         <!-- End FormSearchSite. -->
872
873         <!-- Start WrapperContent DIV: All changable content is here. -->
874         <div id="WrapperContent">
875             <a id="aContent" name="aContent" tabindex="11523"></a>
876             <!-- Start WrapperContentHeader -->
877             <div id="WrapperContentHeader">
878                 <a id="aContentHeader" name="aContentHeader" tabindex="11530"></a>
879
880
881
882
883                 <!-- Start NavBreadCrumbs: Site Breadcrumb trail. -->
884                 <div id="NavBreadCrumbs"><a href=" ../index.html">OCIO Home</a> &gt; <a href=" ../it_
dev.html">IT Development</a> &gt; <!-- InstanceBeginEditable name="Subcrumb" --><a href="sdlc.html">SDLC</a
> &gt;<!-- InstanceEndEditable --> Artifacts</div>
885                 <!-- End NavBreadCrumbs -->
886                 <!-- Begin PageNameH1: Displays the SectionName and PageName template variables. --
>
887                 <h1 id="pageTitle">
888                     <span class="parentTitle">SDLC ::</span>
889                 Artifacts</h1>
890                 <!-- End PageNameH1 -->
891
892
893
894             </div>
895             <!-- End WrapperContentHeader -->
896
897
898             <!-- Start WrapperContentMain -->
899             <div id="WrapperContentMain"><a name="aContentMain" id="aContentMain" acceskey="C" tab
index="23000"></a>
900
901                 <!-- InstanceBeginEditable name="Explanatory Section" -->
902                 <div class="note">
903                     <p>
904                         <span class="noteTitle">Notice to Document Owners</span>
905                         Master copies of SDLC documentation are maintained in Dimensions. Updated d
ocuments are to be sent to <a href="mailto:SDLCHelp@uspto.gov">SDLC Help</a> for loading into Dimensions. T
he file will then be accessible from these SDLC pages the following day.</p>
906                     </div>
907                 <!-- InstanceEndEditable -->
908
909                 <div class="wrapperTabbedPanelsLev1">
910                     <div id="SDLCParent" class="TabbedPanels">
911                         <ul class="TabbedPanelsTabGroup">
912
913                             <li id="TabAlpha" class="TabbedPanelsTab" tabindex="0"><span>Alpha</spa
n></li>
914
915                             <li id="TabPhase" class="TabbedPanelsTab" tabindex="0"><span>Phase</spa
n></li>
916
917                             <li id="TabLead&nbsp;SDLC&nbsp;Role" class="TabbedPanelsTab" tabindex="
0"><span>Lead&nbsp;SDLC&nbsp;Role</span></li>
918
919
920
921
```

```
922
923
924
925
926
927
928
929     </ul>
930     <div class="TabbedPanelsContentGroup">
931
932         <div id="ParentPanel0" class="TabbedPanelsContent clearFix">
933             <div class="wrapperTabbedPanelsLev2">
934                 <div id="SDLCChildSet0" class="TabbedPanels">
935                     <ul class="TabbedPanelsTabGroup">
936
937                         <li id="tCS0A" class="TabbedPanelsTab" tabindex="0"><sp
938 an>A</span></li>
939
940
941                         <li id="tCS0B" class="TabbedPanelsTabDisabled" tabindex
942 ="0"><span>B</span></li>
943
944
945                         <li id="tCS0C" class="TabbedPanelsTab" tabindex="0"><sp
946 an>C</span></li>
947
948
949                         <li id="tCS0D" class="TabbedPanelsTab" tabindex="0"><sp
950 an>D</span></li>
951
952
953                         <li id="tCS0E" class="TabbedPanelsTab" tabindex="0"><sp
954 an>E</span></li>
955
956
957                         <li id="tCS0F" class="TabbedPanelsTab" tabindex="0"><sp
958 an>F</span></li>
959
960
961                         <li id="tCS0G" class="TabbedPanelsTabDisabled" tabindex
962 ="0"><span>G</span></li>
963
964
965                         <li id="tCS0H" class="TabbedPanelsTabDisabled" tabindex
966 ="0"><span>H</span></li>
967
968
969                         <li id="tCS0I" class="TabbedPanelsTab" tabindex="0"><sp
970 an>I</span></li>
971
972
973                         <li id="tCS0J" class="TabbedPanelsTabDisabled" tabindex
974 ="0"><span>J</span></li>
975
976
977                         <li id="tCS0K" class="TabbedPanelsTabDisabled" tabindex
978 ="0"><span>K</span></li>
979
980
981                         <li id="tCS0L" class="TabbedPanelsTab" tabindex="0"><sp
982 an>L</span></li>
983
984
985                         <li id="tCS0M" class="TabbedPanelsTabDisabled" tabindex
986 ="0"><span>M</span></li>
987
988
989                         <li id="tCS0N" class="TabbedPanelsTabDisabled" tabindex
```

```
990 = "0"><span>N</span></li>
991
992
993 <li id="tCS00" class="TabbedPanelsTab" tabindex="0"><sp
994 an>O</span></li>
995
996
997 <li id="tCS0P" class="TabbedPanelsTab" tabindex="0"><sp
998 an>P</span></li>
999
1000
1001 <li id="tCS0Q" class="TabbedPanelsTab" tabindex="0"><sp
1002 an>Q</span></li>
1003
1004
1005 <li id="tCS0R" class="TabbedPanelsTab" tabindex="0"><sp
1006 an>R</span></li>
1007
1008
1009 <li id="tCS0S" class="TabbedPanelsTab" tabindex="0"><sp
1010 an>S</span></li>
1011
1012
1013 <li id="tCS0T" class="TabbedPanelsTab" tabindex="0"><sp
1014 an>T</span></li>
1015
1016
1017 <li id="tCS0U" class="TabbedPanelsTab" tabindex="0"><sp
1018 an>U</span></li>
1019
1020
1021 <li id="tCS0V" class="TabbedPanelsTabDisabled" tabindex
1022 ="0"><span>V</span></li>
1023
1024
1025 <li id="tCS0W" class="TabbedPanelsTab" tabindex="0"><sp
1026 an>W</span></li>
1027
1028
1029 <li id="tCS0X" class="TabbedPanelsTabDisabled" tabindex
1030 ="0"><span>X</span></li>
1031
1032
1033 <li id="tCS0Y" class="TabbedPanelsTabDisabled" tabindex
1034 ="0"><span>Y</span></li>
1035
1036
1037 <li id="tCS0Z" class="TabbedPanelsTabDisabled" tabindex
1038 ="0"><span>Z</span></li>
1039
1040
1041
1042
1043
1044
1045
1046
1047 </ul>
1048 <div class="TabbedPanelsContentGroup" id="pcgCS0">
1049
1050 <div id="pCS0A" class="TabbedPanelsContent">
1051 <div class="SpryHiddenRegion" id="SpryLoading" spry
:region="dsSDLC3artifact" spry:state="loading"><p>Please wait. The data is loading...</p></div>
1052 <div class="SpryHiddenRegion" id="SpryFailed" spry:
region="dsSDLC3artifact" spry:state="error"><p>The data has failed to load!</p></div>
1053 <div class="SpryHiddenRegion" id="SpryReady" spry:r
egion="dsSDLC3artifact" spry:state="ready">
1054 <table id="tblCS0A" cellspacing="1" summary="SD
```



```

LC 3.0 alphabetical listing for A">
1055
1056
1057
1058
1059
used on the column, particularly widths -->
1060
act" />
1061
1062
>
1063
>
1064
OALRD" />
1065
1066
1067
1068
1069
"artifact">Artifact</th>
1070
e">Lead SDLC Role</th>
1071
ase">Phase</th>
1072
rtifact Guidelines">Guidelines</th>
1073
Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
1074
1075
1076
1077
1078
1079
1080
tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
able by clicking the column header.<!-- #EndLibraryItem --></td>
1081
1082
1083
1084
>
1085
1086
test="{artifact}'.charAt(0) == 'A'">
1087
H1CS0AArtifact">
1088
ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
1089
ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
t}</a></span>
1090
spry:if="{artifactURL}' == ''">{artifact}</span>
1091
AArtifact CH2CS0ARole">{role}</td>
1092
AArtifact CH3CS0APhase">{phase}</td>
1093
AArtifact CH4CS0AGuidelines" class="alignCenter">
1094
" spry:if="{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
1095
1096
AArtifact CH5CS0ALRDate">{lastRevisedDate}</td>
1097
1098
1099
1100
1101
1102
1103

```

```
1104 <div id="pCS0B" class="TabbedPanelsContentDisabled">
1105 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
1106 rtifact">
1107 <table id="tblCS0B" cellspacing="1" summary="SD
1108 LC 3.0 alphabetical listing for B">
1109 <!-- The is the table header/title -->
1110 <caption>Alpha Listing: B</caption>
1111 <!-- The col tag allows style application b
1112 ased on the column, particularly widths -->
1113 <col class="sdlc3Artifact" id="colCS0BArtif
1114 act" />
1115 <col class="sdlc3Role" id="colCS0BRole" />
1116 <col class="sdlc3Phase" id="colCS0BPhase" /
1117 >
1118 <col class="sdlc3Guide" id="colCS0BGuide" /
1119 >
1120 <col class="sdlc3LastRevisedDate" id="colCS
1121 0BLRD" />
1122 <!-- The thead are the column headers -->
1123 <thead>
1124 <tr>
1125 <th id="CH1CS0BArtifact" spry:sort=
1126 "artifact">Artifact</th>
1127 <th id="CH2CS0BRole" spry:sort="rol
1128 e">Lead SDLC Role</th>
1129 <th id="CH3CS0BPhase" spry:sort="ph
1130 ase">Phase</th>
1131 <th id="CH4CS0BGuidelines" title="A
1132 rtifact Guidelines">Guidelines</th>
1133 <th id="CH5CS0BLRDate" title="Last
1134 Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
1135 </tr>
1136 </thead>
1137 <!-- The tfoot creates the table footer -->
1138 <tfoot>
1139 <tr>
1140 <td colspan="5"><!-- #BeginLibraryI
1141 tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
1142 able by clicking the column header.<!-- #EndLibraryItem --></td>
1143 </tr>
1144 </tfoot>
1145 <!-- The tbody creates the table content --
1146 >
1147 <tbody>
1148 <tr spry:repeat="dsSDLC3artifact" spry:
1149 test="{artifact}.charAt(0) == 'B'">
1150 <th id="RCS0B{ds_RowID}" headers="C
1151 H1CS0BArtifact">
1152 <span class="artifactLinked" sp
1153 ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
1154 s}">{artifact}</a></span>
1155 <span class="artifactLinked" sp
1156 ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
1157 t}</a></span>
1158 <span class="artifactNotLinked"
1159 spry:if="{artifactURL}' == ''">{artifact}</span>
1160 </th>
1161 <td headers="RCS0B{ds_RowID} CH1CS0
1162 BArtifact CH2CS0BRole">{role}</td>
1163 <td headers="RCS0B{ds_RowID} CH1CS0
1164 BArtifact CH3CS0BPhase">{phase}</td>
1165 <td headers="RCS0B{ds_RowID} CH1CS0
1166 BArtifact CH4CS0BGuidelines" class="alignCenter">
1167 <span class="artifactGuidelines
1168 " spry:if="{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
1171 </td>
1172 <td headers="RCS0B{ds_RowID} CH1CS0
1173 BArtifact CH5CS0BLRDate">{lastRevisedDate}</td>
1174 </tr>
```

```
1153 </tbody>
1154 </table>
1155 </div>
1156 </div>
1157
1158
1159
1160 <div id="pCS0C" class="TabbedPanelsContent">
1161 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact">
1162 <table id="tblCS0C" cellspacing="1" summary="SD
LC 3.0 alphabetical listing for C">
1163
1164 <!-- The is the table header/title -->
1165 <caption>Alpha Listing: C</caption>
1166
1167 <!-- The col tag allows style application b
ased on the column, particularly widths -->
1168 <col class="sdlc3Artifact" id="colCS0CArtif
act" />
1169 <col class="sdlc3Role" id="colCS0CRole" />
1170 <col class="sdlc3Phase" id="colCS0CPhase" /
>
1171 <col class="sdlc3Guide" id="colCS0CGuide" /
>
1172 <col class="sdlc3LastRevisedDate" id="colCS
0CLRDate" />
1173
1174 <!-- The thead are the column headers -->
1175 <thead>
1176 <tr>
1177 <th id="CH1CS0CArtifact" spry:sort=
"artifact">Artifact</th>
1178 <th id="CH2CS0CRole" spry:sort="rol
e">Lead SDLC Role</th>
1179 <th id="CH3CS0CPhase" spry:sort="ph
ase">Phase</th>
1180 <th id="CH4CS0CGuidelines" title="A
rtifact Guidelines">Guidelines</th>
1181 <th id="CH5CS0CLRDate" title="Last
Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
1182 </tr>
1183 </thead>
1184
1185 <!-- The tfoot creates the table footer -->
1186 <tfoot>
1187 <tr>
1188 <td colspan="5"><!-- #BeginLibraryI
tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
able by clicking the column header.<!-- #EndLibraryItem --></td>
1189 </tr>
1190 </tfoot>
1191
1192 <!-- The tbody creates the table content --
>
1193 <tbody>
1194 <tr spry:repeat="dsSDLC3artifact" spry:
test="'{artifact}'.charAt(0) == 'C'">
1195 <th id="RCS0C{ds_RowID}" headers="C
H1CS0CArtifact">
1196 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
1197 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
t}</a></span>
1198 <span class="artifactNotLinked"
spry:if="('{artifactURL}' == '')">{artifact}</span>
1199 </th>
1200 <td headers="RCS0C{ds_RowID} CH1CS0
CArtifact CH2CS0CRole">{role}</td>
1201 <td headers="RCS0C{ds_RowID} CH1CS0
CArtifact CH3CS0CPhase">{phase}</td>
1202 <td headers="RCS0C{ds_RowID} CH1CS0
CArtifact CH4CS0CGuidelines" class="alignCenter">
1203 <span class="artifactGuidelines
" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
```

```

1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255

```

<td headers="RCS0C{ds_RowID} CH1CS0
 CArtifact CH5CS0CLRDate">{lastRevisedDate}</td>
 </tr>
 </tbody>
 </table>
 </div>
 </div>
 <div id="pCS0D" class="TabbedPanelsContent">
 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
 rtifact">
 <table id="tblCS0D" cellspacing="1" summary="SD
 LC 3.0 alphabetical listing for D">
 <!-- The is the table header/title -->
 <caption>Alpha Listing: D</caption>
 <!-- The col tag allows style application b
 ased on the column, particularly widths -->
 <col class="sdlc3Artifact" id="colCS0DArtif
 act" />
 <col class="sdlc3Role" id="colCS0DRole" />
 <col class="sdlc3Phase" id="colCS0DPhase" /
 >
 <col class="sdlc3Guide" id="colCS0DGuide" /
 >
 <col class="sdlc3LastRevisedDate" id="colCS
 0DLRD" />
 <!-- The thead are the column headers -->
 <thead>
 <tr>
 <th id="CH1CS0DArtifact" spry:sort=
 "artifact">Artifact</th>
 <th id="CH2CS0DRole" spry:sort="rol
 e">Lead SDLC Role</th>
 <th id="CH3CS0DPhase" spry:sort="ph
 ase">Phase</th>
 <th id="CH4CS0DGuidelines" title="A
 rtifact Guidelines">Guidelines</th>
 <th id="CH5CS0DLRDate" title="Last
 Revised Date" spry:sort="lastRevisedDate">Last Revised</th>
 </tr>
 </thead>
 <!-- The tfoot creates the table footer -->
 <tfoot>
 <tr>
 <td colspan="5"><!-- #BeginLibraryI
 tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
 able by clicking the column header.<!-- #EndLibraryItem --></td>
 </tr>
 </tfoot>
 <!-- The tbody creates the table content --
 >
 <tbody>
 <tr spry:repeat="dsSDLC3artifact" spry:
 test="{artifact}.charAt(0) == 'D'">
 <th id="RCS0D{ds_RowID}" headers="C
 H1CS0DArtifact">
 <span class="artifactLinked" sp
 ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
 s}">{artifact}
 <span class="artifactLinked" sp
 ry:if="('{artifactURL}' != '') && ('{comments}' == '')">{artific
 t}
 <span class="artifactNotLinked"
 spry:if="('{artifactURL}' == '')">{artifact}
 </th>
 <td headers="RCS0D{ds_RowID} CH1CS0
 DArtifact CH2CS0DRole">{role}</td>
 <td headers="RCS0D{ds_RowID} CH1CS0
 DArtifact CH3CS0DPhase">{phase}</td>

```

1256 DArtifact CH4CS0DGuidelines" class="alignCenter">
1257 <span class="artifactGuidelines
" spry:if="{guidelinesURL}" != ""><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
1258 </td>
1259 <td headers="RCS0D{ds_RowID} CH1CS0
Artifact CH5CS0DLRDate">{lastRevisedDate}</td>
1260 </tr>
1261 </tbody>
1262 </table>
1263 </div>
1264 </div>
1265
1266
1267
1268 <div id="pCS0E" class="TabbedPanelsContent">
1269 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact">
1270 <table id="tblCS0E" cellspacing="1" summary="SD
LC 3.0 alphabetical listing for E">
1271 <!-- The is the table header/title -->
1272 <caption>Alpha Listing: E</caption>
1273 <!-- The col tag allows style application b
1274 <col class="sdlc3Artifact" id="colCS0EArtif
1275 act" />
1276 <col class="sdlc3Role" id="colCS0ERole" />
1277 <col class="sdlc3Phase" id="colCS0EPhase" /
1278 >
1279 <col class="sdlc3Guide" id="colCS0EGuide" /
1280 >
1281 <col class="sdlc3LastRevisedDate" id="colCS
0ELRD" />
1282 <!-- The thead are the column headers -->
1283 <thead>
1284 <tr>
1285 <th id="CH1CS0EArtifact" spry:sort=
"artifact">Artifact</th>
1286 <th id="CH2CS0ERole" spry:sort="rol
e">Lead SDLC Role</th>
1287 <th id="CH3CS0EPhase" spry:sort="ph
ase">Phase</th>
1288 <th id="CH4CS0EGuidelines" title="A
rtifact Guidelines">Guidelines</th>
1289 <th id="CH5CS0ELRDate" title="Last
Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
1290 </tr>
1291 </thead>
1292 <!-- The tfoot creates the table footer -->
1293 <tfoot>
1294 <tr>
1295 <td colspan="5"><!-- #BeginLibraryI
tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
able by clicking the column header.<!-- #EndLibraryItem --></td>
1296 </tr>
1297 </tfoot>
1298 <!-- The tbody creates the table content --
1299 >
1300 <tbody>
1301 <tr spry:repeat="dsSDLC3artifact" spry:
test="{artifact}.charAt(0) == 'E'">
1302 <th id="RCS0E{ds_RowID}" headers="C
H1CS0EArtifact">
1303 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
1304 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
t}</a></span>
1305 <span class="artifactNotLinked"
1306 </td>

```

```

1307         spry:if="{artifactURL}" == "">{artifact}</span>
1308     </th>
1309     EArtifact CH2CS0ERole">{role}</td>
1310     EArtifact CH3CS0EPhase">{phase}</td>
1311     EArtifact CH4CS0EGuidelines" class="alignCenter">
1312         <span class="artifactGuidelines
1313     " spry:if="{guidelinesURL}" != ""><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
1316     </td>
1317     EArtifact CH5CS0ELRDate">{lastRevisedDate}</td>
1318 </tr>
1319 </tbody>
1320 </table>
1321 </div>
1322 </div>
1323 <div id="pCS0F" class="TabbedPanelsContent">
1324     <div class="SpryHiddenRegion" spry:region="dsSDLC3a
1325     rtifact">
1326         <table id="tblCS0F" cellspacing="1" summary="SD
1327         LC 3.0 alphabetical listing for F">
1328             <!-- The is the table header/title -->
1329             <caption>Alpha Listing: F</caption>
1330             <!-- The col tag allows style application b
1331             ased on the column, particularly widths -->
1332             <col class="sdlc3Artifact" id="colCS0FArtif
1333             act" />
1334             <col class="sdlc3Role" id="colCS0FRole" />
1335             <col class="sdlc3Phase" id="colCS0FPhase" /
1336             >
1337             <col class="sdlc3Guide" id="colCS0FGuide" /
1338             >
1339             <col class="sdlc3LastRevisedDate" id="colCS
1340             0FLRD" />
1341             <!-- The thead are the column headers -->
1342             <thead>
1343                 <tr>
1344                     <th id="CH1CS0FArtifact" spry:sort=
1345                     "artifact">Artifact</th>
1346                     <th id="CH2CS0FRole" spry:sort="rol
1347                     e">Lead SDLC Role</th>
1348                     <th id="CH3CS0FPhase" spry:sort="ph
1349                     ase">Phase</th>
1350                     <th id="CH4CS0FGuidelines" title="A
1351                     rtifact Guidelines">Guidelines</th>
1352                     <th id="CH5CS0FLRDate" title="Last
1353                     Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
1354                 </tr>
1355             </thead>
1356             <!-- The tfoot creates the table footer -->
1357             <tfoot>
1358                 <tr>
1359                     <td colspan="5"><!-- #BeginLibraryI
1360                     tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
1361                     able by clicking the column header.<!-- #EndLibraryItem --></td>
1362                 </tr>
1363             </tfoot>
1364             <!-- The tbody creates the table content --
1365             >
1366             <tbody>
1367                 <tr spry:repeat="dsSDLC3artifact" spry:
1368                 test="{artifact}.charAt(0) == 'F'">
1369                     <th id="RCS0F{ds_RowID}" headers="C
1370                     H1CS0FArtifact">
1371                     <span class="artifactLinked" sp

```

```
1359 ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}": {comment
s}">{artifact}</a></span>
1360 <span class="artifactNotLinked" sp
1361 ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artifac
t}</a></span>
1362 </th>
1363 FArtifact CH2CS0FRole">{role}</td>
1364 FArtifact CH3CS0FPhase">{phase}</td>
1365 FArtifact CH4CS0FGuidelines" class="alignCenter">
1366 " spry:if=" '{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
1367 </td>
1368 FArtifact CH5CS0FLRDate">{lastRevisedDate}</td>
1369 </tr>
1370 </tbody>
1371 </table>
1372 </div>
1373 </div>
1374 <div id="pCS0G" class="TabbedPanelsContentDisabled">
1375 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
1376 rtifact">
1377 <table id="tblCS0G" cellspacing="1" summary="SD
1378 LC 3.0 alphabetical listing for G">
1379 <!-- The is the table header/title -->
1380 <caption>Alpha Listing: G</caption>
1381 <!-- The col tag allows style application b
1382 ased on the column, particularly widths -->
1383 <col class="sdlc3Artifact" id="colCS0GArtif
1384 act" />
1385 <col class="sdlc3Role" id="colCS0GRole" />
1386 <col class="sdlc3Phase" id="colCS0GPhase" /
1387 >
1388 <col class="sdlc3Guide" id="colCS0GGuide" /
1389 >
1390 <col class="sdlc3LastRevisedDate" id="colCS
1391 0GLRD" />
1392 <!-- The thead are the column headers -->
1393 <thead>
1394 <tr>
1395 <th id="CH1CS0GArtifact" spry:sort=
1396 "artifact">Artifact</th>
1397 <th id="CH2CS0GRole" spry:sort="rol
1398 e">Lead SDLC Role</th>
1399 <th id="CH3CS0GPhase" spry:sort="ph
1400 ase">Phase</th>
1401 <th id="CH4CS0GGuidelines" title="A
1402 rtifact Guidelines">Guidelines</th>
1403 <th id="CH5CS0GLRDate" title="Last
1404 Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
1405 </tr>
1406 </thead>
1407 <!-- The tfoot creates the table footer -->
1408 <tfoot>
1409 <tr>
1410 <td colspan="5"><!-- #BeginLibraryI
tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
able by clicking the column header.<!-- #EndLibraryItem --></td>
1411 </tr>
1412 </tfoot>
1413 <!-- The tbody creates the table content --
1414 >
```

```

1409                                     <tbody>
1410                                     <tr spry:repeat="dsSDLC3artifact" spry:
test="{artifact}'.charAt(0) == 'G'">
1411                                     <th id="RCS0G{ds_RowID}" headers="C
H1CS0GArtifact">
1412                                     <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
1413                                     <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artifac
t}</a></span>
1414                                     <span class="artifactNotLinked"
spry:if="{artifactURL}' == ''">{artifact}</span>
1415                                     </th>
1416                                     <td headers="RCS0G{ds_RowID} CH1CS0
GArtifact CH2CS0GRole">{role}</td>
1417                                     <td headers="RCS0G{ds_RowID} CH1CS0
GArtifact CH3CS0GPhase">{phase}</td>
1418                                     <td headers="RCS0G{ds_RowID} CH1CS0
GArtifact CH4CS0GGuidelines" class="alignCenter">
1419                                     <span class="artifactGuidelines
" spry:if="{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
1420                                     </td>
1421                                     <td headers="RCS0G{ds_RowID} CH1CS0
GArtifact CH5CS0GLRDate">{lastRevisedDate}</td>
1422                                     </tr>
1423                                     </tbody>
1424                                     </table>
1425                                 </div>
1426                             </div>
1427
1428
1429
1430                                     <div id="pCS0H" class="TabbedPanelsContentDisabled">
1431                                     <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact">
1432                                     <table id="tblCS0H" cellspacing="1" summary="SD
LC 3.0 alphabetical listing for H">
1433
1434                                     <!-- The is the table header/title -->
1435                                     <caption>Alpha Listing: H</caption>
1436
1437                                     <!-- The col tag allows style application b
ased on the column, particularly widths -->
1438                                     <col class="sdlc3Artifact" id="colCS0HArtif
act" />
1439                                     <col class="sdlc3Role" id="colCS0HRole" />
1440                                     <col class="sdlc3Phase" id="colCS0HPhase" /
>
1441                                     <col class="sdlc3Guide" id="colCS0HGuide" /
>
1442                                     <col class="sdlc3LastRevisedDate" id="colCS
0HLRD" />
1443
1444                                     <!-- The thead are the column headers -->
1445                                     <thead>
1446                                     <tr>
1447                                     <th id="CH1CS0HArtifact" spry:sort=
"artifact">Artifact</th>
1448                                     <th id="CH2CS0HRole" spry:sort="rol
e">Lead SDLC Role</th>
1449                                     <th id="CH3CS0HPhase" spry:sort="ph
ase">Phase</th>
1450                                     <th id="CH4CS0HGuidelines" title="A
rtifact Guidelines">Guidelines</th>
1451                                     <th id="CH5CS0HLRDate" title="Last
Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
1452                                     </tr>
1453                                     </thead>
1454
1455                                     <!-- The tfoot creates the table footer -->
1456                                     <tfoot>
1457                                     <tr>
1458                                     <td colspan="5"><!-- #BeginLibraryI
tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort

```



```

able by clicking the column header.<!-- #EndLibraryItem --></td>
1459                                     </tr>
1460                                     </tfoot>
1461
1462                                     <!-- The tbody creates the table content --
>
1463                                     <tbody>
1464                                     <tr spry:repeat="dsSDLC3artifact" spry:
test="{artifact}'.charAt(0) == 'H'">
1465                                     <th id="RCS0H{ds_RowID}" headers="C
H1CS0HArtifact">
1466                                     <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
1467                                     <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
t}</a></span>
1468                                     <span class="artifactNotLinked"
spry:if="('{artifactURL}' == '')">{artifact}</span>
1469                                     </th>
1470                                     <td headers="RCS0H{ds_RowID} CH1CS0
HArtifact CH2CS0HRole">{role}</td>
1471                                     <td headers="RCS0H{ds_RowID} CH1CS0
HArtifact CH3CS0HPhase">{phase}</td>
1472                                     <td headers="RCS0H{ds_RowID} CH1CS0
HArtifact CH4CS0HGuidelines" class="alignCenter">
1473                                     <span class="artifactGuidelines
" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
1474                                     </td>
1475                                     <td headers="RCS0H{ds_RowID} CH1CS0
HArtifact CH5CS0HILRDate">{lastRevisedDate}</td>
1476                                     </tr>
1477                                     </tbody>
1478                                     </table>
1479                                     </div>
1480                                     </div>
1481
1482
1483
1484                                     <div id="pCS0I" class="TabbedPanelsContent">
1485                                     <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact">
1486                                     <table id="tblCS0I" cellspacing="1" summary="SD
LC 3.0 alphabetical listing for I">
1487
1488                                     <!-- The is the table header/title -->
1489                                     <caption>Alpha Listing: I</caption>
1490
1491                                     <!-- The col tag allows style application b
ased on the column, particularly widths -->
1492                                     <col class="sdlc3Artifact" id="colCS0IArtif
act" />
1493                                     <col class="sdlc3Role" id="colCS0IRole" />
1494                                     <col class="sdlc3Phase" id="colCS0IPhase" /
>
1495                                     <col class="sdlc3Guide" id="colCS0IGuide" /
>
1496                                     <col class="sdlc3LastRevisedDate" id="colCS
0ILRD" />
1497
1498                                     <!-- The thead are the column headers -->
1499                                     <thead>
1500                                     <tr>
1501                                     <th id="CH1CS0IArtifact" spry:sort=
"artifact">Artifact</th>
1502                                     <th id="CH2CS0IRole" spry:sort="rol
e">Lead SDLC Role</th>
1503                                     <th id="CH3CS0IPhase" spry:sort="ph
ase">Phase</th>
1504                                     <th id="CH4CS0IGuidelines" title="A
rtifact Guidelines">Guidelines</th>
1505                                     <th id="CH5CS0ILRDate" title="Last
Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
1506                                     </tr>
1507                                     </thead>

```

```

1509                                     <!-- The tfoot creates the table footer -->
1510                                     <tfoot>
1511                                         <tr>
1512                                             <td colspan="5"><!-- #BeginLibraryI
tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
able by clicking the column header.<!-- #EndLibraryItem --></td>
1513                                         </tr>
1514                                     </tfoot>
1515
1516                                     <!-- The tbody creates the table content --
>
1517                                     <tbody>
1518                                         <tr spry:repeat="dsSDLC3artifact" spry:
test="{artifact}'.charAt(0) == 'I'">
1519                                             <th id="RCS0I{ds_RowID}" headers="C
H1CS0IArtifact">
1520                                                 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
1521                                                 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
t}</a></span>
1522                                                 <span class="artifactNotLinked"
spry:if="('{artifactURL}' == '')">{artifact}</span>
1523                                             </th>
1524                                         <td headers="RCS0I{ds_RowID} CH1CS0
IArtifact CH2CS0IRole">{role}</td>
1525                                         <td headers="RCS0I{ds_RowID} CH1CS0
IArtifact CH3CS0IPhase">{phase}</td>
1526                                         <td headers="RCS0I{ds_RowID} CH1CS0
IArtifact CH4CS0IGuidelines" class="alignCenter">
1527                                             <span class="artifactGuidelines
" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
1528                                         </td>
1529                                         <td headers="RCS0I{ds_RowID} CH1CS0
IArtifact CH5CS0ILRDate">{lastRevisedDate}</td>
1530                                     </tr>
1531                                     </tbody>
1532
1533                                     </table>
1534                                 </div>
1535 </div>
1536
1537
1538 <div id="pCS0J" class="TabbedPanelsContentDisabled">
1539     <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact">
1540         <table id="tblCS0J" cellspacing="1" summary="SD
LC 3.0 alphabetical listing for J">
1541
1542             <!-- The is the table header/title -->
1543             <caption>Alpha Listing: J</caption>
1544
1545             <!-- The col tag allows style application b
ased on the column, particularly widths -->
1546             <col class="sdlc3Artifact" id="colCS0JArtif
act" />
1547             <col class="sdlc3Role" id="colCS0JRole" />
1548             <col class="sdlc3Phase" id="colCS0JPhase" /
>
1549             <col class="sdlc3Guide" id="colCS0JGuide" /
>
1550             <col class="sdlc3LastRevisedDate" id="colCS
0JLRD" />
1551
1552             <!-- The thead are the column headers -->
1553             <thead>
1554                 <tr>
1555                     <th id="CH1CS0JArtifact" spry:sort=
"artifact">Artifact</th>
1556                     <th id="CH2CS0JRole" spry:sort="rol
e">Lead SDLC Role</th>
1557                     <th id="CH3CS0JPhase" spry:sort="ph
ase">Phase</th>

```

```

1555 artifact Guidelines">Guidelines</th>
1559 Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
1560 </tr>
1561 </thead>
1562 <!-- The tfoot creates the table footer -->
1563 <tfoot>
1564 <tr>
1565 <td colspan="5"><!-- #BeginLibraryI
1566 tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
1567 able by clicking the column header.<!-- #EndLibraryItem --></td>
1568 </tr>
1569 </tfoot>
1570 <!-- The tbody creates the table content --
1571 >
1572 <tbody>
1573 <tr spry:repeat="dsSDLC3artifact" spry:
1574 test="'{artifact}'.charAt(0) == 'J'">
1575 <th id="RCS0J{ds_RowID}" headers="C
1576 H1CS0JArtifact">
1577 <span class="artifactLinked" sp
1578 ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
1579 s}">{artifact}</a></span>
1580 <span class="artifactLinked" sp
1581 ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
1582 t}</a></span>
1583 <span class="artifactNotLinked"
1584 spry:if="('{artifactURL}' == '')">{artifact}</span>
1585 </th>
1586 <td headers="RCS0J{ds_RowID} CH1CS0
1587 JArtifact CH2CS0JRole">{role}</td>
1588 <td headers="RCS0J{ds_RowID} CH1CS0
1589 JArtifact CH3CS0JPhase">{phase}</td>
1590 <td headers="RCS0J{ds_RowID} CH1CS0
1591 JArtifact CH4CS0JGuidelines" class="alignCenter">
1592 <span class="artifactGuidelines
1593 " spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
1596 </td>
1597 <td headers="RCS0J{ds_RowID} CH1CS0
1598 JArtifact CH5CS0JLRDate">{lastRevisedDate}</td>
1599 </tr>
1600 </tbody>
1601 </table>
1602 </div>
1603 </div>
1604 <div id="pCS0K" class="TabbedPanelsContentDisabled">
1605 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
1606 rtifact">
1607 <table id="tblCS0K" cellspacing="1" summary="SD
1608 LC 3.0 alphabetical listing for K">
1609 <!-- The is the table header/title -->
1610 <caption>Alpha Listing: K</caption>
1611 <!-- The col tag allows style application b
1612 >
1613 <col class="sdlc3Artifact" id="colCS0KArtif
1614 >
1615 <col class="sdlc3Role" id="colCS0KRole" />
1616 <col class="sdlc3Phase" id="colCS0KPhase" /
1617 >
1618 <col class="sdlc3Guide" id="colCS0KGuide" /
1619 >
1620 <col class="sdlc3LastRevisedDate" id="colCS
1621 0KLRD" />
1622 <!-- The thead are the column headers -->
1623 <thead>
1624 <tr>

```

```
1609 "artifact">Artifact</th>
1610 e">Lead SDLC Role</th>
1611 ase">Phase</th>
1612 rtifact Guidelines">Guidelines</th>
1613 Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
1614 </tr>
1615 </thead>
1616
1617 <!-- The tfoot creates the table footer -->
1618 <tfoot>
1619 <tr>
1620 <td colspan="5"><!-- #BeginLibraryItem
1621 tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
1622 able by clicking the column header.<!-- #EndLibraryItem --></td>
1623 </tr>
1624 </tfoot>
1625 <!-- The tbody creates the table content -->
1626 <tbody>
1627 <tr spry:repeat="dsSDLC3artifact" spry:
1628 test="{artifact}.charAt(0) == 'K'">
1629 <th id="RCS0K{ds_RowID}" headers="C
1630 H1CS0KArtifact">
1631 <span class="artifactLinked" sp
1632 ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
1633 s}">{artifact}</a></span>
1634 <span class="artifactLinked" sp
1635 ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
1636 t}</a></span>
1637 <span class="artifactNotLinked"
1638 spry:if="('{artifactURL}' == '')">{artifact}</span>
1639 </th>
1640 <td headers="RCS0K{ds_RowID} CH1CS0
1641 KArtifact CH2CS0KRole">{role}</td>
1642 <td headers="RCS0K{ds_RowID} CH1CS0
1643 KArtifact CH3CS0KPhase">{phase}</td>
1644 <td headers="RCS0K{ds_RowID} CH1CS0
1645 KArtifact CH4CS0KGuidelines" class="alignCenter">
1646 <span class="artifactGuidelines
1647 " spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
1650 </td>
1651 <td headers="RCS0K{ds_RowID} CH1CS0
1652 KArtifact CH5CS0KLRDate">{lastRevisedDate}</td>
1653 </tr>
1654 </tbody>
1655 </table>
1656 </div>
1657 </div>
1658
1659 <div id="pCS0L" class="TabbedPanelsContent">
1660 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
1661 rtifact">
1662 <table id="tblCS0L" cellspacing="1" summary="SD
1663 LC 3.0 alphabetical listing for L">
1664 <!-- The is the table header/title -->
1665 <caption>Alpha Listing: L</caption>
1666 <!-- The col tag allows style application b
1667 ased on the column, particularly widths -->
1668 <col class="sdlc3Artifact" id="colCS0LArtif
1669 act" />
1670 <col class="sdlc3Role" id="colCS0LRole" />
1671 <col class="sdlc3Phase" id="colCS0LPhase" /
1672 >
1673 <col class="sdlc3Guide" id="colCS0LGuide" /
1674 >
1675 <col class="sdlc3LastRevisedDate" id="colCS
```

```

0LLRD" />
1659
1660                                     <!-- The thead are the column headers -->
1661                                     <thead>
1662                                         <tr>
1663                                             <th id="CH1CS0LArtifact" spry:sort=
1664 "artifact">Artifact</th>
1665                                             <th id="CH2CS0LRole" spry:sort="rol
1666 e">Lead SDLC Role</th>
1667                                             <th id="CH3CS0LPhase" spry:sort="ph
1668 ase">Phase</th>
1669                                             <th id="CH4CS0LGuidelines" title="A
1670 rtifact Guidelines">Guidelines</th>
1671                                             <th id="CH5CS0LLRDate" title="Last
1672 Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
1673                                         </tr>
1674                                     </thead>
1675                                     <!-- The tfoot creates the table footer -->
1676                                     <tfoot>
1677                                         <tr>
1678                                             <td colspan="5"><!-- #BeginLibraryI
1679 tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
1680 able by clicking the column header.<!-- #EndLibraryItem --></td>
1681                                         </tr>
1682                                     </tfoot>
1683                                     <!-- The tbody creates the table content --
1684 >
1685                                     <tbody>
1686                                         <tr spry:repeat="dsSDLC3artifact" spry:
1687 test="{artifact}'.charAt(0) == 'L'">
1688                                             <th id="RCS0L{ds_RowID}" headers="C
1689 H1CS0LArtifact">
1690                                                 <span class="artifactLinked" sp
1691 ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
1692 s}">{artifact}</a></span>
1693                                                 <span class="artifactLinked" sp
1694 ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
1695 t}</a></span>
1696                                                 <span class="artifactNotLinked"
1697 spry:if="{artifactURL}' == ''">{artifact}</span>
1698                                             </th>
1699                                             <td headers="RCS0L{ds_RowID} CH1CS0
1700 LArtifact CH2CS0LRole">{role}</td>
1701                                             <td headers="RCS0L{ds_RowID} CH1CS0
1702 LArtifact CH3CS0LPhase">{phase}</td>
1703                                             <td headers="RCS0L{ds_RowID} CH1CS0
1704 LArtifact CH4CS0LGuidelines" class="alignCenter">
1705                                                 <span class="artifactGuidelines
1706 " spry:if="{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
1709                                             </td>
1710                                             <td headers="RCS0L{ds_RowID} CH1CS0
1711 LArtifact CH5CS0LLRDate">{lastRevisedDate}</td>
1712                                         </tr>
1713                                     </tbody>
1714                                     </table>
1715                                 </div>
1716 </div>
1717
1718 <div id="pCS0M" class="TabbedPanelsContentDisabled">
1719     <div class="SpryHiddenRegion" spry:region="dsSDLC3a
1720 rtifact">
1721         <table id="tblCS0M" cellspacing="1" summary="SD
1722 LC 3.0 alphabetical listing for M">
1723             <!-- The is the table header/title -->
1724             <caption>Alpha Listing: M</caption>
1725             <!-- The col tag allows style application b
1726 ased on the column, particularly widths -->
1727             <col class="sdlc3Artifact" id="colCS0MArtif
1728 act" />

```

```
009 <col class="sdlc3Role" id="colCS0MRole" />
1710 <col class="sdlc3Phase" id="colCS0MPhase" /
>
1711 <col class="sdlc3Guide" id="colCS0MGuide" /
>
1712 <col class="sdlc3LastRevisedDate" id="colCS
OMLRD" />
1713
1714 <!-- The thead are the column headers -->
1715 <thead>
1716 <tr>
1717 <th id="CH1CS0MArtifact" spry:sort=
"artifact">Artifact</th>
1718 <th id="CH2CS0MRole" spry:sort="rol
e">Lead SDLC Role</th>
1719 <th id="CH3CS0MPhase" spry:sort="ph
ase">Phase</th>
1720 <th id="CH4CS0MGuidelines" title="A
rtifact Guidelines">Guidelines</th>
1721 <th id="CH5CS0MLRDate" title="Last
Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
1722 </tr>
1723 </thead>
1724
1725 <!-- The tfoot creates the table footer -->
1726 <tfoot>
1727 <tr>
1728 <td colspan="5"><!-- #BeginLibraryI
tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
able by clicking the column header.<!-- #EndLibraryItem --></td>
1729 </tr>
1730 </tfoot>
1731
1732 <!-- The tbody creates the table content --
>
1733 <tbody>
1734 <tr spry:repeat="dsSDLC3artifact" spry:
test="{artifact}'.charAt(0) == 'M'">
1735 <th id="RCS0M{ds_RowID}" headers="C
H1CS0MArtifact">
1736 <span class="artifactLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
1737 <span class="artifactLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
t}</a></span>
1738 <span class="artifactNotLinked" spry:if="{artifactURL}' == ''">{artifact}</span>
1739 </th>
1740 <td headers="RCS0M{ds_RowID} CH1CS0
MArtifact CH2CS0MRole">{role}</td>
1741 <td headers="RCS0M{ds_RowID} CH1CS0
MArtifact CH3CS0MPhase">{phase}</td>
1742 <td headers="RCS0M{ds_RowID} CH1CS0
MArtifact CH4CS0MGuidelines" class="alignCenter">
1743 <span class="artifactGuidelines" spry:if="{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
1744 </td>
1745 <td headers="RCS0M{ds_RowID} CH1CS0
MArtifact CH5CS0MLRDate">{lastRevisedDate}</td>
1746 </tr>
1747 </tbody>
1748 </table>
1749 </div>
1750 </div>
1751
1752 <div id="pCS0N" class="TabbedPanelsContentDisabled">
1753 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact">
1754 <table id="tblCS0N" cellspacing="1" summary="SD
LC 3.0 alphabetical listing for N">
1755
1756
1757 <!-- The is the table header/title -->
1758
```

```

1759 <caption>Alpha Listing: N</caption>
1760
1761
1762 ased on the column, particularly widths -->
1763
1764 act" />
1765 >
1766 >
1767 ONLRD" />
1768
1769 <!-- The thead are the column headers -->
1770
1771 <thead>
1772 <tr>
1773 <th id="CH1CS0NArtifact" spry:sort=
1774 "artifact">Artifact</th>
1775 <th id="CH2CS0NRole" spry:sort="rol
1776 e">Lead SDLC Role</th>
1777 <th id="CH3CS0NPhase" spry:sort="ph
1778 ase">Phase</th>
1779 <th id="CH4CS0NGuidelines" title="A
1780 rtifact Guidelines">Guidelines</th>
1781 <th id="CH5CS0NLRDate" title="Last
1782 Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
1783 </tr>
1784 </thead>
1785
1786 <!-- The tfoot creates the table footer -->
1787 <tfoot>
1788 <tr>
1789 <td colspan="5"><!-- #BeginLibraryI
1790 tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
1791 able by clicking the column header.<!-- #EndLibraryItem --></td>
1792 </tr>
1793 </tfoot>
1794
1795 <!-- The tbody creates the table content --
1796 >
1797 <tbody>
1798 <tr spry:repeat="dsSDLC3artifact" spry:
1799 test="{artifact}.charAt(0) == 'N'">
1800 <th id="RCS0N{ds_RowID}" headers="C
1801 H1CS0NArtifact">
1802 <span class="artifactLinked" sp
1803 ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
1804 s}">{artifact}</a></span>
1805 <span class="artifactLinked" sp
1806 ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
1807 t}</a></span>
1808 <span class="artifactNotLinked"
1809 spry:if="{artifactURL}' == ''">{artifact}</span>
1810 </th>
1811 <td headers="RCS0N{ds_RowID} CH1CS0
1812 NArtifact CH2CS0NRole">{role}</td>
1813 <td headers="RCS0N{ds_RowID} CH1CS0
1814 NArtifact CH3CS0NPhase">{phase}</td>
1815 <td headers="RCS0N{ds_RowID} CH1CS0
1816 NArtifact CH4CS0NGuidelines" class="alignCenter">
1817 <span class="artifactGuidelines
1818 " spry:if="{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
1821 </td>
1822 <td headers="RCS0N{ds_RowID} CH1CS0
1823 NArtifact CH5CS0NLRDate">{lastRevisedDate}</td>
1824 </tr>
1825 </tbody>
1826 </table>
1827 </div>
1828 </div>
1829
1830 <div id="pCS00" class="TabbedPanelsContent">

```

```

1809 artifact">
1810 LC 3.0 alphabetical listing for O">
1811
1812
1813
1814
1815
1816 used on the column, particularly widths -->
1817 act" />
1818 >
1819 >
1820 OOLRD" />
1821
1822
1823
1824
1825 "artifact">Artifact</th>
1826 e">Lead SDLC Role</th>
1827 ase">Phase</th>
1828 rtifact Guidelines">Guidelines</th>
1829 Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
1830
1831
1832
1833
1834
1835
1836 tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
1837 able by clicking the column header.<!-- #EndLibraryItem --></td>
1838
1839
1840 >
1841
1842 test="{artifact}'.charAt(0) == 'O'">
1843 H1CS00Artifact">
1844 ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
1845 s}">{artifact}</a></span>
1846 ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artificac
1847 t}</a></span>
1848 spry:if="('{artifactURL}' == '')">{artifact}</span>
1849 OArtifact CH2CS00Role">{role}</td>
1850 OArtifact CH3CS00Phase">{phase}</td>
1851 OArtifact CH4CS00Guidelines" class="alignCenter">
1852 " spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
1855
1856 OArtifact CH5CS00LRDate">{lastRevisedDate}</td>
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000

```



```
1857 </div>
1858 </div>
1859
1860
1861
1862 <div id="pCS0P" class="TabbedPanelsContent">
1863 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
1864 rtifact">
1865 <table id="tblCS0P" cellspacing="1" summary="SD
1866 LC 3.0 alphabetical listing for P">
1867 <!-- The is the table header/title -->
1868 <caption>Alpha Listing: P</caption>
1869 <!-- The col tag allows style application b
1870 ased on the column, particularly widths -->
1871 <col class="sdlc3Artifact" id="colCS0PArtif
1872 act" />
1873 <col class="sdlc3Role" id="colCS0PRole" />
1874 <col class="sdlc3Phase" id="colCS0PPhase" /
1875 >
1876 <col class="sdlc3Guide" id="colCS0PGuide" /
1877 >
1878 <col class="sdlc3LastRevisedDate" id="colCS
1879 0PLRD" />
1880 <!-- The thead are the column headers -->
1881 <thead>
1882 <tr>
1883 <th id="CH1CS0PArtifact" spry:sort="
1884 artifact">Artifact</th>
1885 <th id="CH2CS0PRole" spry:sort="rol
1886 e">Lead SDLC Role</th>
1887 <th id="CH3CS0PPhase" spry:sort="ph
1888 ase">Phase</th>
1889 <th id="CH4CS0PGuidelines" title="A
1890 rtifact Guidelines">Guidelines</th>
1891 <th id="CH5CS0PLRDate" title="Last
1892 Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
1893 </tr>
1894 </thead>
1895 <!-- The tfoot creates the table footer -->
1896 <tfoot>
1897 <tr>
1898 <td colspan="5"><!-- #BeginLibraryI
1899 tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
1900 able by clicking the column header.<!-- #EndLibraryItem --></td>
1901 </tr>
1902 </tfoot>
1903 <!-- The tbody creates the table content --
1904 >
1905 <tbody>
1906 <tr spry:repeat="dsSDLC3artifact" spry:
1907 test="{artifact}.charAt(0) == 'P'">
1908 <th id="RCS0P{ds_RowID}" headers="C
1909 H1CS0PArtifact">
1910 <span class="artifactLinked" sp
1911 ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
1912 s}">{artifact}</a></span>
1913 <span class="artifactLinked" sp
1914 ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
1915 t}</a></span>
1916 <span class="artifactNotLinked"
1917 spry:if="{artifactURL}" == "">{artifact}</span>
1918 </th>
1919 <td headers="RCS0P{ds_RowID} CH1CS0
1920 PArtifact CH2CS0PRole">{role}</td>
1921 <td headers="RCS0P{ds_RowID} CH1CS0
1922 PArtifact CH3CS0PPhase">{phase}</td>
1923 <td headers="RCS0P{ds_RowID} CH1CS0
1924 PArtifact CH4CS0PGuidelines" class="alignCenter">
1925 <span class="artifactGuidelines
1926 " spry:if="{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
1929 </td>
```

1907 Partifact CH5CS0PLRDate">{lastRevisedDate}</td>
1908 </tr>
1909 </tbody>

1910 </table>
1911 </div>
1912 </div>
1913
1914
1915
1916 <div id="pCS0Q" class="TabbedPanelsContent">
1917 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact">
1918 <table id="tblCS0Q" cellspacing="1" summary="SD
LC 3.0 alphabetical listing for Q">
1919 <!-- The is the table header/title -->
1920 <caption>Alpha Listing: Q</caption>
1921 <!-- The col tag allows style application b
1922 ased on the column, particularly widths -->
1923 <col class="sdlc3Artifact" id="colCS0QArtif
1924 act" />
1925 <col class="sdlc3Role" id="colCS0QRole"/>
1926 <col class="sdlc3Phase" id="colCS0QPhase" /
1927 >
1928 <col class="sdlc3Guide" id="colCS0QGuide" /
>
1929 <col class="sdlc3LastRevisedDate" id="colCS
1930 0QLRD" />

1931 <!-- The thead are the column headers -->
1932 <thead>
1933 <tr>
1934 <th id="CH1CS0QArtifact" spry:sort=
"artifact">Artifact</th>
1935 <th id="CH2CS0QRole" spry:sort="rol
e">Lead SDLC Role</th>
1936 <th id="CH3CS0QPhase" spry:sort="ph
ase">Phase</th>
1937 <th id="CH4CS0QGuidelines" title="A
rtifact Guidelines">Guidelines</th>
1938 <th id="CH5CS0QLRDate" title="Last
Revised Date" spry:sort="lastRevisedDate">Last Revised</th>
1939 </tr>
1940 </thead>
1941 <!-- The tfoot creates the table footer -->
1942 <tfoot>
1943 <tr>
1944 <td colspan="5"><!-- #BeginLibraryI
tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
able by clicking the column header.<!-- #EndLibraryItem --></td>
1945 </tr>
1946 </tfoot>
1947 <!-- The tbody creates the table content --
1948 >
1949 <tbody>
1950 <tr spry:repeat="dsSDLC3artifact" spry:
test="{artifact}.charAt(0) == 'Q'">
1951 <th id="RCS0Q{ds_RowID}" headers="C
H1CS0QArtifact">
1952 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}
1953 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' == '')">{artific
t}
1954 <span class="artifactNotLinked"
spry:if="('{artifactURL}' == '')">{artifact}
1955 </th>
1956 <td headers="RCS0Q{ds_RowID} CH1CS0
QArtifact CH2CS0QRole">{role}</td>
1957 <td headers="RCS0Q{ds_RowID} CH1CS0
QArtifact CH3CS0QPhase">{phase}</td>
1958 <td headers="RCS0Q{ds_RowID} CH1CS0
QArtifact CH4CS0QGuidelines" class="alignCenter">
1959 <span class="artifactGuidelines

```
" spry:if="{guidelinesURL}" != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
E:\uspto\sites\PROD\cio\sdlc\artifacts.html: 35/95
```

```
2011 RArtifact CH2CS0RRole">{role}</td> <td headers="RCS0R{ds_RowID} CH1CS0
2012 RArtifact CH3CS0RPhase">{phase}</td> <td headers="RCS0R{ds_RowID} CH1CS0
2013 RArtifact CH4CS0RGuidelines" class="alignCenter"> <span class="artifactGuidelines
" spry:if="{guidelinesURL}" != ""><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
2014 </td>
2015 RArtifact CH5CS0RLRDate">{lastRevisedDate}</td> <td headers="RCS0R{ds_RowID} CH1CS0
2016 </tr>
2017 </tbody>
2018 </table>
2019 </div>
2020 </div>
2021
2022
2023
2024 <div id="pCS0S" class="TabbedPanelsContent">
2025 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact">
2026 <table id="tblCS0S" cellspacing="1" summary="SD
LC 3.0 alphabetical listing for S">
2027
2028 <!-- The is the table header/title -->
2029 <caption>Alpha Listing: S</caption>
2030
2031 <!-- The col tag allows style application b
ased on the column, particularly widths -->
2032 <col class="sdlc3Artifact" id="colCS0SArtif
act" />
2033 <col class="sdlc3Role" id="colCS0SRole" />
2034 <col class="sdlc3Phase" id="colCS0SPhase" /
>
2035 <col class="sdlc3Guide" id="colCS0SGuide" /
>
2036 <col class="sdlc3LastRevisedDate" id="colCS
0SLRD" />
2037
2038 <!-- The thead are the column headers -->
2039 <thead>
2040 <tr>
2041 <th id="CH1CS0SArtifact" spry:sort=
"artifact">Artifact</th>
2042 <th id="CH2CS0SRole" spry:sort="rol
e">Lead SDLC Role</th>
2043 <th id="CH3CS0SPhase" spry:sort="ph
ase">Phase</th>
2044 <th id="CH4CS0SGuidelines" title="A
rtifact Guidelines">Guidelines</th>
2045 <th id="CH5CS0SLRDate" title="Last
Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
2046 </tr>
2047 </thead>
2048
2049 <!-- The tfoot creates the table footer -->
2050 <tfoot>
2051 <tr>
2052 <td colspan="5"><!-- #BeginLibraryI
tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
able by clicking the column header.<!-- #EndLibraryItem --></td>
2053 </tr>
2054 </tfoot>
2055
2056 <!-- The tbody creates the table content --
>
2057 <tbody>
2058 <tr spry:repeat="dsSDLC3artifact" spry:
test="{artifact}.charAt(0) == 'S'">
2059 <th id="RCS0S{ds_RowID}" headers="C
H1CS0SArtifact">
2060 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
2061 <span class="artifactLinked" sp
```

```

ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact
t}</a></span>
2062 spry:if="{artifactURL}' == ''">{artifact}</span> <span class="artifactNotLinked"
2063 </th>
2064 <td headers="RCS0S{ds_RowID} CH1CS0
2065 SArtifact CH2CS0SRole">{role}</td> <td headers="RCS0S{ds_RowID} CH1CS0
2066 SArtifact CH3CS0SPhase">{phase}</td> <td headers="RCS0S{ds_RowID} CH1CS0
2067 SArtifact CH4CS0SGuidelines" class="alignCenter"> <span class="artifactGuidelines
" spry:if="{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
2068 </td>
2069 <td headers="RCS0S{ds_RowID} CH1CS0
2070 SArtifact CH5CS0SLRDate">{lastRevisedDate}</td>
2071 </tr>
2072 </tbody>
2073 </table>
2074 </div>
2075 </div>
2076
2077
2078 <div id="pCS0T" class="TabbedPanelsContent">
2079 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact">
2080 <table id="tblCS0T" cellspacing="1" summary="SD
LC 3.0 alphabetical listing for T">
2081
2082 <!-- The is the table header/title -->
2083 <caption>Alpha Listing: T</caption>
2084
2085 <!-- The col tag allows style application b
ased on the column, particularly widths -->
2086 <col class="sdlc3Artifact" id="colCS0TArtif
act" />
2087 <col class="sdlc3Role" id="colCS0TRole" />
2088 <col class="sdlc3Phase" id="colCS0TPhase" /
>
2089 <col class="sdlc3Guide" id="colCS0TGuide" /
>
2090 <col class="sdlc3LastRevisedDate" id="colCS
0TLRD" />
2091
2092 <!-- The thead are the column headers -->
2093 <thead>
2094 <tr>
2095 <th id="CH1CS0TArtifact" spry:sort=
"artifact">Artifact</th>
2096 <th id="CH2CS0TRole" spry:sort="rol
e">Lead SDLC Role</th>
2097 <th id="CH3CS0TPhase" spry:sort="ph
ase">Phase</th>
2098 <th id="CH4CS0TGuidelines" title="A
rtifact Guidelines">Guidelines</th>
2099 <th id="CH5CS0TLRDate" title="Last
Revised Date" spry:sort="lastRevisedDate">Last&nbsp;&nbsp;&nbsp;Revised</th>
2100 </tr>
2101 </thead>
2102
2103 <!-- The tfoot creates the table footer -->
2104 <tfoot>
2105 <tr>
2106 <td colspan="5"><!-- #BeginLibraryI
tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
able by clicking the column header.<!-- #EndLibraryItem --></td>
2107 </tr>
2108 </tfoot>
2109
2110 <!-- The tbody creates the table content --
>
2111 <tbody>
2112 <tr spry:repeat="dsSDLC3artifact" spry:
test="{artifact}'.charAt(0) == 'T'">

```

```

2113 <th id="RCS0T{ds_RowID}" headers="C
H1CS0TArtifact">
2114 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
2115 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artifac
t}</a></span>
2116 <span class="artifactNotLinked"
spry:if="{artifactURL}' == ''">{artifact}</span>
2117 </th>
2118 <td headers="RCS0T{ds_RowID} CH1CS0
TArtifact CH2CS0TRole">{role}</td>
2119 <td headers="RCS0T{ds_RowID} CH1CS0
TArtifact CH3CS0TPhase">{phase}</td>
2120 <td headers="RCS0T{ds_RowID} CH1CS0
TArtifact CH4CS0TGuidelines" class="alignCenter">
2121 <span class="artifactGuidelines
" spry:if="{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
2122 </td>
2123 <td headers="RCS0T{ds_RowID} CH1CS0
TArtifact CH5CS0TLRDate">{lastRevisedDate}</td>
2124 </tr>
2125 </tbody>
2126 </table>
2127 </div>
2128 </div>
2129 </div>
2130
2131
2132 <div id="pCS0U" class="TabbedPanelsContent">
2133 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact">
2134 <table id="tblCS0U" cellspacing="1" summary="SD
LC 3.0 alphabetical listing for U">
2135 <!-- The is the table header/title -->
2136 <caption>Alpha Listing: U</caption>
2137 <!-- The col tag allows style application b
2138 <col class="sdlc3Artifact" id="colCS0UArtif
2139 act" />
2140 <col class="sdlc3Role" id="colCS0URole" />
2141 <col class="sdlc3Phase" id="colCS0UPhase" /
2142 >
2143 <col class="sdlc3Guide" id="colCS0UGuide" /
2144 >
2145 <col class="sdlc3LastRevisedDate" id="colCS
0ULRD" />
2146 <!-- The thead are the column headers -->
2147 <thead>
2148 <tr>
2149 <th id="CH1CS0UArtifact" spry:sort=
"artifact">Artifact</th>
2150 <th id="CH2CS0URole" spry:sort="rol
e">Lead SDLC Role</th>
2151 <th id="CH3CS0UPhase" spry:sort="ph
ase">Phase</th>
2152 <th id="CH4CS0UGuidelines" title="A
rtifact Guidelines">Guidelines</th>
2153 <th id="CH5CS0ULRDate" title="Last
Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
2154 </tr>
2155 </thead>
2156 <!-- The tfoot creates the table footer -->
2157 <tfoot>
2158 <tr>
2159 <td colspan="5"><!-- #BeginLibraryI
tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
able by clicking the column header.<!-- #EndLibraryItem --></td>
2161 </tr>
2162 </tfoot>

```

```

2164 > <!-- The tbody creates the table content --
2165 > <tbody>
2166 test="'{artifact}'.charAt(0) == 'U'"> <tr spry:repeat="dsSDLC3artifact" spry:
2167 H1CS0UArtifact"> <th id="RCS0U{ds_RowID}" headers="C
2168 <span class="artifactLinked" sp <span class="artifactLinked" sp
2169 ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span> <span class="artifactLinked" sp
2170 ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
t}</a></span> <span class="artifactNotLinked"
2171 spry:if="('{artifactURL}' == '')">{artifact}</span> </th>
2172 UArtifact CH2CS0URole">{role}</td> <td headers="RCS0U{ds_RowID} CH1CS0
2173 UArtifact CH3CS0UPhase">{phase}</td> <td headers="RCS0U{ds_RowID} CH1CS0
2174 UArtifact CH4CS0UGuidelines" class="alignCenter"> <td headers="RCS0U{ds_RowID} CH1CS0
2175 " spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span> <span class="artifactGuidelines
2176 </td> </td>
2177 UArtifact CH5CS0ULRDate">{lastRevisedDate}</td> <td headers="RCS0U{ds_RowID} CH1CS0
2178 </tr>
2179 </tbody>
2180 </table>
2181 </div>
2182 </div>
2183
2184
2185
2186 <div id="pCS0V" class="TabbedPanelsContentDisabled">
2187 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact">
2188 <table id="tblCS0V" cellspacing="1" summary="SD
LC 3.0 alphabetical listing for V">
2189
2190 <!-- The is the table header/title -->
2191 <caption>Alpha Listing: V</caption>
2192
2193 <!-- The col tag allows style application b
2194 ased on the column, particularly widths -->
2195 <col class="sdlc3Artifact" id="colCS0VArtif
act" />
2196 <col class="sdlc3Role" id="colCS0VRole" />
2197 <col class="sdlc3Phase" id="colCS0VPhase" />
2198 <col class="sdlc3Guide" id="colCS0VGuide" />
2199 <col class="sdlc3LastRevisedDate" id="colCS
0VLRD" />
2200 <!-- The thead are the column headers -->
2201 <thead>
2202 <tr>
2203 "artifact">Artifact</th> <th id="CH1CS0VArtifact" spry:sort=
2204 e">Lead SDLC Role</th> <th id="CH2CS0VRole" spry:sort="rol
2205 ase">Phase</th> <th id="CH3CS0VPhase" spry:sort="ph
2206 rtifact Guidelines">Guidelines</th> <th id="CH4CS0VGuidelines" title="A
2207 Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th> <th id="CH5CS0VLRDate" title="Last
2208 </tr>
2209 </thead>
2210
2211 <!-- The tfoot creates the table footer -->
2212 <tfoot>

```

```

2213         <tr>
2214             <td colspan="5"><!-- #BeginLibraryItem
tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
able by clicking the column header.<!-- #EndLibraryItem --></td>
2215         </tr>
2216     </tfoot>
2217
2218     <!-- The tbody creates the table content --
>
2219     <tbody>
2220         <tr spry:repeat="dsSDLC3artifact" spry:
2221             test="{artifact}.charAt(0) == 'V'">
2222             <th id="RCS0V{ds_RowID}" headers="C
H1CS0VArtifact">
2223                 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
2224                 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
t}</a></span>
2225                 <span class="artifactNotLinked"
spry:if="('{artifactURL}' == '')">{artifact}</span>
2226             </th>
2227             <td headers="RCS0V{ds_RowID} CH1CS0
VArtifact CH2CS0VRole">{role}</td>
2228             <td headers="RCS0V{ds_RowID} CH1CS0
VArtifact CH3CS0VPhase">{phase}</td>
2229             <td headers="RCS0V{ds_RowID} CH1CS0
VArtifact CH4CS0VGuidelines" class="alignCenter">
2230                 <span class="artifactGuidelines
" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
2231             </td>
2232             <td headers="RCS0V{ds_RowID} CH1CS0
VArtifact CH5CS0VLRDate">{lastRevisedDate}</td>
2233         </tr>
2234     </tbody>
2235 </table>
2236 </div>
2237 </div>
2238
2239 <div id="pCS0W" class="TabbedPanelsContent">
2240     <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact">
2241         <table id="tblCS0W" cellspacing="1" summary="SD
LC 3.0 alphabetical listing for W">
2242             <thead>
2243                 <!-- The is the table header/title -->
2244                 <caption>Alpha Listing: W</caption>
2245                 <!-- The col tag allows style application b
2246                 ased on the column, particularly widths -->
2247                 <col class="sdlc3Artifact" id="colCS0WArtif
act" />
2248                 <col class="sdlc3Role" id="colCS0WRole" />
2249                 <col class="sdlc3Phase" id="colCS0WPhase" /
2250                 >
2251                 <col class="sdlc3Guide" id="colCS0WGuide" /
2252                 >
2253                 <col class="sdlc3LastRevisedDate" id="colCS
0WLRD" />
2254             </thead>
2255             <!-- The thead are the column headers -->
2256             <thead>
2257                 <tr>
2258                     <th id="CH1CS0WArtifact" spry:sort=
"artifact">Artifact</th>
2259                     <th id="CH2CS0WRole" spry:sort="rol
e">Lead SDLC Role</th>
2260                     <th id="CH3CS0WPhase" spry:sort="ph
ase">Phase</th>
2261                     <th id="CH4CS0WGuidelines" title="A
rtifact Guidelines">Guidelines</th>
2262                     <th id="CH5CS0WLRDate" title="Last

```



```

2262 Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
2263 </tr>
2264 </thead>
2265 <!-- The tfoot creates the table footer -->
2266 <tfoot>
2267 <tr>
2268 <td colspan="5"><!-- #BeginLibraryItem
tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
able by clicking the column header.<!-- #EndLibraryItem --></td>
2269 </tr>
2270 </tfoot>
2271 <!-- The tbody creates the table content --
2272 >
2273 <tbody>
2274 <tr spry:repeat="dsSDLC3artifact" spry:
test="{artifact}'.charAt(0) == 'W'">
2275 <th id="RCS0W{ds_RowID}" headers="C
H1CS0WArtifact">
2276 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
2277 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
t}</a></span>
2278 <span class="artifactNotLinked"
spry:if="('{artifactURL}' == '')">{artifact}</span>
2279 </th>
2280 <td headers="RCS0W{ds_RowID} CH1CS0
WArtifact CH2CS0WRole">{role}</td>
2281 <td headers="RCS0W{ds_RowID} CH1CS0
WArtifact CH3CS0WPhase">{phase}</td>
2282 <td headers="RCS0W{ds_RowID} CH1CS0
WArtifact CH4CS0WGuidelines" class="alignCenter">
2283 <span class="artifactGuidelines
" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
2284 </td>
2285 <td headers="RCS0W{ds_RowID} CH1CS0
WArtifact CH5CS0WLRDate">{lastRevisedDate}</td>
2286 </tr>
2287 </tbody>
2288 </table>
2289 </div>
2290 </div>
2291
2292
2293
2294 <div id="pCS0X" class="TabbedPanelsContentDisabled">
2295 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact">
2296 <table id="tblCS0X" cellspacing="1" summary="SD
LC 3.0 alphabetical listing for X">
2297
2298 <!-- The is the table header/title -->
2299 <caption>Alpha Listing: X</caption>
2300
2301 <!-- The col tag allows style application b
ased on the column, particularly widths -->
2302 <col class="sdlc3Artifact" id="colCS0XArtif
act" />
2303 <col class="sdlc3Role" id="colCS0XRole" />
2304 <col class="sdlc3Phase" id="colCS0XPhase" /
>
2305 <col class="sdlc3Guide" id="colCS0XGuide" /
>
2306 <col class="sdlc3LastRevisedDate" id="colCS
0XLRD" />
2307
2308 <!-- The thead are the column headers -->
2309 <thead>
2310 <tr>
2311 <th id="CH1CS0XArtifact" spry:sort=
"artifact">Artifact</th>
2312 <th id="CH2CS0XRole" spry:sort="rol

```

```

2313 e">Lead SDLC Role</th> <th id="CH3CS0XPhase" spry:sort="ph
2314 ase">Phase</th> <th id="CH4CS0XGuidelines" title="A
2315 rtifact Guidelines">Guidelines</th> <th id="CH5CS0XLRDate" title="Last
2316 Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
2317 </tr>
2318 </thead>
2319 <!-- The tfoot creates the table footer -->
2320 <tfoot>
2321 <tr>
2322 <td colspan="5"><!-- #BeginLibraryI
tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
able by clicking the column header.<!-- #EndLibraryItem --></td>
2323 </tr>
2324 </tfoot>
2325 <!-- The tbody creates the table content --
2326 >
2327 <tbody>
2328 <tr spry:repeat="dsSDLC3artifact" spry:
test="{artifact}.charAt(0) == 'X'">
2329 <th id="RCS0X{ds_RowID}" headers="C
H1CS0XArtifact">
2330 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
2331 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
t}</a></span>
2332 <span class="artifactNotLinked"
spry:if="('{artifactURL}' == '')">{artifact}</span>
2333 </th>
2334 <td headers="RCS0X{ds_RowID} CH1CS0
XArtifact CH2CS0XRole">{role}</td>
2335 <td headers="RCS0X{ds_RowID} CH1CS0
XArtifact CH3CS0XPhase">{phase}</td>
2336 <td headers="RCS0X{ds_RowID} CH1CS0
XArtifact CH4CS0XGuidelines" class="alignCenter">
2337 <span class="artifactGuidelines"
" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
2338 </td>
2339 <td headers="RCS0X{ds_RowID} CH1CS0
XArtifact CH5CS0XLRDate">{lastRevisedDate}</td>
2340 </tr>
2341 </tbody>
2342 </table>
2343 </div>
2344 </div>
2345
2346
2347
2348 <div id="pCS0Y" class="TabbedPanelsContentDisabled">
2349 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact">
2350 <table id="tblCS0Y" cellspacing="1" summary="SD
LC 3.0 alphabetical listing for Y">
2351 <!-- The is the table header/title -->
2352 <caption>Alpha Listing: Y</caption>
2353 <!-- The col tag allows style application b
2354 ased on the column, particularly widths -->
2355 <col class="sdlc3Artifact" id="colCS0YArtif
act" />
2356 <col class="sdlc3Role" id="colCS0YRole" />
2357 <col class="sdlc3Phase" id="colCS0YPhase" />
2358 <col class="sdlc3Guide" id="colCS0YGuide" />
2359 <col class="sdlc3LastRevisedDate" id="colCS
0YLRD" />
2360 </table>
2361 <!-- The thead are the column headers -->
2362

```

```

2363                                     <thead>
2364                                         <tr>
2365                                             <th id="CH1CS0YArtifact" spry:sort=
"artifact">Artifact</th>
2366                                             <th id="CH2CS0YRole" spry:sort="rol
e">Lead SDLC Role</th>
2367                                             <th id="CH3CS0YPhase" spry:sort="ph
ase">Phase</th>
2368                                             <th id="CH4CS0YGuidelines" title="A
rtifact Guidelines">Guidelines</th>
2369                                             <th id="CH5CS0YLRDate" title="Last
Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
2370                                         </tr>
2371                                     </thead>
2372
2373                                     <!-- The tfoot creates the table footer -->
2374                                     <tfoot>
2375                                         <tr>
2376                                             <td colspan="5"><!-- #BeginLibraryI
tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
able by clicking the column header.<!-- #EndLibraryItem --></td>
2377                                         </tr>
2378                                     </tfoot>
2379
2380                                     <!-- The tbody creates the table content --
>
2381                                     <tbody>
2382                                         <tr spry:repeat="dsSDLC3artifact" spry:
test=" '{artifact}'.charAt(0) == 'Y' ">
2383                                             <th id="RCS0Y{ds_RowID}" headers="C
H1CS0YArtifact">
2384                                                 <span class="artifactLinked" sp
ry:if=" ('{artifactURL}' != '') && ('{comments}' != '') "><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
2385                                                 <span class="artifactLinked" sp
ry:if=" ('{artifactURL}' != '') && ('{comments}' == '') "><a href="{artifactURL}" title="{artifact}">{artific
t}</a></span>
2386                                                 <span class="artifactNotLinked"
spry:if=" '{artifactURL}' == '' ">{artifact}</span>
2387                                             </th>
2388                                             <td headers="RCS0Y{ds_RowID} CH1CS0
YArtifact CH2CS0YRole">{role}</td>
2389                                             <td headers="RCS0Y{ds_RowID} CH1CS0
YArtifact CH3CS0YPhase">{phase}</td>
2390                                             <td headers="RCS0Y{ds_RowID} CH1CS0
YArtifact CH4CS0YGuidelines" class="alignCenter">
2391                                                 <span class="artifactGuidelines
" spry:if=" '{guidelinesURL}' != '' "><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
2392                                             </td>
2393                                             <td headers="RCS0Y{ds_RowID} CH1CS0
YArtifact CH5CS0YLRDate">{lastRevisedDate}</td>
2394                                         </tr>
2395                                     </tbody>
2396
2397                                     </table>
2398                                 </div>
2399 </div>
2400
2401 <div id="pCS0Z" class="TabbedPanelsContentDisabled">
2402     <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact">
2403         <table id="tblCS0Z" cellspacing="1" summary="SD
LC 3.0 alphabetical listing for Z">
2404
2405             <!-- The is the table header/title -->
2406             <caption>Alpha Listing: Z</caption>
2407
2408             <!-- The col tag allows style application b
ased on the column, particularly widths -->
2409
2410             <col class="sdlc3Artifact" id="colCS0ZArtif
act" />
2411             <col class="sdlc3Role" id="colCS0ZRole" />
2412             <col class="sdlc3Phase" id="colCS0ZPhase" /
>

```

```

2413 >
2414 OZLRD" />
2415
2416 <!-- The thead are the column headers -->
2417
2418 <thead>
2419 <tr>
2420 <th id="CH1CS0ZArtifact" spry:sort=
"artifact">Artifact</th>
2421 <th id="CH2CS0ZRole" spry:sort="rol
e">Lead SDLC Role</th>
2422 <th id="CH3CS0ZPhase" spry:sort="ph
ase">Phase</th>
2423 <th id="CH4CS0ZGuidelines" title="A
rtifact Guidelines">Guidelines</th>
2424 <th id="CH5CS0ZLRDate" title="Last
Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
2425 </tr>
2426 </thead>
2427
2428 <!-- The tfoot creates the table footer -->
2429 <tfoot>
2430 <tr>
2431 <td colspan="5"><!-- #BeginLibraryI
tem "/Library/SDLC30ChildSet0TblFooter.lbi" -->The Artifact, Role, Phase, and Last Revised columns are sort
able by clicking the column header.<!-- #EndLibraryItem --></td>
2432 </tr>
2433 </tfoot>
2434
2435 <!-- The tbody creates the table content --
>
2436 <tbody>
2437 <tr spry:repeat="dsSDLC3artifact" spry:
test="{artifact}.charAt(0) == 'Z'">
2438 <th id="RCS0Z{ds_RowID}" headers="C
H1CS0ZArtifact">
2439 <span class="artifactLinked" sp
ry:if="{artifactURL}" != ''" && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
2440 <span class="artifactLinked" sp
ry:if="{artifactURL}" != ''" && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
t}</a></span>
2441 <span class="artifactNotLinked"
spry:if="{artifactURL}" == ''">{artifact}</span>
2442 </th>
2443 <td headers="RCS0Z{ds_RowID} CH1CS0
ZArtifact CH2CS0ZRole">{role}</td>
2444 <td headers="RCS0Z{ds_RowID} CH1CS0
ZArtifact CH3CS0ZPhase">{phase}</td>
2445 <td headers="RCS0Z{ds_RowID} CH1CS0
ZArtifact CH4CS0ZGuidelines" class="alignCenter">
2446 <span class="artifactGuidelines"
spry:if="{guidelinesURL}" != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
2447 </td>
2448 <td headers="RCS0Z{ds_RowID} CH1CS0
ZArtifact CH5CS0ZLRDate">{lastRevisedDate}</td>
2449 </tr>
2450 </tbody>
2451 </table>
2452 </div>
2453 </div>
2454
2455
2456
2457
2458
2459
2460
2461
2462 </div>
2463 </div>
2464 </div>
2465 </div>

```

```
2467
2468
2469         <div id="ParentPanell1" class="TabbedPanelsContent clearFix">
2470             <div class="wrapperTabbedPanelsLev2">
2471                 <div id="SDLCChildSet1" class="TabbedPanels">
2472                     <ul class="TabbedPanelsTabGroup">
2473
2474                         <li id="tCS11" class="TabbedPanelsTab" tabindex="0"><sp
an title="Phase 1: Concept">1</span></li>
2475
2476
2477
2478                         <li id="tCS12" class="TabbedPanelsTab" tabindex="0"><sp
an title="Phase 2: Definition">2</span></li>
2479
2480
2481
2482                         <li id="tCS13" class="TabbedPanelsTab" tabindex="0"><sp
an title="Phase 3: Design">3</span></li>
2483
2484
2485
2486                         <li id="tCS14" class="TabbedPanelsTab" tabindex="0"><sp
an title="Phase 4: Development">4</span></li>
2487
2488
2489
2490                         <li id="tCS15" class="TabbedPanelsTab" tabindex="0"><sp
an title="Phase 5: Testing">5</span></li>
2491
2492
2493
2494                         <li id="tCS16" class="TabbedPanelsTab" tabindex="0"><sp
an title="Phase 6: Deployment">6</span></li>
2495
2496
2497
2498                         <li id="tCS17" class="TabbedPanelsTab" tabindex="0"><sp
an title="Phase 7: Operations">7</span></li>
2499
2500
2501
2502                         <li id="tCS18" class="TabbedPanelsTab" tabindex="0"><sp
an title="Phase 8: Retirement">8</span></li>
2503
2504
2505
2506
2507
2508                     </ul>
2509                     <div class="TabbedPanelsContentGroup" id="pcgCS1">
2510
2511                         <div id="pCS11" class="TabbedPanelsContent">
2512                             <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact dsSDLC3phase">
2513
2514                                 <div class="sdlcDescriptor" spry:repeat="dsSDLC
3phase" spry:test="('{dsSDLC3phase::phaseNumber}' == '1')">
2515                                     <h2>Phase 1 Description:</h2>
2516                                     {dsSDLC3phase::phaseDescription}
2517                                 </div>
2518                                 <table id="tblCS11" cellspacing="1" summary="SD
LC 3.0 listing for Phase 1: Concept">
2519                                     <!-- The is the table header/title -->
2520                                     <caption>Phase 1: Concept</caption>
2521
2522                                     <!-- The col tag allows style application b
ased on the column, particularly widths -->
2523                                     <col class="sdlc3Artifact" id="colCS1Phase1
Artifact" />
2524                                     <col class="sdlc3Role" id="colCS1Phase1Role
" />
2525                                     <col class="sdlc3Guide" id="colCS1Phase1Gui
de" />
2526                                     <col class="sdlc3LastRevisedDate" id="colCS
1Phase1LRD" />
2527
2528                                     <!-- The thead are the column headers -->
2529                                     <thead>
2530                                         <tr>
2531                                             <th id="CH1CS1Phase1Artifact" spry:
```

```

2531         <th id="CH2CS1Phase1Role" spry:sort
="role">Lead SDLC Role</th>
2532         <th id="CH3CS1Phase1Guidelines">Gui
delines</th>
2533         <th id="CH5CS0Phase1LRDate" title="
Last Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
2534     </tr>
2535 </thead>
2536
2537     <!-- The tfoot creates the table footer -->
2538     <tfoot>
2539         <tr>
2540             <td colspan="4"><!-- #BeginLibraryI
tem "/Library/SDLC30ChildSet1TblFooter.lbi" -->The Artifact, Role, and Last Revised columns are sortable by
clicking the column header.<!-- #EndLibraryItem --></td>
2541         </tr>
2542     </tfoot>
2543
2544     <!-- The tbody creates the table content --
>
2545     <tbody>
2546         <tr spry:repeat="dsSDLC3artifact" spry:
test="('{phase}' == 'Concept') || ('{phase}' == 'Concept ')">
2547             <th id="RCS1Phase1{ds_RowID}" heade
rs="CH1CS1Phase1Artifact">
2548                 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
2549                 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
t}</a></span>
2550                 <span class="artifactNotLinked"
spry:if="('{artifactURL}' == '')">{artifact}</span>
2551             </th>
2552             <td headers="RCS1Phase1{ds_RowID} C
H1CS1Phase1Artifact CH2CS1Phase1Role">{role}</td>
2553             <td headers="RCS1Phase1{ds_RowID} C
H1CS1Phase1Artifact CH3CS1Phase1Guidelines" class="alignCenter">
2554                 <span class="artifactGuidelines
" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
2555             </td>
2556             <td headers="RCS1Phase1{ds_RowID} C
H1CS1Phase1Artifact CH5CS0Phase1LRDate">{lastRevisedDate}</td>
2557         </tr>
2558     </tbody>
2559 </table>
2560 </div>
2561 </div>
2562
2563
2564
2565     <div id="pCS12" class="TabbedPanelsContent">
2566         <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact dsSDLC3phase">
2567             <div class="sdlcDescriptor" spry:repeat="dsSDLC
3phase" spry:test="('{dsSDLC3phase::phaseNumber}' == '2')">
2568                 <h2>Phase 2 Description:</h2>
2569                 {dsSDLC3phase:phaseDescription}
2570             </div>
2571             <table id="tblCS12" cellspacing="1" summary="SD
LC 3.0 listing for Phase 2: Definition">
2572                 <!-- The is the table header/title -->
2573                 <caption>Phase 2: Definition</caption>
2574
2575                 <!-- The col tag allows style application b
ased on the column, particularly widths -->
2576                 <col class="sdlc3Artifact" id="colCS1Phase2
Artifact" />
2577                 <col class="sdlc3Role" id="colCS1Phase2Role
" />
2578                 <col class="sdlc3Guide" id="colCS1Phase2Gui
de" />
2579                 <col class="sdlc3LastRevisedDate" id="colCS
1Phase2LRD" />
2580
2581                 <!-- The thead are the column headers -->

```

```

2583 <thead>
2584 <tr>
2585 <th id="CH1CS1Phase2Artifact" spry:
sort="artifact">Artifact</th>
2586 <th id="CH2CS1Phase2Role" spry:sort
="role">Lead SDLC Role</th>
2587 <th id="CH3CS1Phase2Guidelines">Gui
delines</th>
2588 <th id="CH5CS0Phase2LRDate" title="
Last Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
2589 </tr>
2590 </thead>
2591 <!-- The tfoot creates the table footer -->
2592 <tfoot>
2593 <tr>
2594 <td colspan="4"><!-- #BeginLibraryI
tem "/Library/SDLC3ChildSet1TblFooter.lbi" -->The Artifact, Role, and Last Revised columns are sortable by
clicking the column header.<!-- #EndLibraryItem --></td>
2595 </tr>
2596 </tfoot>
2597 <!-- The tbody creates the table content --
>
2598 <tbody>
2599 <tr spry:repeat="dsSDLC3artifact" spry:
test="('{phase}' == 'Definition') || ('{phase}' == 'Definition ')">
2600 <th id="RCS1Phase2{ds_RowID}" heade
rs="CH1CS1Phase2Artifact">
2601 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
2602 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artifac
t}</a></span>
2603 <span class="artifactNotLinked"
spry:if="('{artifactURL}' == '')">{artifact}</span>
2604 </th>
2605 <td headers="RCS1Phase2{ds_RowID} C
H1CS1Phase2Artifact CH2CS1Phase2Role">{role}</td>
2606 <td headers="RCS1Phase2{ds_RowID} C
H1CS1Phase2Artifact CH3CS1Phase2Guidelines" class="alignCenter">
2607 <span class="artifactGuidelines
" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
2608 </td>
2609 <td headers="RCS1Phase2{ds_RowID} C
H1CS1Phase2Artifact CH5CS0Phase2LRDate">{lastRevisedDate}</td>
2610 </tr>
2611 </tbody>
2612 </table>
2613 </div>
2614 </div>
2615 </div>
2616
2617
2618
2619 <div id="pCS13" class="TabbedPanelsContent">
2620 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact dsSDLC3phase">
2621 <div class="sdlcDescriptor" spry:repeat="dsSDLC
3phase" spry:test="('{dsSDLC3phase::phaseNumber}' == '3')">
2622 <h2>Phase 3 Description:</h2>
2623 {dsSDLC3phase::phaseDescription}
2624 </div>
2625 <table id="tblCS13" cellspacing="1" summary="SD
LC 3.0 listing for Phase 3: Design">
2626 <!-- The is the table header/title -->
2627 <caption>Phase 3: Design</caption>
2628
2629 <!-- The col tag allows style application b
ased on the column, particularly widths -->
2630 <col class="sdlc3Artifact" id="colCS1Phase3
Artifact" />
2631 <col class="sdlc3Role" id="colCS1Phase3Role
" />
2632 <col class="sdlc3Guide" id="colCS1Phase3Gui
de" />
2633 <col class="sdlc3LastRevisedDate" id="colCS

```

```

1Phase3LRD" />
2634
2635
2636
2637
2638
sort="artifact">Artifact</th>
2639
="role">Lead SDLC Role</th>
2640
delines</th>
2641
Last Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
2642
2643
2644
2645
2646
2647
2648
tem "/Library/SDLC30ChildSet1TblFooter.lbi" -->The Artifact, Role, and Last Revised columns are sortable by
clicking the column header.<!-- #EndLibraryItem --></td>
2649
2650
2651
2652
>
2653
2654
test="('{phase}' == 'Design') || ('{phase}' == 'Design ')">
2655
rs="CH1CS1Phase3Artifact">
2656
ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
2657
ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
t}</a></span>
2658
spry:if="('{artifactURL}' == '')">{artifact}</span>
2659
2660
H1CS1Phase3Artifact CH2CS1Phase3Role">{role}</td>
2661
H1CS1Phase3Artifact CH3CS1Phase3Guidelines" class="alignCenter">
2662
" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
2663
2664
H1CS1Phase3Artifact CH5CS0Phase3LRDate">{lastRevisedDate}</td>
2665
2666
2667
2668
2669
2670
2671
2672
2673
2674
rtifact dsSDLC3phase">
2675
3phase" spry:test="('{dsSDLC3phase::phaseNumber}' == '4')">
2676
2677
2678
2679
LC 3.0 listing for Phase 4: Development">
2680
2681
2682
2683
ased on the column, particularly widths -->
2684
Artifact" />
2685
" />

```



```
2686 de" />
2687 1Phase4LRD" />
2688
2689 <!-- The thead are the column headers -->
2690 <thead>
2691     <tr>
2692         <th id="CH1CS1Phase4Artifact" spry:
sort="artifact">Artifact</th>
2693         <th id="CH2CS1Phase4Role" spry:sort
="role">Lead SDLC Role</th>
2694         <th id="CH3CS1Phase4Guidelines">Gui
delines</th>
2695         <th id="CH5CS0Phase4LRDate" title="
Last Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
2696     </tr>
2697 </thead>
2698
2699 <!-- The tfoot creates the table footer -->
2700 <tfoot>
2701     <tr>
2702         <td colspan="4"><!-- #BeginLibraryI
tem "/Library/SDLC30ChildSet1TblFooter.lbi" -->The Artifact, Role, and Last Revised columns are sortable by
clicking the column header.<!-- #EndLibraryItem --></td>
2703     </tr>
2704 </tfoot>
2705
2706 <!-- The tbody creates the table content --
>
2707 <tbody>
2708     <tr spry:repeat="dsSDLC3artifact" spry:
test="('{phase}' == 'Development') || ('{phase}' == 'Development ')">
2709         <th id="RCS1Phase4{ds_RowID}" heade
rs="CH1CS1Phase4Artifact">
2710             <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
2711             <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
t}</a></span>
2712             <span class="artifactNotLinked"
spry:if="{artifactURL}' == ''">{artifact}</span>
2713         </th>
2714         <td headers="RCS1Phase4{ds_RowID} C
H1CS1Phase4Artifact CH2CS1Phase4Role">{role}</td>
2715         <td headers="RCS1Phase4{ds_RowID} C
H1CS1Phase4Artifact CH3CS1Phase4Guidelines" class="alignCenter">
2716             <span class="artifactGuidelines
" spry:if="{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
2717         </td>
2718         <td headers="RCS1Phase4{ds_RowID} C
H1CS1Phase4Artifact CH5CS0Phase4LRDate">{lastRevisedDate}</td>
2719     </tr>
2720 </tbody>
2721 </table>
2722 </div>
2723 </div>
2724
2725
2726
2727 <div id="pCS15" class="TabbedPanelsContent">
2728     <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact dsSDLC3phase">
2729         <div class="sdlcDescriptor" spry:repeat="dsSDLC
3phase" spry:test="('{dsSDLC3phase::phaseNumber}' == '5')">
2730             <h2>Phase 5 Description:</h2>
2731             {dsSDLC3phase::phaseDescription}
2732         </div>
2733         <table id="tblCS15" cellspacing="1" summary="SD
LC 3.0 listing for Phase 5: Testing">
2734             <!-- The is the table header/title -->
2735             <caption>Phase 5: Testing</caption>
2736
2737             <!-- The col tag allows style application b
ased on the column, particularly widths -->
2738             <col class="sdlc3Artifact" id="colCS1Phase5
```

```

2739 Artifact" /> <col class="sdlc3Role" id="colCS1Phase5Role
2740 " /> <col class="sdlc3Guide" id="colCS1Phase5Gui
2741 de" /> <col class="sdlc3LastRevisedDate" id="colCS
2742 1Phase5LRD" />
2743 <!-- The thead are the column headers -->
2744 <thead>
2745 <tr>
2746 <th id="CH1CS1Phase5Artifact" spry:
sort="artifact">Artifact</th>
2747 <th id="CH2CS1Phase5Role" spry:sort
="role">Lead SDLC Role</th>
2748 <th id="CH3CS1Phase5Guidelines">Gui
delines</th>
2749 <th id="CH5CS0Phase5LRDate" title="
Last Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
2750 </tr>
2751 </thead>
2752 <!-- The tfoot creates the table footer -->
2753 <tfoot>
2754 <tr>
2755 <td colspan="4"><!-- #BeginLibraryI
tem "/Library/SDLC30ChildSet1TblFooter.lbi" -->The Artifact, Role, and Last Revised columns are sortable by
clicking the column header.<!-- #EndLibraryItem --></td>
2757 </tr>
2758 </tfoot>
2759 <!-- The tbody creates the table content --
2760 >
2761 <tbody>
2762 <tr spry:repeat="dsSDLC3artifact" spry:
test="('{phase}' == 'Testing') || ('{phase}' == 'Testing ')">
2763 <th id="RCS1Phase5{ds_RowID}" heade
rs="CH1CS1Phase5Artifact">
2764 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
2765 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
t}</a></span>
2766 <span class="artifactNotLinked"
spry:if="('{artifactURL}' == '')">{artifact}</span>
2767 </th>
2768 <td headers="RCS1Phase5{ds_RowID} C
H1CS1Phase5Artifact CH2CS1Phase5Role">{role}</td>
2769 <td headers="RCS1Phase5{ds_RowID} C
H1CS1Phase5Artifact CH3CS1Phase5Guidelines" class="alignCenter">
2770 <span class="artifactGuidelines
" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
2771 </td>
2772 <td headers="RCS1Phase5{ds_RowID} C
H1CS1Phase5Artifact CH5CS0Phase5LRDate">{lastRevisedDate}</td>
2773 </tr>
2774 </tbody>
2775 </table>
2776 </div>
2777 </div>
2778
2779
2780
2781 <div id="pCS16" class="TabbedPanelsContent">
2782 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact dsSDLC3phase">
2783 <div class="sdlcDescriptor" spry:repeat="dsSDLC
3phase" spry:test="('{dsSDLC3phase::phaseNumber}' == '6')">
2784 <h2>Phase 6 Description:</h2>
2785 {dsSDLC3phase::phaseDescription}
2786 </div>
2787 <table id="tblCS16" cellspacing="1" summary="SD
LC 3.0 listing for Phase 6: Deployment">
2788 <!-- The is the table header/title -->
2789 <caption>Phase 6: Deployment</caption>
2790

```

```

2791 ased on the column, particularly widths -->
2792 Artifact" />
2793 " />
2794 de" />
2795 lPhase6LRD" />
2796
2797 <!-- The thead are the column headers -->
2798 <thead>
2799     <tr>
2800         <th id="CH1CS1Phase6Artifact" spry:
sort="artifact">Artifact</th>
2801         <th id="CH2CS1Phase6Role" spry:sort
="role">Lead SDLC Role</th>
2802         <th id="CH3CS1Phase6Guidelines">Gui
delines</th>
2803         <th id="CH5CS0Phase6LRDate" title="
Last Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
2804     </tr>
2805 </thead>
2806
2807 <!-- The tfoot creates the table footer -->
2808 <tfoot>
2809     <tr>
2810         <td colspan="4"><!-- #BeginLibraryI
tem "/Library/SDLC30ChildSet1TblFooter.lbi" -->The Artifact, Role, and Last Revised columns are sortable by
clicking the column header.<!-- #EndLibraryItem --></td>
2811     </tr>
2812 </tfoot>
2813
2814 <!-- The tbody creates the table content --
>
2815 <tbody>
2816     <tr spry:repeat="dsSDLC3artifact" spry:
test="('{phase}' == 'Deployment') || ('{phase}' == 'Deployment ')">
2817         <th id="RCS1Phase6{ds_RowID}" heade
rs="CH1CS1Phase6Artifact">
2818             <span class="artifactLinked" spr
y:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
2819             <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artifac
t}</a></span>
2820             <span class="artifactNotLinked"
spry:if="('{artifactURL}' == '')">{artifact}</span>
2821         </th>
2822         <td headers="RCS1Phase6{ds_RowID} C
H1CS1Phase6Artifact CH2CS1Phase6Role">{role}</td>
2823         <td headers="RCS1Phase6{ds_RowID} C
H1CS1Phase6Artifact CH3CS1Phase6Guidelines" class="alignCenter">
2824             <span class="artifactGuidelines
" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
2825         </td>
2826         <td headers="RCS1Phase6{ds_RowID} C
H1CS1Phase6Artifact CH5CS0Phase6LRDate">{lastRevisedDate}</td>
2827     </tr>
2828 </tbody>
2829 </table>
2830 </div>
2831 </div>
2832
2833
2834
2835 <div id="pCS17" class="TabbedPanelsContent">
2836     <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact dsSDLC3phase">
2837         <div class="sdlcDescriptor" spry:repeat="dsSDLC
3phase" spry:test="('{dsSDLC3phase::phaseNumber}' == '7')">
2838             <h2>Phase 7 Description:</h2>
2839             {dsSDLC3phase::phaseDescription}
2840         </div>
2841         <table id="tblCS17" cellspacing="1" summary="SD
LC 3.0 listing for Phase 7: Operations">

```

```

2842 <!-- The table header title -->
2843 <caption>Phase 7: Operations</caption>
2844
2845 <!-- The col tag allows style application b
used on the column, particularly widths -->
2846 <col class="sdlc3Artifact" id="colCS1Phase7
Artifact" />
2847 <col class="sdlc3Role" id="colCS1Phase7Role
" />
2848 <col class="sdlc3Guide" id="colCS1Phase7Gui
de" />
2849 <col class="sdlc3LastRevisedDate" id="colCS
1Phase7LRD" />
2850
2851 <!-- The thead are the column headers -->
2852 <thead>
2853 <tr>
2854 <th id="CH1CS1Phase7Artifact" spry:
sort="artifact">Artifact</th>
2855 <th id="CH2CS1Phase7Role" spry:sort
="role">Lead SDLC Role</th>
2856 <th id="CH3CS1Phase7Guidelines">Gui
delines</th>
2857 <th id="CH5CS0Phase7LRDate" title="
Last Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
2858 </tr>
2859 </thead>
2860
2861 <!-- The tfoot creates the table footer -->
2862 <tfoot>
2863 <tr>
2864 <td colspan="4"><!-- #BeginLibraryI
tem "/Library/SDLC30ChildSet1TblFooter.lbi" -->The Artifact, Role, and Last Revised columns are sortable by
clicking the column header.<!-- #EndLibraryItem --></td>
2865 </tr>
2866 </tfoot>
2867
2868 <!-- The tbody creates the table content --
>
2869 <tbody>
2870 <tr spry:repeat="dsSDLC3artifact" spry:
test="('{phase}' == 'Operations') || ('{phase}' == 'Operations ')">
2871 <th id="RCS1Phase7{ds_RowID}" heade
rs="CH1CS1Phase7Artifact">
2872 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
s}">{artifact}</a></span>
2873 <span class="artifactLinked" sp
ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artifac
t}</a></span>
2874 <span class="artifactNotLinked"
spry:if="('{artifactURL}' == '')">{artifact}</span>
2875 </th>
2876 <td headers="RCS1Phase7{ds_RowID} C
H1CS1Phase7Artifact CH2CS1Phase7Role">{role}</td>
2877 <td headers="RCS1Phase7{ds_RowID} C
H1CS1Phase7Artifact CH3CS1Phase7Guidelines" class="alignCenter">
2878 <span class="artifactGuidelines
" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
2879 </td>
2880 <td headers="RCS1Phase7{ds_RowID} C
H1CS1Phase7Artifact CH5CS0Phase7LRDate">{lastRevisedDate}</td>
2881 </tr>
2882 </tbody>
2883 </table>
2884 </div>
2885 </div>
2886
2887
2888
2889 <div id="pCS18" class="TabbedPanelsContent">
2890 <div class="SpryHiddenRegion" spry:region="dsSDLC3a
rtifact dsSDLC3phase">
2891 <div class="sdlcDescriptor" spry:repeat="dsSDLC
3phase" spry:test="('{dsSDLC3phase::phaseNumber}' == '8')">
2892 <h2>Phase 8 Description:</h2>
2893 {dsSDLC3phase::phaseDescription}

```

```

2894 </div>
2895 <table id="tblCS18" cellspacing="1" summary="SD
2896 LC 3.0 listing for Phase 8: Retirement">
2897     <!-- The is the table header/title -->
2898     <caption>Phase 8: Retirement</caption>
2899     <!-- The col tag allows style application b
2900     ased on the column, particularly widths -->
2901     <col class="sdlc3Artifact" id="colCS1Phase8
2902     Artifact" />
2903     <col class="sdlc3Role" id="colCS1Phase8Role
2904     " />
2905     <col class="sdlc3Guide" id="colCS1Phase8Gui
2906     de" />
2907     <col class="sdlc3LastRevisedDate" id="colCS
2908     1Phase8LRD" />
2909     <!-- The thead are the column headers -->
2910     <thead>
2911     <tr>
2912         <th id="CH1CS1Phase8Artifact" spry:
2913         sort="artifact">Artifact</th>
2914         <th id="CH2CS1Phase8Role" spry:sort
2915         ="role">Lead SDLC Role</th>
2916         <th id="CH3CS1Phase8Guidelines">Gui
2917         delines</th>
2918         <th id="CH5CS0Phase8LRDate" title="
2919         Last Revised Date" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
2920     </tr>
2921     </thead>
2922     <!-- The tfoot creates the table footer -->
2923     <tfoot>
2924     <tr>
2925         <td colspan="4"><!-- #BeginLibraryI
2926         tem "/Library/SDLC30ChildSet1TblFooter.lbi" -->The Artifact, Role, and Last Revised columns are sortable by
2927         clicking the column header.<!-- #EndLibraryItem --></td>
2928     </tr>
2929     </tfoot>
2930     <!-- The tbody creates the table content --
2931     >
2932     <tbody>
2933     <tr spry:repeat="dsSDLC3artifact" spry:
2934     test="('{phase}' == 'Retirement') || ('{phase}' == 'Retirement ')">
2935         <th id="RCS1Phase8{ds_RowID}" heade
2936         rs="CH1CS1Phase8Artifact">
2937             <span class="artifactLinked" sp
2938             ry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {comment
2939             s}">{artifact}</a></span>
2940             <span class="artifactLinked" sp
2941             ry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{artific
2942             t}</a></span>
2943             <span class="artifactNotLinked"
2944             spry:if="('{artifactURL}' == '')">{artifact}</span>
2945         </th>
2946         <td headers="RCS1Phase8{ds_RowID} C
2947         H1CS1Phase8Artifact CH2CS1Phase8Role">{role}</td>
2948         <td headers="RCS1Phase8{ds_RowID} C
2949         H1CS1Phase8Artifact CH3CS1Phase8Guidelines" class="alignCenter">
2950             <span class="artifactGuidelines
2951             spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
2954         </td>
2955         <td headers="RCS1Phase8{ds_RowID} C
2956         H1CS1Phase8Artifact CH5CS0Phase8LRDate">{lastRevisedDate}</td>
2957     </tr>
2958     </tbody>
2959     </table>
2960     </div>
2961 </div>

```

```
2947         </div>
2948     </div>
2949
2950
2951
2952         <div id="ParentPanel2" class="TabbedPanelsContent clearFix">
2953             <div class="wrapperTabbedPanelsLev2">
2954                 <div id="SDLCChildSet2" class="TabbedPanels">
2955                     <ul class="TabbedPanelsTabGroup">
2956
2957                         <li id="tCS2A&nbsp;-&nbsp;N" class="TabbedPanelsTab" ta
bindex="0"><span title="Lead&nbsp;SDLC&nbsp;Role: A&nbsp;-&nbsp;N">&nbsp;-&nbsp;N</span></li>
2958
2959
2960
2961                         <li id="tCS2O&nbsp;-&nbsp;Z" class="TabbedPanelsTab" ta
bindex="0"><span title="Lead&nbsp;SDLC&nbsp;Role: O&nbsp;-&nbsp;Z">&nbsp;-&nbsp;Z</span></li>
2962
2963
2964
2965
2966
2967
2968
2969
2970
2971
2972
2973
2974
2975
2976
2977
2978
2979
2980         </ul>
2981         <div class="TabbedPanelsContentGroup" id="pcgCS2">
2982             <div class="TabbedPanelsContent" id="pCS2A&nbsp;-&nbsp;N" >
2983                 <div id="AccordionRoles1" class="Accordion" tabindex="0">
2984
2985
2986
2987                     <div class="AccordionPanel" id="apCS2AR1A&nbsp;-&nbsp;NB">
2988                         <div class="AccordionPanelTab">Lead&nbsp;SD
2989                             <div class="AccordionPanelContent SpryHidde
nRegion" spry:region="dsSDLC3artifact dsSDLC3role">
2990
2991
2992                             <div class="AccordionTableWrapper first
AccordionTable">
2993                                 <div class="sdlcDescriptor" spry:re
peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Budget Advisor')">
2994                                     <h2>Budget Advisor Description:
</h2>
2995                                     {dsSDLC3role::roleDescription}
2996                                 </div>
2997                                 <table cellpadding="1" id="tblCS2AR
1Lead&nbsp;SDLC&nbsp;RoleB0" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: Budget Advisor.">
2998
2999                                     <!-- The is the table header/ti
tle -->
3000                                     <caption>Lead&nbsp;SDLC&nbsp;Ro
le: Budget Advisor <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Budget Advisor
') && ('{dsSDLC3role::roleAbbr}' != ' ')">({dsSDLC3role::roleAbbr})</span></caption>
3001
3002                                     <!-- The col tag allows style a
pplication based on the column, particularly widths -->
3003                                     <col class="sdlc3Artifact" id="
colCS2AR1Lead&nbsp;SDLC&nbsp;RoleB0Artifact" />
3004                                     <col class="sdlc3Phase" id="col
CS2AR1Lead&nbsp;SDLC&nbsp;RoleB0Phase" />
3005                                     <col class="sdlc3Guide" id="col
CS2AR1Lead&nbsp;SDLC&nbsp;RoleB0Guidelines" />
3006                                     <col class="sdlc3LastRevisedDat
e" id="colCS2AR1Lead&nbsp;SDLC&nbsp;RoleB0LRDate" />
3007
3008                                     <!-- The thead are the column h
```

```
eaders -->
3009 <thead>
3010 <tr>
3011 <th id="CH1CS2AR1Lead&n
bsp;SDLC&nbsp;RoleB0Artifact" spry:sort="artifact">Artifact</th>
3012 <th id="CH2CS2AR1Lead&n
bsp;SDLC&nbsp;RoleB0Phase" spry:sort="phase">Phase</th>
3013 <th id="CH3CS2AR1Lead&n
bsp;SDLC&nbsp;RoleB0Guidelines">Guidelines</th>
3014 <th id="CH4CS2AR1Lead&n
bsp;SDLC&nbsp;RoleB0LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
3015 </tr>
3016 </thead>
3017
3018 <!-- The tfoot creates the tabl
e footer -->
3019 <tfoot>
3020 <tr>
3021 <td colspan="4"><!-- #B
eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
3022 </tr>
3023 </tfoot>
3024
3025 <!-- The tbody creates the tabl
e content -->
3026 <tbody>
3027 <tr spry:repeat="dsSDLC3art
ifact" spry:test="('{role}' == 'Budget Advisor') || ('{role}' == 'Budget Advisor ')">
3028 <th id="RCS2AR1Lead&nbs
p;SDLC&nbsp;RoleB0{ds_RowID}" headers="CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleB0Artifact">
3029 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artific
t}: {comments}">{artifact}</a></span>
3030 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artific
t}">{artifact}</a></span>
3031 <span class="artifa
ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
3032 </th>
3033 <td headers="RCS2AR1Lea
d&nbsp;SDLC&nbsp;RoleB0{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleB0Artifact CH2CS2AR1Lead&nbsp;SDLC&nbsp;RoleB0Phase">{phase}</td>
3034 <td headers="RCS2AR1Lea
d&nbsp;SDLC&nbsp;RoleB0{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleB0Artifact CH3CS2AR1Lead&nbsp;SDLC&nbsp;RoleB0Guidelines" class="alignCenter">
3035 <span class="artifac
tGuidelines" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
3036 </td>
3037 <td headers="RCS2AR1Lea
d&nbsp;SDLC&nbsp;RoleB0{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleB0Artifact CH4CS2AR1Lead&nbsp;SDLC&nbsp;RoleB0LRDate">{lastRevisedDate}</td>
3038 </tr>
3039 </tbody>
3040 </table>
3041 </div>
3042
3043
3044
3045 <div class="AccordionTableWrapper">
3046 <div class="sdlcDescriptor" spry:re
peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Business PM Senior Management')">
3047 <h2>Business PM Senior Manageme
nt Description:</h2>
3048 {dsSDLC3role::roleDescription}
3049 </div>
3050 <table cellpadding="1" id="tblCS2AR
1Lead&nbsp;SDLC&nbsp;RoleB1" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: Business PM Senior
Management.">
3051
3052 <!-- The is the table header/ti
tle -->
3053 <caption>Lead&nbsp;SDLC&nbsp;Ro
le: Business PM Senior Management <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' ==
'Business PM Senior Management') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></ca
ption>
3054
```

```

3055 application based on the column, particularly widths -->
3056 colCS2AR1Lead SDLC RoleB1Artifact" />
3057 CS2AR1Lead SDLC RoleB1Phase" />
3058 CS2AR1Lead SDLC RoleB1Guidelines" />
3059 e" id="colCS2AR1Lead SDLC RoleB1LRDate" />
3060
3061 eaders -->
3062
3063
3064 bsp;SDLC RoleB1Artifact" spry:sort="artifact">Artifact</th>
3065 bsp;SDLC RoleB1Phase" spry:sort="phase">Phase</th>
3066 bsp;SDLC RoleB1Guidelines">Guidelines</th>
3067 bsp;SDLC RoleB1LRDate" spry:sort="lastRevisedDate">Last Revised</th>
3068
3069
3070
3071 e footer -->
3072
3073
3074 eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
3075 e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
3076
3077
3078 e content -->
3079
3080 ifact" spry:test="('{role}' == 'Business PM Senior Management') || ('{role}' == 'Business PM Senior Managem
3081 ent ')">
3082 p;SDLC RoleB1{ds_RowID}" headers="CH1CS2AR1Lead SDLC RoleB1Artifact">
3083
3084 " spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifact}: {com
3085 ments}">{artifact}</a></span>
3086
3087 " spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact}">{art
3088 ifact}</a></span>
3089
3090 ked" spry:if="('{artifactURL}' == '')">{artifact}</span>
3091
3092
3093 d SDLC RoleB1{ds_RowID} CH1CS2AR1Lead SDLC RoleB1Artifact CH2CS2AR1Lead SDLC RoleB1Phase">{phase}</td>
3094
3095 d SDLC RoleB1{ds_RowID} CH1CS2AR1Lead SDLC RoleB1Artifact CH3CS2AR1Lead SDLC RoleB1Guidelines" class="alignCenter">
3096
3097 ines" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
3100
3101 d SDLC RoleB1{ds_RowID} CH1CS2AR1Lead SDLC RoleB1Artifact CH4CS2AR1Lead SDLC RoleB1LRDate">{lastRevisedDate}</td>
3102
3103
3104
3105
3106
3107
3108
3109
3110
3111
3112
3113
3114
3115
3116
3117
3118
3119
3120
3121
3122
3123
3124
3125
3126
3127
3128
3129
3130
3131
3132
3133
3134
3135
3136
3137
3138
3139
3140
3141
3142
3143
3144
3145
3146
3147
3148
3149
3150
3151
3152
3153
3154
3155
3156
3157
3158
3159
3160
3161
3162
3163
3164
3165
3166
3167
3168
3169
3170
3171
3172
3173
3174
3175
3176
3177
3178
3179
3180
3181
3182
3183
3184
3185
3186
3187
3188
3189
3190
3191
3192
3193
3194
3195
3196
3197
3198
3199
3200
3201
3202
3203
3204
3205
3206
3207
3208
3209
3210
3211
3212
3213
3214
3215
3216
3217
3218
3219
3220
3221
3222
3223
3224
3225
3226
3227
3228
3229
3230
3231
3232
3233
3234
3235
3236
3237
3238
3239
3240
3241
3242
3243
3244
3245
3246
3247
3248
3249
3250
3251
3252
3253
3254
3255
3256
3257
3258
3259
3260
3261
3262
3263
3264
3265
3266
3267
3268
3269
3270
3271
3272
3273
3274
3275
3276
3277
3278
3279
3280
3281
3282
3283
3284
3285
3286
3287
3288
3289
3290
3291
3292
3293
3294
3295
3296
3297
3298
3299
3300
3301
3302
3303
3304
3305
3306
3307
3308
3309
3310
3311
3312
3313
3314
3315
3316
3317
3318
3319
3320
3321
3322
3323
3324
3325
3326
3327
3328
3329
3330
3331
3332
3333
3334
3335
3336
3337
3338
3339
3340
3341
3342
3343
3344
3345
3346
3347
3348
3349
3350
3351
3352
3353
3354
3355
3356
3357
3358
3359
3360
3361
3362
3363
3364
3365
3366
3367
3368
3369
3370
3371
3372
3373
3374
3375
3376
3377
3378
3379
3380
3381
3382
3383
3384
3385
3386
3387
3388
3389
3390
3391
3392
3393
3394
3395
3396
3397
3398
3399
3400
3401
3402
3403
3404
3405
3406
3407
3408
3409
3410
3411
3412
3413
3414
3415
3416
3417
3418
3419
3420
3421
3422
3423
3424
3425
3426
3427
3428
3429
3430
3431
3432
3433
3434
3435
3436
3437
3438
3439
3440
3441
3442
3443
3444
3445
3446
3447
3448
3449
3450
3451
3452
3453
3454
3455
3456
3457
3458
3459
3460
3461
3462
3463
3464
3465
3466
3467
3468
3469
3470
3471
3472
3473
3474
3475
3476
3477
3478
3479
3480
3481
3482
3483
3484
3485
3486
3487
3488
3489
3490
3491
3492
3493
3494
3495
3496
3497
3498
3499
3500
3501
3502
3503
3504
3505
3506
3507
3508
3509
3510
3511
3512
3513
3514
3515
3516
3517
3518
3519
3520
3521
3522
3523
3524
3525
3526
3527
3528
3529
3530
3531
3532
3533
3534
3535
3536
3537
3538
3539
3540
3541
3542
3543
3544
3545
3546
3547
3548
3549
3550
3551
3552
3553
3554
3555
3556
3557
3558
3559
3560
3561
3562
3563
3564
3565
3566
3567
3568
3569
3570
3571
3572
3573
3574
3575
3576
3577
3578
3579
3580
3581
3582
3583
3584
3585
3586
3587
3588
3589
3590
3591
3592
3593
3594
3595
3596
3597
3598
3599
3600
3601
3602
3603
3604
3605
3606
3607
3608
3609
3610
3611
3612
3613
3614
3615
3616
3617
3618
3619
3620
3621
3622
3623
3624
3625
3626
3627
3628
3629
3630
3631
3632
3633
3634
3635
3636
3637
3638
3639
3640
3641
3642
3643
3644
3645
3646
3647
3648
3649
3650
3651
3652
3653
3654
3655
3656
3657
3658
3659
3660
3661
3662
3663
3664
3665
3666
3667
3668
3669
3670
3671
3672
3673
3674
3675
3676
3677
3678
3679
3680
3681
3682
3683
3684
3685
3686
3687
3688
3689
3690
3691
3692
3693
3694
3695
3696
3697
3698
3699
3700
3701
3702
3703
3704
3705
3706
3707
3708
3709
3710
3711
3712
3713
3714
3715
3716
3717
3718
3719
3720
3721
3722
3723
3724
3725
3726
3727
3728
3729
3730
3731
3732
3733
3734
3735
3736
3737
3738
3739
3740
3741
3742
3743
3744
3745
3746
3747
3748
3749
3750
3751
3752
3753
3754
3755
3756
3757
3758
3759
3760
3761
3762
3763
3764
3765
3766
3767
3768
3769
3770
3771
3772
3773
3774
3775
3776
3777
3778
3779
3780
3781
3782
3783
3784
3785
3786
3787
3788
3789
3790
3791
3792
3793
3794
3795
3796
3797
3798
3799
3800
3801
3802
3803
3804
3805
3806
3807
3808
3809
3810
3811
3812
3813
3814
3815
3816
3817
3818
3819
3820
3821
3822
3823
3824
3825
3826
3827
3828
3829
3830
3831
3832
3833
3834
3835
3836
3837
3838
3839
3840
3841
3842
3843
3844
3845
3846
3847
3848
3849
3850
3851
3852
3853
3854
3855
3856
3857
3858
3859
3860
3861
3862
3863
3864
3865
3866
3867
3868
3869
3870
3871
3872
3873
3874
3875
3876
3877
3878
3879
3880
3881
3882
3883
3884
3885
3886
3887
3888
3889
3890
3891
3892
3893
3894
3895
3896
3897
3898
3899
3900
3901
3902
3903
3904
3905
3906
3907
3908
3909
3910
3911
3912
3913
3914
3915
3916
3917
3918
3919
3920
3921
3922
3923
3924
3925
3926
3927
3928
3929
3930
3931
3932
3933
3934
3935
3936
3937
3938
3939
3940
3941
3942
3943
3944
3945
3946
3947
3948
3949
3950
3951
3952
3953
3954
3955
3956
3957
3958
3959
3960
3961
3962
3963
3964
3965
3966
3967
3968
3969
3970
3971
3972
3973
3974
3975
3976
3977
3978
3979
3980
3981
3982
3983
3984
3985
3986
3987
3988
3989
3990
3991
3992
3993
3994
3995
3996
3997
3998
3999
4000

```



```
3102 {dsSDLC3role::roleDescription}
3103 </div>
3104 <table cellpadding="1" id="tblCS2AR
3105 1Lead&nbsp;SDLC&nbsp;RoleB2" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: Business Project Ma
3106 nager.">
3107
3108 <!-- The is the table header/ti
3109
3110 <caption>Lead&nbsp;SDLC&nbsp;Ro
3111 le: Business Project Manager <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Busi
3112 ness Project Manager') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
3113
3114 <!-- The col tag allows style a
3115
3116 application based on the column, particularly widths -->
3117 <col class="sdlc3Artifact" id="
3118 colCS2AR1Lead&nbsp;SDLC&nbsp;RoleB2Artifact" />
3119 <col class="sdlc3Phase" id="col
3120 CS2AR1Lead&nbsp;SDLC&nbsp;RoleB2Phase" />
3121 <col class="sdlc3Guide" id="col
3122 CS2AR1Lead&nbsp;SDLC&nbsp;RoleB2Guidelines" />
3123 <col class="sdlc3LastRevisedDat
3124 e" id="colCS2AR1Lead&nbsp;SDLC&nbsp;RoleB2LRDate" />
3125
3126 <!-- The thead are the column h
3127
3128 eaders -->
3129
3130 <thead>
3131 <tr>
3132 <th id="CH1CS2AR1Lead&n
3133 bsp;SDLC&nbsp;RoleB2Artifact" spry:sort="artifact">Artifact</th>
3134 <th id="CH2CS2AR1Lead&n
3135 bsp;SDLC&nbsp;RoleB2Phase" spry:sort="phase">Phase</th>
3136 <th id="CH3CS2AR1Lead&n
3137 bsp;SDLC&nbsp;RoleB2Guidelines">Guidelines</th>
3138 <th id="CH4CS2AR1Lead&n
3139 bsp;SDLC&nbsp;RoleB2LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
3140 </tr>
3141 </thead>
3142
3143 <!-- The tfoot creates the tabl
3144
3145 e footer -->
3146
3147 <tfoot>
3148 <tr>
3149 <td colspan="4"><!-- #B
3150 eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
3151 e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
3152 </tr>
3153 </tfoot>
3154
3155 <!-- The tbody creates the tabl
3156
3157 e content -->
3158
3159 <tbody>
3160 <tr spry:repeat="dsSDLC3art
3161 ifact" spry:test="('{role}' == 'Business Project Manager') || ('{role}' == 'Business Project Manager ')">
3162 <th id="RCS2AR1Lead&nbs
3163 p;SDLC&nbsp;RoleB2{ds_RowID}" headers="CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleB2Artifact">
3164
3165 <span class="artifa
3166 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
3167 t": {comments}">{artifact}</a></span>
3168 <span class="artifa
3169 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
3170 t}">{artifact}</a></span>
3171 <span class="artifa
3172 ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
3173 </th>
3174 <td headers="RCS2AR1Lea
3175 d&nbsp;SDLC&nbsp;RoleB2{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleB2Artifact CH2CS2AR1Lead&nbsp;SDLC&nbsp;RoleB2Phase">{phase}</td>
3176 <td headers="RCS2AR1Lea
3177 d&nbsp;SDLC&nbsp;RoleB2{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleB2Artifact CH3CS2AR1Lead&nbsp;SDLC&nbsp;RoleB2Guidelines" class="alignCenter">
3178 <span class="artifac
3179 tGuidel
3180 ines" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
3183 </td>
3184 <td headers="RCS2AR1Lea
3185 d&nbsp;SDLC&nbsp;RoleB2{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleB2Artifact CH4CS2AR1Lead&nbsp;SDLC&nbsp;RoleB2LRDate">{lastRevisedDate}</td>
3186 </tr>
3187 </tbody>
3188 </table>
```

```
3146                                     </tbody>
3147                                     </div>
3148
3149
3150                                     </div>
3151 </div>
3152
3153
3154
3155                                     <div class="AccordionPanel" id="apCS2AR1A&nbsp;
-&nbsp;NC">
3156                                     <div class="AccordionPanelTab">Lead&nbsp;SD
LC&nbsp;Roles: C</div>
3157                                     <div class="AccordionPanelContent SpryHidde
nRegion" spry:region="dsSDLC3artifact dsSDLC3role">
3158
3159                                     <div class="AccordionTableWrapper first
3160 AccordionTable">
3161                                     <div class="sdlcDescriptor" spry:re
peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Change Control
3162 Manager')">
3163                                     <h2>Change Control Manager Desc
3164                                     {dsSDLC3role::roleDescription}
3165                                     </div>
3166                                     <table cellpadding="1" id="tblCS2AR
3167                                     1Lead&nbsp;SDLC&nbsp;RoleC0" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: Change Control Mana
3168 ger.">
3169                                     <thead>
3170                                     <tr>
3171                                     <th id="CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC0Artifact" spry:sort="artifact">Artifact</th>
3172                                     <th id="CH2CS2AR1Lead&nbsp;SDLC&nbsp;RoleC0Phase" spry:sort="phase">Phase</th>
3173                                     <th id="CH3CS2AR1Lead&nbsp;SDLC&nbsp;RoleC0Guidelines">Guidelines</th>
3174                                     <th id="CH4CS2AR1Lead&nbsp;SDLC&nbsp;RoleC0LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
3175                                     </tr>
3176                                     </thead>
3177                                     <tbody>
3178                                     <tr>
3179                                     <td colspan="4"><!-- #B
3180 eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns are
3181 e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
3182                                     </tr>
3183                                     </tbody>
3184                                     </table>
3185                                     </div>
3186                                     </div>
3187                                     </div>
3188                                     </div>
3189                                     </div>
3190                                     </div>
3191                                     </div>
3192                                     </div>
3193                                     </div>
3194                                     </div>
3195                                     </div>
3196                                     </div>
3197                                     </div>
```

```
3198 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact
3199 ctNotLinked" spry:if="{artifactURL}' == ''">{artifact}</span>
3200
3201 d&nbsp;SDLC&nbsp;RoleC0{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC0Artifact CH2CS2AR1Lead&nbsp;SDLC&nbsp;
3202 RoleC0Phase">{phase}</td>
3203 d&nbsp;SDLC&nbsp;RoleC0{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC0Artifact CH3CS2AR1Lead&nbsp;SDLC&nbsp;
3204 RoleC0Guidelines" class="alignCenter">
3205 ines" spry:if="{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
3208
3209 d&nbsp;SDLC&nbsp;RoleC0{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC0Artifact CH4CS2AR1Lead&nbsp;SDLC&nbsp;
3210 RoleCLRDate">{lastRevisedDate}</td>
3211
3212
3213
3214
3215
3216
3217
3218
3219
3220
3221
3222
3223
3224
3225
3226
3227
3228
3229
3230
3231
3232
3233
3234
3235
3236
3237
3238
3239
3240
3241
3242
3243
```

```

3244 </tfoot>
3245
3246 e content --> <!-- The tbody creates the tabl
3247 <tbody>
3248 <tr spry:repeat="dsSDLC3art
3249 ifact" spry:test="('{role}' == 'Chief Information Officer') || ('{role}' == 'Chief Information Officer ')">
3250 <th id="RCS2AR1Lead&nb
3251 p;SDLC&nbsp;RoleC1{ds_RowID}" headers="CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC1Artifact">
3252 <span class="artifa
3253 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
3254 t}: {comments}">{artifact}</a></span>
3255 <span class="artifa
3256 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
3257 t}">{artifact}</a></span>
3258 <span class="artifa
3259 ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
3260 </th>
3261 <td headers="RCS2AR1Lea
3262 d&nbsp;SDLC&nbsp;RoleC1{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC1Artifact CH2CS2AR1Lead&nbsp;SDLC&nbsp;
3263 RoleC1Phase">{phase}</td>
3264 <td headers="RCS2AR1Lea
3265 d&nbsp;SDLC&nbsp;RoleC1{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC1Artifact CH3CS2AR1Lead&nbsp;SDLC&nbsp;
3266 RoleC1Guidelines" class="alignCenter">
3267 <span class="artifactGuidel
3268 ines" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
3271 </td>
3272 <td headers="RCS2AR1Lea
3273 d&nbsp;SDLC&nbsp;RoleC1{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC1Artifact CH4CS2AR1Lead&nbsp;SDLC&nbsp;
3274 RoleC1LRDate">{lastRevisedDate}</td>
3275 </tr>
3276 </tbody>
3277 </table>
3278 </div>
3279 <div class="AccordionTableWrapper">
3280 <div class="sdlcDescriptor" spry:re
3281 peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Chief Information System Security Officer')">
3282 <h2>Chief Information System Se
3283 curity Officer Description:</h2>
3284 {dsSDLC3role::roleDescription}
3285 </div>
3286 <table cellspacing="1" id="tblCS2AR
3287 1Lead&nbsp;SDLC&nbsp;RoleC2" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: Chief Information S
3288 ystem Security Officer.">
3289 <!-- The is the table header/ti
3290 tle -->
3291 <caption>Lead&nbsp;SDLC&nbsp;Ro
3292 le: Chief Information System Security Officer <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::ro
3293 leName}' == 'Chief Information System Security Officer') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3rol
3294 e::roleAbbr})</span></caption>
3295 <!-- The col tag allows style a
3296 pplication based on the column, particularly widths -->
3297 <col class="sdlc3Artifact" id="
3298 colCS2AR1Lead&nbsp;SDLC&nbsp;RoleC2Artifact" />
3299 <col class="sdlc3Phase" id="col
3300 CS2AR1Lead&nbsp;SDLC&nbsp;RoleC2Phase" />
3301 <col class="sdlc3Guide" id="col
3302 CS2AR1Lead&nbsp;SDLC&nbsp;RoleC2Guidelines" />
3303 <col class="sdlc3LastRevisedDat
3304 e" id="colCS2AR1Lead&nbsp;SDLC&nbsp;RoleC2LRDate" />
3305 <!-- The thead are the column h
3306 eaders -->
3307 <thead>
3308 <tr>
3309 <th id="CH1CS2AR1Lead&n
3310 bsp;SDLC&nbsp;RoleC2Artifact" spry:sort="artifact">Artifact</th>
3311 <th id="CH2CS2AR1Lead&n
3312 bsp;SDLC&nbsp;RoleC2Phase" spry:sort="phase">Phase</th>
3313 <th id="CH3CS2AR1Lead&n
3314 bsp;SDLC&nbsp;RoleC2Guidelines">Guidelines</th>
3315 <th id="CH4CS2AR1Lead&n

```

```
bsp;SDLC&nbsp;RoleC2LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
3289 </tr>
3290 </thead>
3291
3292 <!-- The tfoot creates the tabl
e footer -->
3293 <tfoot>
3294 <tr>
3295 <td colspan="4"><!-- #B
eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
3296 </tr>
3297 </tfoot>
3298
3299 <!-- The tbody creates the tabl
e content -->
3300 <tbody>
3301 <tr spry:repeat="dsSDLC3art
ifact" spry:test="('{role}' == 'Chief Information System Security Officer') || ('{role}' == 'Chief Informat
ion System Security Officer ')">
3302 <th id="RCS2AR1Lead&nbsp;
p;SDLC&nbsp;RoleC2{ds_RowID}" headers="CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC2Artifact">
3303 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artific
t}: {comments}">{artifact}</a></span>
3304 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artific
t}">{artifact}</a></span>
3305 <span class="artifa
ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
3306 </th>
3307 <td headers="RCS2AR1Lea
d&nbsp;SDLC&nbsp;RoleC2{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC2Artifact CH2CS2AR1Lead&nbsp;SDLC&nbsp;
RoleC2Phase">{phase}</td>
3308 <td headers="RCS2AR1Lea
d&nbsp;SDLC&nbsp;RoleC2{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC2Artifact CH3CS2AR1Lead&nbsp;SDLC&nbsp;
RoleC2Guidelines" class="alignCenter">
3309 <span class="artifactGuidel
ines" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
3310 </td>
3311 <td headers="RCS2AR1Lea
d&nbsp;SDLC&nbsp;RoleC2{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC2Artifact CH4CS2AR1Lead&nbsp;SDLC&nbsp;
RoleC2LRDate">{lastRevisedDate}</td>
3312 </tr>
3313 </tbody>
3314 </table>
3315 </div>
3316
3317 <div class="AccordionTableWrapper">
3318 <div class="sdlcDescriptor" spry:re
peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Chief Technology Officer')">
3319 <h2>Chief Technology Officer De
scription:</h2>
3320 <h2>Chief Technology Officer De
scription:</h2>
3321 <h2>Chief Technology Officer De
scription:</h2>
3322 <h2>Chief Technology Officer De
scription:</h2>
3323 <h2>Chief Technology Officer De
scription:</h2>
3324 <table cellpadding="1" id="tblCS2AR
1Lead&nbsp;SDLC&nbsp;RoleC3" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: Chief Technology Of
ficer.">
3325
3326 <!-- The is the table header/ti
tle -->
3327 <caption>Lead&nbsp;SDLC&nbsp;Ro
le: Chief Technology Officer <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Chie
f Technology Officer') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
3328 <!-- The col tag allows style a
pplication based on the column, particularly widths -->
3329 <col class="sdlc3Artifact" id="
colCS2AR1Lead&nbsp;SDLC&nbsp;RoleC3Artifact" />
3330 <col class="sdlc3Phase" id="col
CS2AR1Lead&nbsp;SDLC&nbsp;RoleC3Phase" />
3331 <col class="sdlc3Guide" id="col
CS2AR1Lead&nbsp;SDLC&nbsp;RoleC3Guidelines" />
3332 <col class="sdlc3LastRevisedDat
e" id="colCS2AR1Lead&nbsp;SDLC&nbsp;RoleC3LRDate" />
3333
```

```

3334                                     <!-- The thead are the column h
3335 eaders -->
3336                                     <thead>
3337                                         <tr>
3338                                             <th id="CH1CS2AR1Lead&n
3339 bsp;SDLC&nbsp;RoleC3Artifact" spry:sort="artifact">Artifact</th>
3340                                             <th id="CH2CS2AR1Lead&n
3341 bsp;SDLC&nbsp;RoleC3Phase" spry:sort="phase">Phase</th>
3342                                             <th id="CH3CS2AR1Lead&n
3343 bsp;SDLC&nbsp;RoleC3Guidelines">Guidelines</th>
3344                                             <th id="CH4CS2AR1Lead&n
3345 bsp;SDLC&nbsp;RoleC3LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
3346                                         </tr>
3347                                     </thead>
3348
3349 e footer -->
3350                                     <tfoot>
3351                                         <tr>
3352                                             <td colspan="4"><!-- #B
3353 eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
3354 e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
3355                                         </tr>
3356                                     </tfoot>
3357
3358 e content -->
3359                                     <tbody>
3360                                         <tr spry:repeat="dsSDLC3art
3361 ifact" spry:test="('{role}' == 'Chief Technology Officer') || ('{role}' == 'Chief Technology Officer ')">
3362                                             <th id="RCS2AR1Lead&nbs
3363 p;SDLC&nbsp;RoleC3{ds_RowID}" headers="CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC3Artifact">
3364
3365 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artific
3366 t}: {comments}">{artifact}</a></span>
3367
3368 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artific
3369 t}">{artifact}</a></span>
3370
3371 ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
3372
3373                                     </th>
3374                                             <td headers="RCS2AR1Lea
3375 d&nbsp;SDLC&nbsp;RoleC3{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC3Artifact CH2CS2AR1Lead&nbsp;SDLC&nbsp;
3376 RoleC3Phase">{phase}</td>
3377
3378                                             <td headers="RCS2AR1Lea
3379 d&nbsp;SDLC&nbsp;RoleC3{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC3Artifact CH3CS2AR1Lead&nbsp;SDLC&nbsp;
3380 RoleC3Guidelines" class="alignCenter">
3381
3382                                             <span class="artifactGuidel
3383 ines" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
3386
3387                                     </td>
3388
3389                                             <td headers="RCS2AR1Lea
3390 d&nbsp;SDLC&nbsp;RoleC3{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC3Artifact CH4CS2AR1Lead&nbsp;SDLC&nbsp;
3391 RoleC3LRDate">{lastRevisedDate}</td>
3392
3393                                         </tr>
3394                                     </tbody>
3395 </table>
3396 </div>
3397
3398 <div class="AccordionTableWrapper">
3399     <div class="sdlcDescriptor" spry:re
3400 peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Configuration Manager')">
3401         <h2>Configuration Manager Descr
3402
3403         {dsSDLC3role::roleDescription}
3404     </div>
3405     <table cellpadding="1" id="tblCS2AR
3406 1Lead&nbsp;SDLC&nbsp;RoleC4" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: Configuration Manag
3407 er.">
3408
3409                                     <!-- The is the table header/ti
3410 tle -->
3411
3412                                     <caption>Lead&nbsp;SDLC&nbsp;Ro
3413 le: Configuration Manager <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Configu
3414 ration Manager') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>

```

```
3382 application based on the column, particularly widths --> <!-- The col tag allows style a
3383 colCS2AR1Lead SDLC RoleC4Artifact" /> <col class="sdlc3Artifact" id="
3384 CS2AR1Lead SDLC RoleC4Phase" /> <col class="sdlc3Phase" id="col
3385 CS2AR1Lead SDLC RoleC4Guidelines" /> <col class="sdlc3Guide" id="col
3386 e" id="colCS2AR1Lead SDLC RoleC4LRDate" /> <col class="sdlc3LastRevisedDat
3387 eaders --> <!-- The thead are the column h
3388 <thead>
3389 <tr>
3390 <th id="CH1CS2AR1Lead&n
3391 bsp;SDLC RoleC4Artifact" spry:sort="artifact">Artifact</th>
3392 <th id="CH2CS2AR1Lead&n
3393 bsp;SDLC RoleC4Phase" spry:sort="phase">Phase</th>
3394 <th id="CH3CS2AR1Lead&n
3395 bsp;SDLC RoleC4Guidelines">Guidelines</th>
3396 <th id="CH4CS2AR1Lead&n
3397 bsp;SDLC RoleC4LRDate" spry:sort="lastRevisedDate">Last Revised</th>
3398 </tr>
3399 </thead>
3400 <!-- The tfoot creates the tabl
3401 e footer --> <tfoot>
3402 <tr>
3403 <td colspan="4"><!-- #B
3404 eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
3405 e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
3406 </tr>
3407 </tfoot>
3408 <!-- The tbody creates the tabl
3409 e content --> <tbody>
3410 <tr spry:repeat="dsSDLC3art
3411 ifact" spry:test="('{role}' == 'Configuration Manager') || ('{role}' == 'Configuration Manager ')"
3412 <th id="RCS2AR1Lead&nbs
3413 p;SDLC RoleC4{ds_RowID}" headers="CH1CS2AR1Lead SDLC RoleC4Artifact">
3414 <span class="artifa
3415 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
3416 t": {comments}>{artifact}</a></span>
3417 <span class="artifa
3418 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
3419 t}">{artifact}</a></span>
3420 <span class="artifa
3421 ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
3422 </th>
3423 <td headers="RCS2AR1Lea
3424 d SDLC RoleC4{ds_RowID} CH1CS2AR1Lead SDLC RoleC4Artifact CH2CS2AR1Lead SDLC RoleC4Phase">{phase}</td>
3425 <td headers="RCS2AR1Lea
3426 d SDLC RoleC4{ds_RowID} CH1CS2AR1Lead SDLC RoleC4Artifact CH3CS2AR1Lead SDLC RoleC4Guidelines" class="alignCenter">
3427 <span class="artifac
3428 tGuidelines" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
3431 </td>
3432 <td headers="RCS2AR1Lea
3433 d SDLC RoleC4{ds_RowID} CH1CS2AR1Lead SDLC RoleC4Artifact CH4CS2AR1Lead SDLC RoleC4LRDate">{lastRevisedDate}</td>
3434 </tr>
3435 </tbody>
3436 </table>
3437 </div>
3438 <div class="AccordionTableWrapper">
3439 <div class="sdlcDescriptor" spry:re
3440 peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Contracting Officer Technical Representative')
3441 ">
3442 <h2>Contracting Officer Technic
```

```
al Representative Description:</h2>
    {dsSDLC3role::roleDescription}
</div>
<table cellpadding="1" cellspacing="1" id="tblCS2AR1Lead&nbsp;SDLC&nbsp;RoleC5" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: Contracting Officer
Technical Representative.">
    <!-- The is the table header/ti
    <caption>Lead&nbsp;SDLC&nbsp;Ro
    le: Contracting Officer Technical Representative <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role:
    :roleName}' == 'Contracting Officer Technical Representative') && ('{dsSDLC3role::roleAbbr}' != ')">({dsSD
    LC3role::roleAbbr})</span></caption>
    <!-- The col tag allows style a
    pplication based on the column, particularly widths -->
    <col class="sdlc3Artifact" id="
    colCS2AR1Lead&nbsp;SDLC&nbsp;RoleC5Artifact" />
    <col class="sdlc3Phase" id="col
    CS2AR1Lead&nbsp;SDLC&nbsp;RoleC5Phase" />
    <col class="sdlc3Guide" id="col
    CS2AR1Lead&nbsp;SDLC&nbsp;RoleC5Guidelines" />
    <col class="sdlc3LastRevisedDat
    e" id="colCS2AR1Lead&nbsp;SDLC&nbsp;RoleC5LRDate" />
    <!-- The thead are the column h
    eaders -->
    <thead>
    <tr>
    <th id="CH1CS2AR1Lead&n
    bsp;SDLC&nbsp;RoleC5Artifact" spry:sort="artifact">Artifact</th>
    <th id="CH2CS2AR1Lead&n
    bsp;SDLC&nbsp;RoleC5Phase" spry:sort="phase">Phase</th>
    <th id="CH3CS2AR1Lead&n
    bsp;SDLC&nbsp;RoleC5Guidelines">Guidelines</th>
    <th id="CH4CS2AR1Lead&n
    bsp;SDLC&nbsp;RoleC5LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
    </tr>
    </thead>
    <!-- The tfoot creates the tabl
    e footer -->
    <tfoot>
    <tr>
    <td colspan="4"><!-- #B
    eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
    e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
    </tr>
    </tfoot>
    <!-- The tbody creates the tabl
    e content -->
    <tbody>
    <tr spry:repeat="dsSDLC3art
    ifact" spry:test="('{role}' == 'Contracting Officer Technical Representative') || ('{role}' == 'Contracting
    Officer Technical Representative ')">
    <th id="RCS2AR1Lead&nbs
    p;SDLC&nbsp;RoleC5{ds_RowID}" headers="CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC5Artifact">
    <span class="artifa
    ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
    t}: {comments}">{artifact}</a></span>
    <span class="artifa
    ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
    t}">{artifact}</a></span>
    <span class="artifa
    ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
    </th>
    <td headers="RCS2AR1Lea
    d&nbsp;SDLC&nbsp;RoleC5{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC5Artifact CH2CS2AR1Lead&nbsp;SDLC&nbsp;RoleC5Phase">{phase}</td>
    <td headers="RCS2AR1Lea
    d&nbsp;SDLC&nbsp;RoleC5{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC5Artifact CH3CS2AR1Lead&nbsp;SDLC&nbsp;RoleC5Guidelines" class="alignCenter">
    <span class="artifactGuidel
    ines" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
    </td>
    <td headers="RCS2AR1Lea
```



```
d&nbsp;SDLC&nbsp;RoleC5{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC5Artifact CH4CS2AR1Lead&nbsp;SDLC&nbsp;
RoleC5LRDate">{lastRevisedDate}</td>
3471 </tr>
3472 </tbody>
3473 </table>
3474 </div>
3475
3476
3477
3478 <div class="AccordionTableWrapper">
3479 <div class="sdlcDescriptor" spry:re
peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Contractors')">
3480 <h2>Contractors Description:</h
2>
3481 {dsSDLC3role::roleDescription}
3482 </div>
3483 <table cellpadding="1" cellspacing="1" id="tblCS2AR
1Lead&nbsp;SDLC&nbsp;RoleC6" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: Contractors.">
3484 <thead>
3485 <!-- The is the table header/ti
tle -->
3486 <caption>Lead&nbsp;SDLC&nbsp;Ro
le: Contractors <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Contractors') &&
('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
3487 <!-- The col tag allows style a
pplication based on the column, particularly widths -->
3488 <col class="sdlc3Artifact" id="
colCS2AR1Lead&nbsp;SDLC&nbsp;RoleC6Artifact" />
3489 <col class="sdlc3Phase" id="col
CS2AR1Lead&nbsp;SDLC&nbsp;RoleC6Phase" />
3490 <col class="sdlc3Guide" id="col
CS2AR1Lead&nbsp;SDLC&nbsp;RoleC6Guidelines" />
3491 <col class="sdlc3LastRevisedDat
e" id="colCS2AR1Lead&nbsp;SDLC&nbsp;RoleC6LRDate" />
3492 </thead>
3493 <!-- The thead are the column h
eaders -->
3494 <thead>
3495 <tr>
3496 <th id="CH1CS2AR1Lead&n
bsp;SDLC&nbsp;RoleC6Artifact" spry:sort="artifact">Artifact</th>
3497 <th id="CH2CS2AR1Lead&n
bsp;SDLC&nbsp;RoleC6Phase" spry:sort="phase">Phase</th>
3498 <th id="CH3CS2AR1Lead&n
bsp;SDLC&nbsp;RoleC6Guidelines">Guidelines</th>
3499 <th id="CH4CS2AR1Lead&n
bsp;SDLC&nbsp;RoleC6LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
3500 </tr>
3501 </thead>
3502 <!-- The tfoot creates the tabl
e footer -->
3503 <tfoot>
3504 <tr>
3505 <td colspan="4"><!-- #B
eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
3506 </tr>
3507 </tfoot>
3508 <!-- The tbody creates the tabl
e content -->
3509 <tbody>
3510 <tr spry:repeat="dsSDLC3art
ifact" spry:test="('{role}' == 'Contractors') || ('{role}' == 'Contractors ')">
3511 <th id="RCS2AR1Lead&nbs
p;SDLC&nbsp;RoleC6{ds_RowID}" headers="CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC6Artifact">
3512 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artific
t}: {comments}">{artifact}</a></span>
3513 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artific
t}">{artifact}</a></span>
3514 <span class="artifa
ctNotLinked" spry:if=" '{artifactURL}' == ''">{artifact}</span>
3515 </th>
3516 <td headers="RCS2AR1Lea
d&nbsp;SDLC&nbsp;RoleC6{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC6Artifact CH2CS2AR1Lead&nbsp;SDLC&nbsp;RoleC6Phase">{phase}</td>
3517 </tr>
3518 </tbody>
3519 </table>
```

```
3520 d SDLC RoleC6{ds_RowID} CH1CS2AR1Lead SDLC RoleC6Artifact CH3CS2AR1Lead SDLC 
RoleC6Guidelines" class="alignCenter">
3521 <span class="artifactGuidel
ines" spry:if="'{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
3522 </td>
3523 <td headers="RCS2AR1Lea
d SDLC RoleC6{ds_RowID} CH1CS2AR1Lead SDLC RoleC6Artifact CH4CS2AR1Lead SDLC 
RoleC6LRDate">{lastRevisedDate}</td>
3524 </tr>
3525 </tbody>
3526 </table>
3527 </div>
3528
3529
3530
3531 <div class="AccordionTableWrapper">
3532 <div class="sdlcDescriptor" spry:re
peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'CPIC Review Board')">
3533 <h2>CPIC Review Board Descripti
on:</h2>
3534 {dsSDLC3role::roleDescription}
3535 </div>
3536 <table cellpadding="1" id="tblCS2AR
1Lead SDLC RoleC7" summary="Listing of artifacts by Lead SDLC Role: CPIC Review Board."
>
3537
3538 <!-- The is the table header/ti
tle -->
3539 <caption>Lead SDLC Ro
le: CPIC Review Board <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'CPIC Review
Board') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
3540
3541 <!-- The col tag allows style a
pplication based on the column, particularly widths -->
3542 <col class="sdlc3Artifact" id="
colCS2AR1Lead SDLC RoleC7Artifact" />
3543 <col class="sdlc3Phase" id="col
CS2AR1Lead SDLC RoleC7Phase" />
3544 <col class="sdlc3Guide" id="col
CS2AR1Lead SDLC RoleC7Guidelines" />
3545 <col class="sdlc3LastRevisedDat
e" id="colCS2AR1Lead SDLC RoleC7LRDate" />
3546
3547 <!-- The thead are the column h
eaders -->
3548 <thead>
3549 <tr>
3550 <th id="CH1CS2AR1Lead 
bsp;SDLC RoleC7Artifact" spry:sort="artifact">Artifact</th>
3551 <th id="CH2CS2AR1Lead 
bsp;SDLC RoleC7Phase" spry:sort="phase">Phase</th>
3552 <th id="CH3CS2AR1Lead 
bsp;SDLC RoleC7Guidelines">Guidelines</th>
3553 <th id="CH4CS2AR1Lead 
bsp;SDLC RoleC7LRDate" spry:sort="lastRevisedDate">Last Revised</th>
3554 </tr>
3555 </thead>
3556
3557 <!-- The tfoot creates the tabl
e footer -->
3558 <tfoot>
3559 <tr>
3560 <td colspan="4"><!-- #B
eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
3561 </tr>
3562 </tfoot>
3563
3564 <!-- The tbody creates the tabl
e content -->
3565 <tbody>
3566 <tr spry:repeat="dsSDLC3art
ifact" spry:test="('{role}' == 'CPIC Review Board') || ('{role}' == 'CPIC Review Board ')">
3567 <th id="RCS2AR1Lead 
bsp;SDLC RoleC7{ds_RowID}" headers="CH1CS2AR1Lead SDLC RoleC7Artifact">
3568 <span class="artifa
```

```
3569 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifact
3570 ctNotLinked" spry:if="{artifactURL}' == ''">{artifact}</span>
3571
3572 d&nbsp;SDLC&nbsp;RoleC7{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC7Artifact CH2CS2AR1Lead&nbsp;SDLC&nbsp;
3573 d&nbsp;SDLC&nbsp;RoleC7{ds_RowID} CH1CS2AR1Lead&nbsp;SDLC&nbsp;RoleC7Artifact CH3CS2AR1Lead&nbsp;SDLC&nbsp;
3574 RoleC7Phase">{phase}</td>
3575 RoleC7Guidelines" class="alignCenter">
3576 RoleC7LRDate">{lastRevisedDate}</td>
3577
3578
3579
3580
3581
3582
3583
3584
3585
3586
3587
3588
3589
3590
3591
3592
3593
3594
3595
3596
3597
3598
3599
3600
3601
3602
3603
3604
3605
3606
3607
3608
3609
3610
3611
3612
3613
3614
3615
```

```

3617 e content --> <!-- The tbody creates the tabl
3618 <tbody>
3619 <tr spry:repeat="dsSDLC3art
ifact" spry:test="('{role}' == 'Customer Support') || ('{role}' == 'Customer Support ')">
3620 <th id="RCS2AR20&nbsp;-&nbsp;-&nbsp;ZC8{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;-&nbsp;ZC8Artifact">
3621 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
t}: {comments}">{artifact}</a></span>
3622 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
t}">{artifact}</a></span>
3623 <span class="artifa
ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
3624 </th>
3625 <td headers="RCS2AR20&n
bsp;-&nbsp;-&nbsp;ZC8{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;ZC8Artifact CH2CS2AR20&nbsp;-&nbsp;-&nbsp;ZC8Phase">{phase}</td>
3626 <td headers="RCS2AR20&n
bsp;-&nbsp;-&nbsp;ZC8{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;ZC8Artifact CH3CS2AR20&nbsp;-&nbsp;-&nbsp;ZC8Guidelines" class="al
ignCenter">
3627 <span class="artifactGuidel
ines" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
3628 </td>
3629 <td headers="RCS2AR20&n
bsp;-&nbsp;-&nbsp;ZC8{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;ZC8Artifact CH4CS2AR20&nbsp;-&nbsp;-&nbsp;ZC8LRDate">{lastRevisedD
ate}</td>
3630 </tr>
3631 </tbody>
3632 </table>
3633 </div>
3634
3635 </div>
3636 </div>
3637
3638
3639
3640 <div class="AccordionPanel" id="apCS2AR1A&nbsp;-&nbsp;-&nbsp;
-&nbsp;-&nbsp;ND">
3641 <div class="AccordionPanelTab">Lead&nbsp;-&nbsp;-&nbsp;SD
LC&nbsp;-&nbsp;-&nbsp;Roles: D</div>
3642 <div class="AccordionPanelContent SpryHidde
nRegion" spry:region="dsSDLC3artifact dsSDLC3role">
3643
3644
3645 <div class="AccordionTableWrapper first
AccordionTable">
3646 <div class="sdlcDescriptor" spry:re
peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Database Administrator')">
3647 <h2>Database Administrator Desc
ription:</h2>
3648 {dsSDLC3role::roleDescription}
3649 </div>
3650 <table cellpadding="1" id="tblCS2AR
20&nbsp;-&nbsp;-&nbsp;ZD0" summary="Listing of artifacts by Lead&nbsp;-&nbsp;-&nbsp;SDLC&nbsp;-&nbsp;-&nbsp;Role: Database Administrator.">
3651 <!-- The is the table header/ti
3652 tle -->
3653 <caption>Lead&nbsp;-&nbsp;-&nbsp;SDLC&nbsp;-&nbsp;-&nbsp;Ro
le: Database Administrator <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Databa
se Administrator') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
3654
3655 <!-- The col tag allows style a
pplication based on the column, particularly widths -->
3656 <col class="sdlc3Artifact" id="
colCS2AR20&nbsp;-&nbsp;-&nbsp;ZD0Artifact" />
3657 <col class="sdlc3Phase" id="col
CS2AR20&nbsp;-&nbsp;-&nbsp;ZD0Phase" />
3658 <col class="sdlc3Guide" id="col
CS2AR20&nbsp;-&nbsp;-&nbsp;ZD0Guidelines" />
3659 <col class="sdlc3LastRevisedDat
e" id="colCS2AR20&nbsp;-&nbsp;-&nbsp;ZD0LRDate" />
3660
3661 <!-- The thead are the column h
eaders -->
3662 <thead>
3663 <tr>

```

```

3664 ;-&nbsp;ZD0Artifact" spry:sort="artifact">Artifact</th> <th id="CH1CS2AR20&nbsp;
3665 ;-&nbsp;ZD0Phase" spry:sort="phase">Phase</th> <th id="CH2CS2AR20&nbsp;
3666 ;-&nbsp;ZD0Guidelines">Guidelines</th> <th id="CH3CS2AR20&nbsp;
3667 ;-&nbsp;ZD0LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th> <th id="CH4CS2AR20&nbsp;
3668 </tr>
3669 </thead>
3670
3671 e footer --> <!-- The tfoot creates the tabl
3672 <tfoot>
3673 <tr>
3674 <td colspan="4"><!-- #B
eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
3675 </tr>
3676 </tfoot>
3677
3678 e content --> <!-- The tbody creates the tabl
3679 <tbody>
3680 <tr spry:repeat="dsSDLC3art
ifact" spry:test="('{role}' == 'Database Administrator') || ('{role}' == 'Database Administrator ')">
3681 <th id="RCS2AR20&nbsp;-
&nbsp;ZD0{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;ZD0Artifact">
3682 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
t}: {comments}">{artifact}</a></span>
3683 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
t}">{artifact}</a></span>
3684 <span class="artifa
ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
3685 </th>
3686 <td headers="RCS2AR20&n
bsp;-&nbsp;ZD0{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;ZD0Artifact CH2CS2AR20&nbsp;-&nbsp;ZD0Phase">{phase}</td>
3687 <td headers="RCS2AR20&n
bsp;-&nbsp;ZD0{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;ZD0Artifact CH3CS2AR20&nbsp;-&nbsp;ZD0Guidelines" class="al
ignCenter">
3688 <span class="artifactGuidel
ines" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
3689 </td>
3690 <td headers="RCS2AR20&n
bsp;-&nbsp;ZD0{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;ZD0Artifact CH4CS2AR20&nbsp;-&nbsp;ZD0LRDate">{lastRevisedD
ate}</td>
3691 </tr>
3692 </tbody>
3693 </table>
3694 </div>
3695
3696 </div>
3697 </div>
3698
3699
3700
3701
3702
3703
3704
3705
3706
3707
3708
3709 <div class="AccordionPanel" id="apCS2AR1A&nbsp;
-&nbsp;NI">
3710 <div class="AccordionPanelTab">Lead&nbsp;SD
LC&nbsp;Roles: I</div>
3711 <div class="AccordionPanelContent SpryHidde
nRegion" spry:region="dsSDLC3artifact dsSDLC3role">
3712 <div class="AccordionTableWrapper first
AccordionTable">
3713 <div class="sdlcDescriptor" spry:re
peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Information System Security Officer')">
3714 <h2>Information System Security

```

```
Officer Description:</h2>
3716 {dsSDLC3role::roleDescription}
3717 </div>
3718 <table cellpadding="1" id="tblCS2AR
20&nbsp;-&nbsp;-&nbsp;ZI0" summary="Listing of artifacts by Lead&nbsp;-&nbsp;-&nbsp;SDLC&nbsp;-&nbsp;-&nbsp;Role: Information System Security
Officer.">
3719
3720 <!-- The is the table header/ti
tle -->
3721 <caption>Lead&nbsp;-&nbsp;-&nbsp;SDLC&nbsp;-&nbsp;-&nbsp;Ro
le: Information System Security Officer <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName
}' == 'Information System Security Officer') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr
})</span></caption>
3722
3723 <!-- The col tag allows style a
pplication based on the column, particularly widths -->
3724 <col class="sdlc3Artifact" id="
colCS2AR20&nbsp;-&nbsp;-&nbsp;ZI0Artifact" />
3725 <col class="sdlc3Phase" id="col
CS2AR20&nbsp;-&nbsp;-&nbsp;ZI0Phase" />
3726 <col class="sdlc3Guide" id="col
CS2AR20&nbsp;-&nbsp;-&nbsp;ZI0Guidelines" />
3727 <col class="sdlc3LastRevisedDat
e" id="colCS2AR20&nbsp;-&nbsp;-&nbsp;ZI0LRDate" />
3728
3729 <!-- The thead are the column h
eaders -->
3730 <thead>
3731 <tr>
3732 <th id="CH1CS2AR20&nbsp;-&nbsp;-&nbsp;
&nbsp;-&nbsp;-&nbsp;ZI0Artifact" spry:sort="artifact">Artifact</th>
3733 <th id="CH2CS2AR20&nbsp;-&nbsp;-&nbsp;
&nbsp;-&nbsp;-&nbsp;ZI0Phase" spry:sort="phase">Phase</th>
3734 <th id="CH3CS2AR20&nbsp;-&nbsp;-&nbsp;
&nbsp;-&nbsp;-&nbsp;ZI0Guidelines">Guidelines</th>
3735 <th id="CH4CS2AR20&nbsp;-&nbsp;-&nbsp;
&nbsp;-&nbsp;-&nbsp;ZI0LRDate" spry:sort="lastRevisedDate">Last&nbsp;-&nbsp;-&nbsp;Revised</th>
3736 </tr>
3737 </thead>
3738
3739 <!-- The tfoot creates the tabl
e footer -->
3740 <tfoot>
3741 <tr>
3742 <td colspan="4"><!-- #B
eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
3743 </tr>
3744 </tfoot>
3745
3746 <!-- The tbody creates the tabl
e content -->
3747 <tbody>
3748 <tr spry:repeat="dsSDLC3art
ifact" spry:test="('{role}' == 'Information System Security Officer') || ('{role}' == 'Information System S
ecurity Officer ')">
3749 <th id="RCS2AR20&nbsp;-&nbsp;-&nbsp;
&nbsp;-&nbsp;-&nbsp;ZI0{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;-&nbsp;ZI0Artifact">
3750 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
t}: {comments}">{artifact}</a></span>
3751 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
t}">{artifact}</a></span>
3752 <span class="artifa
ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
3753 </th>
3754 <td headers="RCS2AR20&n
bsp;-&nbsp;-&nbsp;ZI0{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;ZI0Artifact CH2CS2AR20&nbsp;-&nbsp;-&nbsp;ZI0Phase">{phase}</td>
3755 <td headers="RCS2AR20&n
bsp;-&nbsp;-&nbsp;ZI0{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;ZI0Artifact CH3CS2AR20&nbsp;-&nbsp;-&nbsp;ZI0Guidelines" class="al
ignCenter">
3756 <span class="artifactGuidel
ines" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
3757 </td>
3758 <td headers="RCS2AR20&n
bsp;-&nbsp;-&nbsp;ZI0{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;ZI0Artifact CH4CS2AR20&nbsp;-&nbsp;-&nbsp;ZI0LRDate">{lastRevisedD
ate}</td>
```

```
3760 </tbody>
3761 </table>
3762 </div>
3763
3764
3765
3766 <div class="AccordionTableWrapper">
3767 <div class="sdlcDescriptor" spry:re
peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'IT Investment Review Board')">
3768 <h2>IT Investment Review Board
Description:</h2>
3769 {dsSDLC3role::roleDescription}
3770 </div>
3771 <table cellspacing="1" id="tblCS2AR
20&nbsp;-&nbsp;-&nbsp;Zi1" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: IT Investment Review Board."
3772 >
3773 <!-- The is the table header/ti
3774 tle -->
<caption>Lead&nbsp;SDLC&nbsp;Ro
3775 le: IT Investment Review Board <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'IT
3776 Investment Review Board') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
<!-- The col tag allows style a
3777 pplication based on the column, particularly widths -->
<col class="sdlc3Artifact" id="
3778 colCS2AR20&nbsp;-&nbsp;-&nbsp;Zi1Artifact" />
<col class="sdlc3Phase" id="col
3779 CS2AR20&nbsp;-&nbsp;-&nbsp;Zi1Phase" />
<col class="sdlc3Guide" id="col
3780 CS2AR20&nbsp;-&nbsp;-&nbsp;Zi1Guidelines" />
<col class="sdlc3LastRevisedDat
3781 e" id="colCS2AR20&nbsp;-&nbsp;-&nbsp;Zi1LRDate" />
3782 <!-- The thead are the column h
3783 eaders -->
<thead>
3784 <tr>
3785 <th id="CH1CS2AR20&nbsp;-&nbsp;-&nbsp;
3786 i-&nbsp;-&nbsp;Zi1Artifact" spry:sort="artifact">Artifact</th>
<th id="CH2CS2AR20&nbsp;-&nbsp;-&nbsp;
3787 i-&nbsp;-&nbsp;Zi1Phase" spry:sort="phase">Phase</th>
<th id="CH3CS2AR20&nbsp;-&nbsp;-&nbsp;
3788 i-&nbsp;-&nbsp;Zi1Guidelines">Guidelines</th>
<th id="CH4CS2AR20&nbsp;-&nbsp;-&nbsp;
3789 i-&nbsp;-&nbsp;Zi1LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
3790 </tr>
3791 </thead>
3792 <!-- The tfoot creates the tabl
3793 e footer -->
<tfoot>
3794 <tr>
3795 <td colspan="4"><!-- #B
eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
3796 e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
3797 </tr>
3798 </tfoot>
3799 <!-- The tbody creates the tabl
3800 e content -->
<tbody>
3801 <tr spry:repeat="dsSDLC3art
ifact" spry:test="('{role}' == 'IT Investment Review Board') || ('{role}' == 'IT Investment Review Board ')"
3802 >
<th id="RCS2AR20&nbsp;-&nbsp;-&nbsp;
3803 &nbsp;-&nbsp;-&nbsp;Zi1{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;-&nbsp;Zi1Artifact">
<span class="artifa
3804 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
t}": {comments}>{artifact}</a></span>
<span class="artifa
3805 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
t}">{artifact}</a></span>
<span class="artifa
3806 ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
3807 </th>
<td headers="RCS2AR20&n
3808 bsp;-&nbsp;-&nbsp;Zi1{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;Zi1Artifact CH2CS2AR20&nbsp;-&nbsp;-&nbsp;Zi1Phase">{phase}</td>
<td headers="RCS2AR20&n
bsp;-&nbsp;-&nbsp;Zi1{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;Zi1Artifact CH3CS2AR20&nbsp;-&nbsp;-&nbsp;Zi1Guidelines" class="al
```

```
ignCenter">
3809         <span class="artifactGuidel
ines" spry:if="{guidelinesURL}" != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
3810     </td>
3811     <td headers="RCS2AR20&nb
bsp;-&nbsp;Zi1{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;Zi1Artifact CH4CS2AR20&nbsp;-&nbsp;Zi1LRDate">{lastRevisedD
ate}</td>
3812     </tr>
3813 </tbody>
3814 </table>
3815 </div>
3816
3817
3818
3819
3820     <div class="AccordionTableWrapper">
        <div class="sdlcDescriptor" spry:re
peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'IT Security Facilitator')">
3821             <h2>IT Security Facilitator Des
cription:</h2>
3822             {dsSDLC3role::roleDescription}
3823         </div>
3824         <table cellpadding="1" id="tblCS2AR
20&nbsp;-&nbsp;Zi2" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: IT Security Facilitator.">
3825             <!-- The is the table header/ti
3826             tle -->
3827             <caption>Lead&nbsp;SDLC&nbsp;Ro
le: IT Security Facilitator <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'IT Se
curity Facilitator') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
3828             <!-- The col tag allows style a
3829             pplication based on the column, particularly widths -->
3830             <col class="sdlc3Artifact" id="
colCS2AR20&nbsp;-&nbsp;Zi2Artifact" />
3831             <col class="sdlc3Phase" id="col
CS2AR20&nbsp;-&nbsp;Zi2Phase" />
3832             <col class="sdlc3Guide" id="col
CS2AR20&nbsp;-&nbsp;Zi2Guidelines" />
3833             <col class="sdlc3LastRevisedDat
e" id="colCS2AR20&nbsp;-&nbsp;Zi2LRDate" />
3834             <!-- The thead are the column h
3835             eaders -->
3836             <thead>
3837                 <tr>
3838                     <th id="CH1CS2AR20&nbsp;
;-&nbsp;Zi2Artifact" spry:sort="artifact">Artifact</th>
3839                     <th id="CH2CS2AR20&nbsp;
;-&nbsp;Zi2Phase" spry:sort="phase">Phase</th>
3840                     <th id="CH3CS2AR20&nbsp;
;-&nbsp;Zi2Guidelines">Guidelines</th>
3841                     <th id="CH4CS2AR20&nbsp;
;-&nbsp;Zi2LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
3842                 </tr>
3843             </thead>
3844             <!-- The tfoot creates the tabl
3845             e footer -->
3846             <tfoot>
3847                 <tr>
3848                     <td colspan="4"><!-- #B
eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
3849                 </tr>
3850             </tfoot>
3851             <!-- The tbody creates the tabl
3852             e content -->
3853             <tbody>
3854                 <tr spry:repeat="dsSDLC3art
ifact" spry:test="('{role}' == 'IT Security Facilitator') || ('{role}' == 'IT Security Facilitator ')">
3855                     <th id="RCS2AR20&nbsp;-
&nbsp;Zi2{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;Zi2Artifact">
3856                         <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artific
t}: {comments}">{artifact}</a></span>
3857                         <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artific
```



```

3858         <span class="artifa
ctNotLinked" spry:if="'{artifactURL}' == ''">{artifact}</span>
3859     </th>
3860     <td headers="RCS2AR20&n
bsp;-&nbsp;Zl2{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;Zl2Artifact CH2CS2AR20&nbsp;-&nbsp;Zl2Phase">{phase}</td>
3861     <td headers="RCS2AR20&n
bsp;-&nbsp;Zl2{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;Zl2Artifact CH3CS2AR20&nbsp;-&nbsp;Zl2Guidelines" class="alignCenter">
3862         <span class="artifactGuidel
ines" spry:if="'{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
3863     </td>
3864     <td headers="RCS2AR20&n
bsp;-&nbsp;Zl2{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;Zl2Artifact CH4CS2AR20&nbsp;-&nbsp;Zl2LRDate">{lastRevisedDate}</td>
3865 </tr>
3866 </tbody>
3867 </table>
3868 </div>
3870 </div>
3871 </div>
3872
3873
3874
3875
3876
3877
3878
3879 <div class="AccordionPanel" id="apCS2AR1A&nbsp;-&nbsp;NL">
3880 <div class="AccordionPanelTab">Lead&nbsp;SD
LC&nbsp;Roles: L</div>
3881 <div class="AccordionPanelContent SpryHidde
nRegion" spry:region="dsSDLC3artifact dsSDLC3role">
3882
3883 <div class="AccordionTableWrapper first
AccordionTable">
3884 <div class="sdlcDescriptor" spry:re
peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Lead Solution Architect')">
3885 <h2>Lead Solution Architect Des
cription:</h2>
3886 {dsSDLC3role::roleDescription}
3887 </div>
3888 <table cellspacing="1" id="tblCS2AR
20&nbsp;-&nbsp;Zl0" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: Lead Solution Architect.">
3889
3890 <!-- The is the table header/ti
tle -->
3891 <caption>Lead&nbsp;SDLC&nbsp;Ro
le: Lead Solution Architect <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Lead
Solution Architect') && ('{dsSDLC3role::roleAbbr}' != '')">{dsSDLC3role::roleAbbr}</span></caption>
3892
3893 <!-- The col tag allows style a
pplication based on the column, particularly widths -->
3894 <col class="sdlc3Artifact" id="
colCS2AR20&nbsp;-&nbsp;Zl0Artifact" />
3895 <col class="sdlc3Phase" id="col
CS2AR20&nbsp;-&nbsp;Zl0Phase" />
3896 <col class="sdlc3Guide" id="col
CS2AR20&nbsp;-&nbsp;Zl0Guidelines" />
3897 <col class="sdlc3LastRevisedDat
e" id="colCS2AR20&nbsp;-&nbsp;Zl0LRDate" />
3898
3899 <!-- The thead are the column h
eaders -->
3900 <thead>
3901 <tr>
3902 <th id="CH1CS2AR20&nbsp;-&nbsp;Zl0Artifact" spry:sort="artifact">Artifact</th>
3903 <th id="CH2CS2AR20&nbsp;-&nbsp;Zl0Phase" spry:sort="phase">Phase</th>
3904 <th id="CH3CS2AR20&nbsp;-&nbsp;Zl0Guidelines">Guidelines</th>
3905 <th id="CH4CS2AR20&nbsp;-&nbsp;Zl0LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
3906 </tr>
3907 </thead>

```

```

3909                                     <!-- The tfoot creates the tabl
3910                                     <tfoot>
3911                                         <tr>
3912                                             <td colspan="4"><!-- #B
eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
3913                                         </tr>
3914                                     </tfoot>
3915
3916                                     <!-- The tbody creates the tabl
3917                                     <tbody>
3918                                         <tr spry:repeat="dsSDLC3art
ifact" spry:test="('{role}' == 'Lead Solution Architect') || ('{role}' == 'Lead Solution Architect ')">
3919                                             <th id="RCS2AR20&nbsp;-
&nbsp;ZL0{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;&nbsp;ZL0Artifact">
3920                                                 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
t}: {comments}">{artifact}</a></span>
3921                                                 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
t}">{artifact}</a></span>
3922                                                 <span class="artifa
ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
3923                                             </th>
3924                                             <td headers="RCS2AR20&n
bsp;-&nbsp;ZL0{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;&nbsp;ZL0Artifact CH2CS2AR20&nbsp;-&nbsp;&nbsp;ZL0Phase">{phase}</td>
3925                                             <td headers="RCS2AR20&n
bsp;-&nbsp;ZL0{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;&nbsp;ZL0Artifact CH3CS2AR20&nbsp;-&nbsp;&nbsp;ZL0Guidelines" class="al
ignCenter">
3926                                                 <span class="artifactGuidel
ines" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
3927                                             </td>
3928                                             <td headers="RCS2AR20&n
bsp;-&nbsp;ZL0{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;&nbsp;ZL0Artifact CH4CS2AR20&nbsp;-&nbsp;&nbsp;ZL0LRDate">{lastRevisedD
ate}</td>
3929                                         </tr>
3930                                     </tbody>
3931                                     </table>
3932                                 </div>
3933
3934                             </div>
3935                         </div>
3936
3937
3938
3939
3940
3941                                     <div class="AccordionPanel" id="apCS2AR1A&nbsp;
&nbsp;-&nbsp;NN">
3942                                     <div class="AccordionPanelTab">Lead&nbsp;SD
LC&nbsp;Roles: N</div>
3943                                     <div class="AccordionPanelContent SpryHidde
nRegion" spry:region="dsSDLC3artifact dsSDLC3role">
3944
3945                                         <div class="AccordionTableWrapper first
AccordionTable">
3946                                             <div class="sdlcDescriptor" spry:re
peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Network Manager')">
3947                                                 <h2>Network Manager Description
3948
3949                                                 {dsSDLC3role::roleDescription}
3950                                             </div>
3951                                             <table cellspacing="1" id="tblCS2AR
20&nbsp;-&nbsp;ZL0" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: Network Manager.">
3952
3953                                                 <!-- The is the table header/ti
tle -->
3954                                                 <caption>Lead&nbsp;SDLC&nbsp;Ro
le: Network Manager <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Network Manag
er') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
3955
3956                                                 <!-- The col tag allows style a
pplication based on the column, particularly widths -->
3957                                                 <col class="sdlc3Artifact" id="
colCS2AR20&nbsp;-&nbsp;ZL0Artifact" />

```

```

3955 CS2AR20&nbsp;-&nbsp;ZNOPhase" />
3958 CS2AR20&nbsp;-&nbsp;ZNOGuidelines" />
3959 e" id="colCS2AR20&nbsp;-&nbsp;ZNOLRDate" />
3960
3961 eaders -->
3962
3963
3964 ;-&nbsp;ZNOArtifact" spry:sort="artifact">Artifact</th>
3965 ;-&nbsp;ZNOPhase" spry:sort="phase">Phase</th>
3966 ;-&nbsp;ZNOGuidelines">Guidelines</th>
3967 ;-&nbsp;ZNOLRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
3968
3969
3970
3971 e footer -->
3972
3973
3974 eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
3975
3976
3977
3978 e content -->
3979
3980 ifact" spry:test="('{role}' == 'Network Manager') || ('{role}' == 'Network Manager ')">
3981 &nbsp;ZNO{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;ZNOArtifact">
3982 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
t}: {comments}">{artifact}</a></span>
3983 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
t}">{artifact}</a></span>
3984 ctNotLinked" spry:if=" '{artifactURL}' == ''">{artifact}</span>
3985
3986 bsp;-&nbsp;ZNO{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;ZNOArtifact CH2CS2AR20&nbsp;-&nbsp;ZNOPhase">{phase}</td>
3987 bsp;-&nbsp;ZNO{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;ZNOArtifact CH3CS2AR20&nbsp;-&nbsp;ZNOGuidelines" class="al
ignCenter">
3988 ines" spry:if=" '{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
3989
3990 bsp;-&nbsp;ZNO{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;ZNOArtifact CH4CS2AR20&nbsp;-&nbsp;ZNOLRDate">{lastRevisedD
ate}</td>
3991
3992
3993
3994
3995
3996
3997
3998
3999
4000
4001
4002
4003
4004 t">
4005
4006
4007

```

```

4008         <div class="AccordionPanelTab">Lead   SD
4009         LC   Roles: 0</div>
4010         <div class="AccordionPanelContent SpryHidde
4011         nRegion" spry:region="dsSDLC3artifact dsSDLC3role">
4012         <div class="AccordionTableWrapper first
4013         AccordionTable">
4014         <div class="sdlcDescriptor" spry:re
4015         peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'OCIO Customer Liaison')">
4016         <h2>OCIO Customer Liaison Descr
4017         {dsSDLC3role::roleDescription}
4018         </div>
4019         <table cellspacing="1" id="tblCS2AR
4020         20   &-&   Z00" summary="Listing of artifacts by Lead   SDLC   Role: OCIO Customer Liaison.">
4021         <!-- The is the table header/ti
4022         tle -->
4023         <caption>Lead   SDLC   Ro
4024         le: OCIO Customer Liaison <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'OCIO Cu
4025         stomer Liaison') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
4026         <!-- The col tag allows style a
4027         pplication based on the column, particularly widths -->
4028         <col class="sdlc3Artifact" id="
4029         colCS2AR20   &-&   Z00Artifact" />
4030         <col class="sdlc3Phase" id="col
4031         CS2AR20   &-&   Z00Phase" />
4032         <col class="sdlc3Guide" id="col
4033         CS2AR20   &-&   Z00Guidelines" />
4034         <col class="sdlc3LastRevisedDat
4035         e" id="colCS2AR20   &-&   Z00LRDate" />
4036         <!-- The thead are the column h
4037         eaders -->
4038         <thead>
4039         <tr>
4040         <th id="CH1CS2AR20   &-&   
4041         &-&   Z00Artifact" spry:sort="artifact">Artifact</th>
4042         <th id="CH2CS2AR20   &-&   
4043         &-&   Z00Phase" spry:sort="phase">Phase</th>
4044         <th id="CH3CS2AR20   &-&   
4045         &-&   Z00Guidelines">Guidelines</th>
4046         <th id="CH4CS2AR20   &-&   
4047         &-&   Z00LRDate" spry:sort="lastRevisedDate">Last   Revised</th>
4048         </tr>
4049         </thead>
4050         <!-- The tfoot creates the tabl
4051         e footer -->
4052         <tfoot>
4053         <tr>
4054         <td colspan="4"><!-- #B
4055         eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
4056         e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
4057         </tr>
4058         </tfoot>
4059         <!-- The tbody creates the tabl
4060         e content -->
4061         <tbody>
4062         <tr spry:repeat="dsSDLC3art
4063         ifact" spry:test="('{role}' == 'OCIO Customer Liaison') || ('{role}' == 'OCIO Customer Liaison ')">
4064         <th id="RCS2AR20   &-&   
4065         &-&   Z00{ds_RowID}" headers="CH1CS2AR20   &-&   Z00Artifact">
4066         <span class="artifa
4067         ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artific
4068         t}: {comments}">{artifact}</a></span>
4069         <span class="artifa
4070         ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artific
4071         t}">{artifact}</a></span>
4072         <span class="artifa
4073         ctNotLinked" spry:if=" '{artifactURL}' == ''">{artifact}</span>
4074         </th>
4075         <td headers="RCS2AR20 &-&   
4076         &-&   Z00{ds_RowID} CH1CS2AR20 &-&   Z00Artifact CH2CS2AR20 &-&   Z00Phase">{phase}</td>
4077         <td headers="RCS2AR20 &-&   
4078         &-&   Z00{ds_RowID} CH1CS2AR20 &-&   Z00Artifact CH3CS2AR20 &-&   Z00Guidelines" class="al
4079         ignCenter">
4080         <span class="artifactGuidel

```

```
ines" spry:if="{guidelinesURL}" != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
4055
4056
4057
4058
4059
4060
4061
4062
4063
4064
4065
4066
4067
4068
4069
4070
4071
4072
4073
4074
4075
4076
4077
4078
4079
4080
4081
4082
4083
4084
4085
4086
4087
4088
4089
4090
4091
4092
4093
4094
4095
4096
4097
4098
4099
4100
4101
4102
4103
E:\uspto\sites\PROD\cio\sdlc\artifacts.html: 77/95
```

```

ctNotLinked" spry:if="'{artifactURL}' == ''">{artifact}</span>
</th>
<td headers="RCS2AR20&n
bsp;-&nbsp;Z01{ds_RowID} CH1CS2AR20&nbsp;Z01Artifact CH2CS2AR20&nbsp;Z01Phase">{phase}</td>
<td headers="RCS2AR20&n
bsp;-&nbsp;Z01{ds_RowID} CH1CS2AR20&nbsp;Z01Artifact CH3CS2AR20&nbsp;Z01Guidelines" class="alignCenter">
<span class="artifactGuidel
ines" spry:if="'{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
</td>
<td headers="RCS2AR20&n
bsp;-&nbsp;Z01{ds_RowID} CH1CS2AR20&nbsp;Z01Artifact CH4CS2AR20&nbsp;Z01LRDate">{lastRevisedDate}</td>
</tr>
</tbody>
</table>
</div>

<div class="AccordionTableWrapper">
<div class="sdlcDescriptor" spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'OCIO Project Manager')">
<h2>OCIO Project Manager Description</h2>
{dsSDLC3role::roleDescription}
</div>
<table cellspacing="1" id="tblCS2AR20&nbsp;-&nbsp;Z02" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: OCIO Project Manager.">
<!-- The is the table header/title -->
<caption>Lead&nbsp;SDLC&nbsp;Role: OCIO Project Manager <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'OCIO Project Manager') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
<!-- The col tag allows style application based on the column, particularly widths -->
<col class="sdlc3Artifact" id="colCS2AR20&nbsp;-&nbsp;Z02Artifact" />
<col class="sdlc3Phase" id="colCS2AR20&nbsp;-&nbsp;Z02Phase" />
<col class="sdlc3Guide" id="colCS2AR20&nbsp;-&nbsp;Z02Guidelines" />
<col class="sdlc3LastRevisedDate" id="colCS2AR20&nbsp;-&nbsp;Z02LRDate" />
<!-- The thead are the column headers -->
<thead>
<tr>
<th id="CH1CS2AR20&nbsp;-&nbsp;Z02Artifact" spry:sort="artifact">Artifact</th>
<th id="CH2CS2AR20&nbsp;-&nbsp;Z02Phase" spry:sort="phase">Phase</th>
<th id="CH3CS2AR20&nbsp;-&nbsp;Z02Guidelines">Guidelines</th>
<th id="CH4CS2AR20&nbsp;-&nbsp;Z02LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
</tr>
</thead>
<!-- The tbody creates the table content -->
<tbody>
<tr spry:repeat="dsSDLC3artifact" spry:test="('{role}' == 'OCIO Project Manager') || ('{role}' == 'OCIO Project Manager')">
<td colspan="4"><!-- #BeginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns are sortable by clicking the column header.<!-- #EndLibraryItem --></td>

```

```
&nbsp;/Z02{ds_RowID}" headers="CH1CS2AR20&nbsp;/-&nbsp;/Z02Artifact">
4154 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artific
4155 t}: {comments}">{artifact}</a></span>
4156 ctNotLinked" spry:if=" '{artifactURL}' == ''">{artifact}</span>
4157 </th>
4158 <td headers="RCS2AR20&nbsp;/-&nbsp;/Z02Artifact CH2CS2AR20&nbsp;/-&nbsp;/Z02Phase">{phase}</td>
4159 <td headers="RCS2AR20&nbsp;/-&nbsp;/Z02Artifact CH3CS2AR20&nbsp;/-&nbsp;/Z02Guidelines" class="alignCenter">
4160 <span class="artifactGuidelines" spry:if=" '{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
4161 </td>
4162 <td headers="RCS2AR20&nbsp;/-&nbsp;/Z02Artifact CH4CS2AR20&nbsp;/-&nbsp;/Z02LRDate">{lastRevisedDate}</td>
4163 </tr>
4164 </tbody>
4165 </table>
4166 </div>
4167
4168
4169
4170
4171 <div class="AccordionTableWrapper">
4172 <div class="sdlcDescriptor" spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'OCIO Senior Management')">
4173 <h2>OCIO Senior Management Description</h2>
4174 {dsSDLC3role::roleDescription}
4175 </div>
4176 <table cellspacing="1" id="tblCS2AR20&nbsp;/-&nbsp;/Z03" summary="Listing of artifacts by Lead&nbsp;/SDLC&nbsp;/Role: OCIO Senior Management.">
4177 <caption>Lead&nbsp;/SDLC&nbsp;/Role: OCIO Senior Management <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'OCIO Senior Management') && ('{dsSDLC3role::roleAbbr}' != '')">{dsSDLC3role::roleAbbr}</span></caption>
4178 <!-- The col tag allows style application based on the column, particularly widths -->
4179 <col class="sdlc3Artifact" id="colCS2AR20&nbsp;/-&nbsp;/Z03Artifact" />
4180 <col class="sdlc3Phase" id="colCS2AR20&nbsp;/-&nbsp;/Z03Phase" />
4181 <col class="sdlc3Guide" id="colCS2AR20&nbsp;/-&nbsp;/Z03Guidelines" />
4182 <col class="sdlc3LastRevisedDate" id="colCS2AR20&nbsp;/-&nbsp;/Z03LRDate" />
4183 <!-- The thead are the column headers -->
4184 <thead>
4185 <tr>
4186 <th id="CH1CS2AR20&nbsp;/-&nbsp;/Z03Artifact" spry:sort="artifact">Artifact</th>
4187 <th id="CH2CS2AR20&nbsp;/-&nbsp;/Z03Phase" spry:sort="phase">Phase</th>
4188 <th id="CH3CS2AR20&nbsp;/-&nbsp;/Z03Guidelines">Guidelines</th>
4189 <th id="CH4CS2AR20&nbsp;/-&nbsp;/Z03LRDate" spry:sort="lastRevisedDate">Last&nbsp;/Revised</th>
4190 </tr>
4191 </thead>
4192 <!-- The tfoot creates the table footer -->
4193 <tfoot>
4194 <tr>
4195 <td colspan="4"><!-- #BeginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns are sortable by clicking the column header.<!-- #EndLibraryItem --></td>
4196 </tr>
4197
4198
4199
4200 </tr>
```

```

4201 </tfoot>
4202
4203 e content --> <!-- The tbody creates the tabl
4204 <tbody>
4205 <tr spry:repeat="dsSDLC3art
ifact" spry:test="('{role}' == 'OCIO Senior Management') || ('{role}' == 'OCIO Senior Management ')">
4206 <th id="RCS2AR20&nbsp;-&nbsp;-&nbsp;Z03Artifact">
&nbsp;Z03{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;-&nbsp;Z03Artifact">
4207 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
t}": {comments}">{artifact}</a></span>
4208 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
t}">{artifact}</a></span>
4209 <span class="artifa
ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
4210 </th>
4211 <td headers="RCS2AR20&n
bsp;-&nbsp;-&nbsp;Z03{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;Z03Artifact CH2CS2AR20&nbsp;-&nbsp;-&nbsp;Z03Phase">{phase}</td>
4212 <td headers="RCS2AR20&n
bsp;-&nbsp;-&nbsp;Z03{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;Z03Artifact CH3CS2AR20&nbsp;-&nbsp;-&nbsp;Z03Guidelines" class="al
ignCenter">
4213 <span class="artifactGuidel
ines" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
4214 </td>
4215 <td headers="RCS2AR20&n
bsp;-&nbsp;-&nbsp;Z03{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;Z03Artifact CH4CS2AR20&nbsp;-&nbsp;-&nbsp;Z03LRDate">{lastRevisedD
ate}</td>
4216 </tr>
4217 </tbody>
4218 </table>
4219 </div>
4220
4221
4222
4223 <div class="AccordionTableWrapper">
4224 <div class="sdlcDescriptor" spry:re
peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Operations Manager')">
4225 <h2>Operations Manager Descript
ion:</h2>
4226 {dsSDLC3role::roleDescription}
4227 </div>
4228 <table cellpadding="1" id="tblCS2AR
20&nbsp;-&nbsp;-&nbsp;Z04" summary="Listing of artifacts by Lead&nbsp;-&nbsp;-&nbsp;SDLC&nbsp;-&nbsp;-&nbsp;Role: Operations Manager.">
4229 <!-- The is the table header/ti
4230 tle -->
4231 <caption>Lead&nbsp;-&nbsp;-&nbsp;SDLC&nbsp;-&nbsp;-&nbsp;Ro
le: Operations Manager <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Operations
Manager') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
4232 <!-- The col tag allows style a
4233 pplication based on the column, particularly widths -->
4234 <col class="sdlc3Artifact" id="col
CS2AR20&nbsp;-&nbsp;-&nbsp;Z04Artifact" />
4235 <col class="sdlc3Phase" id="col
CS2AR20&nbsp;-&nbsp;-&nbsp;Z04Phase" />
4236 <col class="sdlc3Guide" id="col
CS2AR20&nbsp;-&nbsp;-&nbsp;Z04Guidelines" />
4237 <col class="sdlc3LastRevisedDat
e" id="colCS2AR20&nbsp;-&nbsp;-&nbsp;Z04LRDate" />
4238 <!-- The thead are the column h
4239 eaders -->
4240 <thead>
4241 <tr>
4242 <th id="CH1CS2AR20&nbsp;-&nbsp;-&nbsp;Z04Artifact" spry:sort="artifact">Artifact</th>
4243 <th id="CH2CS2AR20&nbsp;-&nbsp;-&nbsp;Z04Phase" spry:sort="phase">Phase</th>
4244 <th id="CH3CS2AR20&nbsp;-&nbsp;-&nbsp;Z04Guidelines">Guidelines</th>
4245 <th id="CH4CS2AR20&nbsp;-&nbsp;-&nbsp;Z04LRDate" spry:sort="lastRevisedDate">Last&nbsp;-&nbsp;-&nbsp;Revised</th>
4246 </tr>
4247 </thead>
4248

```



```

4249 e footer -->
4250
4251
4252
4253 eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
4254 e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
4255
4256
4257
4258
4259
4260
4261
4262
4263
4264
4265
4266
4267
4268
4269
4270
4271
4272
4273
4274
4275
4276
4277
4278
4279
4280
4281
4282
4283
4284
4285
4286
4287
4288
4289
4290
4291
4292
4293
4294
4295
4296

```

```

CS2AR20&nbsp;-&nbsp;ZP0Guidelines" />
4297 e" id="colCS2AR20&nbsp;-&nbsp;ZP0LRDate" />
4298
4299 eaders -->
4300
4301
4302 ;-&nbsp;ZP0Artifact" spry:sort="artifact">Artifact</th>
4303 ;-&nbsp;ZP0Phase" spry:sort="phase">Phase</th>
4304 ;-&nbsp;ZP0Guidelines">Guidelines</th>
4305 ;-&nbsp;ZP0LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
4306
4307
4308
4309 e footer -->
4310
4311
4312 eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
4313 e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
4314
4315
4316 e content -->
4317
4318 ifact" spry:test="('{role}' == 'Project Team') || ('{role}' == 'Project Team ')">
4319 &nbsp;ZP0{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;ZP0Artifact">
4320 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
4321 t}": {comments}">{artifact}</a></span>
4322 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
4323 t}">{artifact}</a></span>
4324 ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
4325
4326
4327
4328 bsp;-&nbsp;ZP0{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;ZP0Artifact CH2CS2AR20&nbsp;-&nbsp;ZP0Phase">{phase}</td>
4329 bsp;-&nbsp;ZP0{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;ZP0Artifact CH3CS2AR20&nbsp;-&nbsp;ZP0Guidelines" class="al
4330 ignCenter">
4331
4332
4333
4334
4335
4336
4337
4338
4339 -&nbsp;ZQ">
4340 LC&nbsp;Roles: Q</div>
4341 nRegion" spry:region="dsSDLC3artifact dsSDLC3role">
4342
4343
4344
4345
4346
4347
4348
4349
4350
4351
4352
4353
4354
4355
4356
4357
4358
4359
4360
4361
4362
4363
4364
4365
4366
4367
4368
4369
4370
4371
4372
4373
4374
4375
4376
4377
4378
4379
4380
4381
4382
4383
4384
4385
4386
4387
4388
4389
4390
4391
4392
4393
4394
4395
4396
4397
4398
4399
4400
4401
4402
4403
4404
4405
4406
4407
4408
4409
4410
4411
4412
4413
4414
4415
4416
4417
4418
4419
4420
4421
4422
4423
4424
4425
4426
4427
4428
4429
4430
4431
4432
4433
4434
4435
4436
4437
4438
4439
4440
4441
4442
4443
4444
4445
4446
4447
4448
4449
4450
4451
4452
4453
4454
4455
4456
4457
4458
4459
4460
4461
4462
4463
4464
4465
4466
4467
4468
4469
4470
4471
4472
4473
4474
4475
4476
4477
4478
4479
4480
4481
4482
4483
4484
4485
4486
4487
4488
4489
4490
4491
4492
4493
4494
4495
4496
4497
4498
4499
4500

```

```
4346         {dsSDLC3role::roleDescription}
4347     </div>
4348     <table cellpadding="1" id="tblCS2AR
4349     20&nbsp;-&nbsp;-&nbsp;ZQ0" summary="Listing of artifacts by Lead&nbsp;-&nbsp;-&nbsp;SDLC&nbsp;-&nbsp;-&nbsp;Role: Quality Assurance Team.">
4350         <!-- The is the table header/ti
4351         tle -->
4352         <caption>Lead&nbsp;-&nbsp;-&nbsp;SDLC&nbsp;-&nbsp;-&nbsp;Ro
4353         le: Quality Assurance Team <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Qualit
4354         y Assurance Team') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
4355         <!-- The col tag allows style a
4356         pplication based on the column, particularly widths -->
4357         <col class="sdlc3Artifact" id="
4358         colCS2AR20&nbsp;-&nbsp;-&nbsp;ZQ0Artifact" />
4359         <col class="sdlc3Phase" id="col
4360         CS2AR20&nbsp;-&nbsp;-&nbsp;ZQ0Phase" />
4361         <col class="sdlc3Guide" id="col
4362         CS2AR20&nbsp;-&nbsp;-&nbsp;ZQ0Guidelines" />
4363         <col class="sdlc3LastRevisedDat
4364         e" id="colCS2AR20&nbsp;-&nbsp;-&nbsp;ZQ0LRDate" />
4365         <!-- The thead are the column h
4366         eaders -->
4367         <thead>
4368             <tr>
4369                 <th id="CH1CS2AR20&nbsp;-&nbsp;-&nbsp;
4370                 &nbsp;-&nbsp;-&nbsp;ZQ0Artifact" spry:sort="artifact">Artifact</th>
4371                 <th id="CH2CS2AR20&nbsp;-&nbsp;-&nbsp;
4372                 &nbsp;-&nbsp;-&nbsp;ZQ0Phase" spry:sort="phase">Phase</th>
4373                 <th id="CH3CS2AR20&nbsp;-&nbsp;-&nbsp;
4374                 &nbsp;-&nbsp;-&nbsp;ZQ0Guidelines">Guidelines</th>
4375                 <th id="CH4CS2AR20&nbsp;-&nbsp;-&nbsp;
4376                 &nbsp;-&nbsp;-&nbsp;ZQ0LRDate" spry:sort="lastRevisedDate">Last&nbsp;-&nbsp;-&nbsp;Revised</th>
4377             </tr>
4378         </thead>
4379         <!-- The tfoot creates the tabl
4380         e footer -->
4381         <tfoot>
4382             <tr>
4383                 <td colspan="4"><!-- #B
4384                 eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
4385                 e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
4386             </tr>
4387         </tfoot>
4388         <!-- The tbody creates the tabl
4389         e content -->
4390         <tbody>
4391             <tr spry:repeat="dsSDLC3art
4392             ifact" spry:test="('{role}' == 'Quality Assurance Team') || ('{role}' == 'Quality Assurance Team ')">
4393                 <th id="RCS2AR20&nbsp;-&nbsp;-&nbsp;
4394                 &nbsp;-&nbsp;-&nbsp;ZQ0{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;-&nbsp;ZQ0Artifact">
4395                     <span class="artifa
4396                     ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != ')"><a href="{artifactURL}" title="{artific
4397                     t}": {comments}>{artifact}</a></span>
4398                     <span class="artifa
4399                     ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == ')"><a href="{artifactURL}" title="{artific
4400                     t}">{artifact}</a></span>
4401                     <span class="artifa
4402                     ctNotLinked" spry:if="('{artifactURL}' == ')">{artifact}</span>
4403                 </th>
4404                 <td headers="RCS2AR20&n
4405                 bsp;-&nbsp;-&nbsp;ZQ0{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;ZQ0Artifact CH2CS2AR20&nbsp;-&nbsp;-&nbsp;ZQ0Phase">{phase}</td>
4406                 <td headers="RCS2AR20&n
4407                 bsp;-&nbsp;-&nbsp;ZQ0{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;ZQ0Artifact CH3CS2AR20&nbsp;-&nbsp;-&nbsp;ZQ0Guidelines" class="al
4408                 ignCenter">
4409                     <span class="artifactGuidel
4410                     ines" spry:if="('{guidelinesURL}' != ')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
4413                 </td>
4414                 <td headers="RCS2AR20&n
4415                 bsp;-&nbsp;-&nbsp;ZQ0{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;ZQ0Artifact CH4CS2AR20&nbsp;-&nbsp;-&nbsp;ZQ0LRDate">{lastRevisedD
4416                 ate}</td>
4417             </tr>
4418         </tbody>
4419     </table>
```

```

4392                                     </div>
4393
4394                                     </div>
4395                                     </div>
4396
4397
4398
4399                                     <div class="AccordionPanel" id="apCS2AR20&nbsp;
-&nbsp;ZR">
4400                                     <div class="AccordionPanelTab">Lead&nbsp;SD
LC&nbsp;Roles: R</div>
4401                                     <div class="AccordionPanelContent SpryHidde
nRegion" spry:region="dsSDLC3artifact dsSDLC3role">
4402
4403                                     <div class="AccordionTableWrapper first
AccordionTable">
4404                                     <div class="sdlcDescriptor" spry:re
peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Records Manager')">
4405                                     <h2>Records Manager Description
:</h2>
4406                                     {dsSDLC3role::roleDescription}
4407                                     </div>
4408                                     <table cellpadding="1" id="tblCS2AR
20&nbsp;-&nbsp;ZR0" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: Records Manager.">
4409
4410                                     <!-- The is the table header/ti
tle -->
4411                                     <caption>Lead&nbsp;SDLC&nbsp;Ro
le: Records Manager <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Records Manag
er') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
4412
4413                                     <!-- The col tag allows style a
pplication based on the column, particularly widths -->
4414                                     <col class="sdlc3Artifact" id="
colCS2AR20&nbsp;-&nbsp;ZR0Artifact" />
4415                                     <col class="sdlc3Phase" id="col
CS2AR20&nbsp;-&nbsp;ZR0Phase" />
4416                                     <col class="sdlc3Guide" id="col
CS2AR20&nbsp;-&nbsp;ZR0Guidelines" />
4417                                     <col class="sdlc3LastRevisedDat
e" id="colCS2AR20&nbsp;-&nbsp;ZR0LRDate" />
4418
4419                                     <!-- The thead are the column h
eaders -->
4420                                     <thead>
4421                                     <tr>
4422                                     <th id="CH1CS2AR20&nbsp;
-&nbsp;ZR0Artifact" spry:sort="artifact">Artifact</th>
4423                                     <th id="CH2CS2AR20&nbsp;
-&nbsp;ZR0Phase" spry:sort="phase">Phase</th>
4424                                     <th id="CH3CS2AR20&nbsp;
-&nbsp;ZR0Guidelines">Guidelines</th>
4425                                     <th id="CH4CS2AR20&nbsp;
-&nbsp;ZR0LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
4426                                     </tr>
4427                                     </thead>
4428
4429                                     <!-- The tfoot creates the tabl
e footer -->
4430                                     <tfoot>
4431                                     <tr>
4432                                     <td colspan="4"><!-- #B
eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
4433                                     </tr>
4434                                     </tfoot>
4435
4436                                     <!-- The tbody creates the tabl
e content -->
4437                                     <tbody>
4438                                     <tr spry:repeat="dsSDLC3art
ifact" spry:test="('{role}' == 'Records Manager') || ('{role}' == 'Records Manager ')">
4439                                     <th id="RCS2AR20&nbsp;-
&nbsp;ZR0{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;ZR0Artifact">
4440                                     <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artific
t}: {comments}">{artifact}</a></span>
4441                                     <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artific
t}">{artifact}</a></span>
4442                                     <span class="artifa

```

```
4443 ctNotLinked" spry:if="'{artifactURL}' == ''">{artifact}</span> </th>
4444 <td headers="RCS2AR20&nbsp; bsp;-&nbsp;Z0{ds_RowID} CH1CS2AR20&nbsp;Artifact CH2CS2AR20&nbsp;Phase">{phase}</td>
4445 <td headers="RCS2AR20&nbsp; bsp;-&nbsp;Z0{ds_RowID} CH1CS2AR20&nbsp;Artifact CH3CS2AR20&nbsp;Guidelines" class="alignCenter">
4446 <span class="artifactGuidelines" spry:if="'{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
4447 </td>
4448 <td headers="RCS2AR20&nbsp; bsp;-&nbsp;Z0{ds_RowID} CH1CS2AR20&nbsp;Artifact CH4CS2AR20&nbsp;LRDate">{lastRevisedDate}</td>
4449 </tr>
4450 </tbody>
4451 </table>
4452 </div>
4453
4454
4455
4456 <div class="AccordionTableWrapper">
4457 <div class="sdlcDescriptor" spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Release Manager')">
4458 <h2>Release Manager Description
4459 {dsSDLC3role::roleDescription}
4460 </div>
4461 <table cellpadding="1" cellspacing="1" id="tblCS2AR20&nbsp;Z1" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: Release Manager.">
4462 <caption>Lead&nbsp;SDLC&nbsp;Role: Release Manager <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Release Manager') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
4463 <!-- The col tag allows style application based on the column, particularly widths -->
4464 <caption>Lead&nbsp;SDLC&nbsp;Role: Release Manager <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Release Manager') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
4465 <!-- The col tag allows style application based on the column, particularly widths -->
4466 <col class="sdlc3Artifact" id="colCS2AR20&nbsp;Z1Artifact" />
4467 <col class="sdlc3Phase" id="colCS2AR20&nbsp;Z1Phase" />
4468 <col class="sdlc3Guide" id="colCS2AR20&nbsp;Z1Guidelines" />
4469 <col class="sdlc3LastRevisedDate" id="colCS2AR20&nbsp;Z1LRDate" />
4470 <!-- The thead are the column headers -->
4471 <thead>
4472 <tr>
4473 <th id="CH1CS2AR20&nbsp;Z1Artifact" spry:sort="artifact">Artifact</th>
4474 <th id="CH2CS2AR20&nbsp;Z1Phase" spry:sort="phase">Phase</th>
4475 <th id="CH3CS2AR20&nbsp;Z1Guidelines">Guidelines</th>
4476 <th id="CH4CS2AR20&nbsp;Z1LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
4477 </tr>
4478 </thead>
4479 <!-- The tbody creates the table content -->
4480 <tbody>
4481 <tr spry:repeat="dsSDLC3artifact" spry:test="('{role}' == 'Release Manager') || ('{role}' == 'Release Manager')">
4482 <td colspan="4"><!-- #BeginLibraryItem "/Library/SDLC3ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns are sortable by clicking the column header.<!-- #EndLibraryItem --></td>
4483 </tr>
4484 </tbody>
4485 </tfoot>
4486 </div>
4487 </div>
4488 <!-- The tbody creates the table content -->
4489 <tbody>
4490 <tr spry:repeat="dsSDLC3artifact" spry:test="('{role}' == 'Release Manager') || ('{role}' == 'Release Manager')">
4491 <th id="RCS2AR20&nbsp;Z1Artifact" />
4492 </tr>
```

```

4493 &nbsp;Zr1{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;Zr1Artifact">
                                        <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
t}: {comments}">{artifact}</a></span>
4494 &nbsp;Zr1{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;Zr1Artifact">
                                        <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
t}">{artifact}</a></span>
4495 &nbsp;Zr1{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;Zr1Artifact">
                                        <span class="artifa
ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
                                        </th>
4496 <td headers="RCS2AR20&nbsp;-&nbsp;Zr1Artifact CH2CS2AR20&nbsp;-&nbsp;Zr1Phase">{phase}</td>
4497 <td headers="RCS2AR20&nbsp;-&nbsp;Zr1Artifact CH3CS2AR20&nbsp;-&nbsp;Zr1Guidelines" class="al
ignCenter">
                                        <span class="artifactGuidel
ines" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
                                        </td>
4500 </tr>
4501 <td headers="RCS2AR20&nbsp;-&nbsp;Zr1Artifact CH4CS2AR20&nbsp;-&nbsp;Zr1LRDate">{lastRevisedDate}</td>
4502 </tr>
4503 </tbody>
4504 </table>
4505 </div>
4506
4507
4508
4509
4510 <div class="AccordionTableWrapper">
    <div class="sdlcDescriptor" spry:re
peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Requirements Lead')">
4511 <h2>Requirements Lead Descripti
on:</h2>
    {dsSDLC3role::roleDescription}
4512 </div>
4513 <table cellpadding="1" id="tblCS2AR
20&nbsp;-&nbsp;Zr2" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: Requirements Lead.">
4514 <caption>Lead&nbsp;SDLC&nbsp;Ro
le: Requirements Lead <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Requirement
s Lead') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
4515 <!-- The is the table header/ti
4516 <thead>
    <tr>
4517 <th id="CH1CS2AR20&nbsp;-&nbsp;Zr2Artifact" />
4518 <th id="CH2CS2AR20&nbsp;-&nbsp;Zr2Phase" />
4519 <th id="CH3CS2AR20&nbsp;-&nbsp;Zr2Guidelines" />
4520 <th id="CH4CS2AR20&nbsp;-&nbsp;Zr2LRDate" />
4521 </thead>
4522 <tbody>
4523 <tr>
4524 <td colspan="4">
4525 <!-- The thead are the column h
eaders -->
4526 <thead>
4527 <tr>
4528 <th id="CH1CS2AR20&nbsp;-&nbsp;Zr2Artifact" spry:sort="artifact">Artifact</th>
4529 <th id="CH2CS2AR20&nbsp;-&nbsp;Zr2Phase" spry:sort="phase">Phase</th>
4530 <th id="CH3CS2AR20&nbsp;-&nbsp;Zr2Guidelines">Guidelines</th>
4531 <th id="CH4CS2AR20&nbsp;-&nbsp;Zr2LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
4532 </tr>
4533 </thead>
4534 <tbody>
4535 <tr>
4536 <td colspan="4">
4537 <!-- The tfoot creates the tabl
e footer -->
4538 <tfoot>
4539 <tr>
    <td colspan="4"><!-- #B
eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
    </tr>

```

```

4540 </tfoot>
4541
4542 e content --> <!-- The tbody creates the tabl
4543 <tbody>
4544 <tr spry:repeat="dsSDLC3art
ifact" spry:test="('{role}' == 'Requirements Lead') || ('{role}' == 'Requirements Lead ')">
4545 <th id="RCS2AR20&nbsp;-&nbsp;-&nbsp;Z
&nbsp;R2{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;-&nbsp;Z
&nbsp;R2Artifact">
4546 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '' ) && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
t}: {comments}">{artifact}</a></span>
4547 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '' ) && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
t}">{artifact}</a></span>
4548 <span class="artifa
ctNotLinked" spry:if="{artifactURL}' == ''">{artifact}</span>
4549 </th>
4550 <td headers="RCS2AR20&n
bsp;-&nbsp;-&nbsp;Z
&nbsp;R2{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;Z
&nbsp;R2Artifact CH2CS2AR20&nbsp;-&nbsp;-&nbsp;Z
&nbsp;R2Phase">{phase}</td>
4551 <td headers="RCS2AR20&n
bsp;-&nbsp;-&nbsp;Z
&nbsp;R2{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;Z
&nbsp;R2Artifact CH3CS2AR20&nbsp;-&nbsp;-&nbsp;Z
&nbsp;R2Guidelines" class="al
ignCenter">
4552 <span class="artifactGuidel
ines" spry:if="{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
4553 </td>
4554 <td headers="RCS2AR20&n
bsp;-&nbsp;-&nbsp;Z
&nbsp;R2{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;Z
&nbsp;R2Artifact CH4CS2AR20&nbsp;-&nbsp;-&nbsp;Z
&nbsp;R2LRDate">{lastRevisedD
ate}</td>
4555 </tr>
4556 </tbody>
4557 </table>
4558 </div>
4559
4560
4561
4562 <div class="AccordionTableWrapper">
4563 <div class="sdlcDescriptor" spry:re
peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Roadmap Advisory Committee')">
4564 <h2>Roadmap Advisory Committee
Description:</h2>
4565 {dsSDLC3role::roleDescription}
4566 </div>
4567 <table cellpadding="1" id="tblCS2AR
20&nbsp;-&nbsp;-&nbsp;Z
&nbsp;R3" summary="Listing of artifacts by Lead&nbsp;-&nbsp;-&nbsp;SDLC&nbsp;-&nbsp;-&nbsp;Role: Roadmap Advisory Committee."
>
4568 <!-- The is the table header/ti
4569 tle -->
4570 <caption>Lead&nbsp;-&nbsp;-&nbsp;SDLC&nbsp;-&nbsp;-&nbsp;Ro
le: Roadmap Advisory Committee <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Ro
admap Advisory Committee') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
4571 <!-- The col tag allows style a
4572 pplication based on the column, particularly widths -->
4573 <col class="sdlc3Artifact" id="
colCS2AR20&nbsp;-&nbsp;-&nbsp;Z
&nbsp;R3Artifact" />
4574 <col class="sdlc3Phase" id="col
CS2AR20&nbsp;-&nbsp;-&nbsp;Z
&nbsp;R3Phase" />
4575 <col class="sdlc3Guide" id="col
CS2AR20&nbsp;-&nbsp;-&nbsp;Z
&nbsp;R3Guidelines" />
4576 <col class="sdlc3LastRevisedDat
e" id="colCS2AR20&nbsp;-&nbsp;-&nbsp;Z
&nbsp;R3LRDate" />
4577 <!-- The thead are the column h
4578 eaders -->
4579 <thead>
4580 <tr>
4581 <th id="CH1CS2AR20&nbsp;-&nbsp;-&nbsp;Z
&nbsp;-&nbsp;-&nbsp;Z
&nbsp;R3Artifact" spry:sort="artifact">Artifact</th>
4582 <th id="CH2CS2AR20&nbsp;-&nbsp;-&nbsp;Z
&nbsp;-&nbsp;-&nbsp;Z
&nbsp;R3Phase" spry:sort="phase">Phase</th>
4583 <th id="CH3CS2AR20&nbsp;-&nbsp;-&nbsp;Z
&nbsp;-&nbsp;-&nbsp;Z
&nbsp;R3Guidelines">Guidelines</th>
4584 <th id="CH4CS2AR20&nbsp;-&nbsp;-&nbsp;Z
&nbsp;-&nbsp;-&nbsp;Z
&nbsp;R3LRDate" spry:sort="lastRevisedDate">Last&nbsp;-&nbsp;-&nbsp;Revised</th>
4585 </tr>
4586 </thead>

```

4588 <!-- The tfoot creates the tabl
4589 <tfoot>
4590 <tr>
4591 <td colspan="4"><!-- #B
eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
4592 </tr>
4593 </tfoot>
4594
4595 <!-- The tbody creates the tabl
4596 <tbody>
4597 <tr spry:repeat="dsSDLC3art
ifact" spry:test="('{role}' == 'Roadmap Advisory Committee') || ('{role}' == 'Roadmap Advisory Committee ')
>
4598 <th id="RCS2AR20 - - - Z3{ds_RowID}" headers="CH1CS2AR20 - - - Z3Artifact">
4599 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
t}: {comments}">{artifact}
4600 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
t}">{artifact}
4601 <span class="artifa
ctNotLinked" spry:if=" '{artifactURL}' == ''">{artifact}
4602 </th>
4603 <td headers="RCS2AR20&n
bsp;- - - Z3{ds_RowID} CH1CS2AR20 - - - Z3Artifact CH2CS2AR20 - - - Z3Phase">{phase}</td>
4604 <td headers="RCS2AR20&n
bsp;- - - Z3{ds_RowID} CH1CS2AR20 - - - Z3Artifact CH3CS2AR20 - - - Z3Guidelines" class="al
ignCenter">
4605 <span class="artifactGuidel
ines" spry:if=" '{guidelinesURL}' != ''">
4606 </td>
4607 <td headers="RCS2AR20&n
bsp;- - - Z3{ds_RowID} CH1CS2AR20 - - - Z3Artifact CH4CS2AR20 - - - Z3LRDate">{lastRevisedD
ate}</td>
4608 </tr>
4609 </tbody>
4610 </table>
4611 </div>
4612
4613 </div>
4614 </div>
4615
4616
4617
4618 <div class="AccordionPanel" id="apCS2AR20 - - - ZS">
4619 <div class="AccordionPanelTab">Lead - - - SDLC - - - Roles: S</div>
4620 <div class="AccordionPanelContent SpryHidde
nRegion" spry:region="dsSDLC3artifact dsSDLC3role">
4621 <div class="AccordionTableWrapper first
4622 AccordionTable">
4623 <div class="sdlcDescriptor" spry:re
peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Section 508 Coordinator')">
4624 <h2>Section 508 Coordinator Des
4625 cription:</h2>
4626 {dsSDLC3role::roleDescription}
4627 </div>
4628 <table cellpadding="1" id="tblCS2AR
20 - - - ZS0" summary="Listing of artifacts by Lead - - - SDLC - - - Role: Section 508 Coordinator.">
4629 <!-- The is the table header/ti
4630 tle -->
4631 <caption>Lead - - - SDLC - - - Ro
le: Section 508 Coordinator <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Secti
on 508 Coordinator') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</caption>
4632 <!-- The col tag allows style a
4633 pplication based on the column, particularly widths -->
<col class="sdlc3Artifact" id="


```
4634 CS2AR20&nbsp;-&nbsp;-&nbsp;:ZS0Phase" />
4635 CS2AR20&nbsp;-&nbsp;-&nbsp;:ZS0Guidelines" />
4636 e" id="colCS2AR20&nbsp;-&nbsp;-&nbsp;:ZS0LRDate" />
4637
4638 eaders -->
4639
4640
4641 ;-&nbsp;-&nbsp;:ZS0Artifact" spry:sort="artifact">Artifact</th>
4642 ;-&nbsp;-&nbsp;:ZS0Phase" spry:sort="phase">Phase</th>
4643 ;-&nbsp;-&nbsp;:ZS0Guidelines">Guidelines</th>
4644 ;-&nbsp;-&nbsp;:ZS0LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
4645
4646
4647
4648 e footer -->
4649
4650
4651 eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
4652
4653
4654
4655 e content -->
4656
4657 ifact" spry:test="('{role}' == 'Section 508 Coordinator') || ('{role}' == 'Section 508 Coordinator ')">
&nbsp;-&nbsp;-&nbsp;:ZS0{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;-&nbsp;:ZS0Artifact">
4659 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
t}": {comments}">{artifact}</a></span>
4660 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
t}">{artifact}</a></span>
4661 ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
4662
4663 bsp;-&nbsp;-&nbsp;:ZS0{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;:ZS0Artifact CH2CS2AR20&nbsp;-&nbsp;-&nbsp;:ZS0Phase">{phase}</td>
4664 bsp;-&nbsp;-&nbsp;:ZS0{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;:ZS0Artifact CH3CS2AR20&nbsp;-&nbsp;-&nbsp;:ZS0Guidelines" class="al
ignCenter">
4665 ines" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
4666
4667 bsp;-&nbsp;-&nbsp;:ZS0{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;:ZS0Artifact CH4CS2AR20&nbsp;-&nbsp;-&nbsp;:ZS0LRDate">{lastRevisedD
ate}</td>
4668
4669
4670
4671
4672
4673
4674
4675
4676 epeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Server Manager')">
4677 </h2>
4678 {dsSDLC3role::roleDescription}
4679 </div>
4680 <table cellpadding="1" id="tblCS2AR
20&nbsp;-&nbsp;-&nbsp;:ZS1" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: Server Manager.">
4681
4682 tle -->
<!-- The is the table header/ti
```

```

4683 le: Server Manager <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Server Manager
4684 ') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
4685
4686 application based on the column, particularly widths -->
4687 colCS2AR2O&nbsp;-&nbsp;-&nbsp;ZS1Artifact" />
4688 CS2AR2O&nbsp;-&nbsp;-&nbsp;ZS1Phase" />
4689 CS2AR2O&nbsp;-&nbsp;-&nbsp;ZS1Guidelines" />
4690 e" id="colCS2AR2O&nbsp;-&nbsp;-&nbsp;ZS1LRDate" />
4691 eaders -->
4692 <thead>
4693   <tr>
4694     <th id="CH1CS2AR2O&nbsp;-&nbsp;-&nbsp;ZS1Artifact" spry:sort="artifact">Artifact</th>
4695     <th id="CH2CS2AR2O&nbsp;-&nbsp;-&nbsp;ZS1Phase" spry:sort="phase">Phase</th>
4696     <th id="CH3CS2AR2O&nbsp;-&nbsp;-&nbsp;ZS1Guidelines">Guidelines</th>
4697     <th id="CH4CS2AR2O&nbsp;-&nbsp;-&nbsp;ZS1LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
4698   </tr>
4699 </thead>
4700
4701 e footer -->
4702 <tfoot>
4703   <tr>
4704     <td colspan="4"><!-- #B
4705 eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
4706 e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
4707
4708 </tr>
4709 </tfoot>
4710
4711 e content -->
4712 <tbody>
4713   <tr spry:repeat="dsSDLC3art
4714   ifact" spry:test="('{role}' == 'Server Manager') || ('{role}' == 'Server Manager ')">
4715     <th id="RCS2AR2O&nbsp;-&nbsp;-&nbsp;ZS1{ds_RowID}" headers="CH1CS2AR2O&nbsp;-&nbsp;-&nbsp;ZS1Artifact">
4716       <span class="artifa
4717 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artific
4718 t": {comments}">{artifact}</a></span>
4719       <span class="artifa
4720 ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artific
4721 t}">{artifact}</a></span>
4722       <span class="artifa
4723 ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
4724     </th>
4725     <td headers="RCS2AR2O&n
4726 bsp;-&nbsp;-&nbsp;ZS1{ds_RowID} CH1CS2AR2O&nbsp;-&nbsp;-&nbsp;ZS1Artifact CH2CS2AR2O&nbsp;-&nbsp;-&nbsp;ZS1Phase">{phase}</td>
4727     <td headers="RCS2AR2O&n
4728 bsp;-&nbsp;-&nbsp;ZS1{ds_RowID} CH1CS2AR2O&nbsp;-&nbsp;-&nbsp;ZS1Artifact CH3CS2AR2O&nbsp;-&nbsp;-&nbsp;ZS1Guidelines" class="al
4729 ignCenter">
4730       <span class="artifactGuidel
4731 ines" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
4734     </td>
4735     <td headers="RCS2AR2O&n
4736 bsp;-&nbsp;-&nbsp;ZS1{ds_RowID} CH1CS2AR2O&nbsp;-&nbsp;-&nbsp;ZS1Artifact CH4CS2AR2O&nbsp;-&nbsp;-&nbsp;ZS1LRDate">{lastRevisedD
4737 ate}</td>
4738   </tr>
4739 </tbody>
4740 </table>
4741 </div>
4742
4743 <div class="AccordionTableWrapper">
4744   <div class="sdlcDescriptor" spry:re
4745 peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Systems Development Lead')">
4746     <h2>Systems Development Lead De

```

```

4731 scripton:</h2> {dsSDLC3role::roleDescription}
4732 </div>
4733 <table cellpadding="1" cellspacing="1" id="tblCS2AR
20&nbsp;-&nbsp;-&nbsp;ZS2" summary="Listing of artifacts by Lead&nbsp;-&nbsp;-&nbsp;SDLC&nbsp;-&nbsp;-&nbsp;Role: Systems Development Lead.">
4734
4735 <!-- The is the table header/ti
tle -->
4736 <caption>Lead&nbsp;-&nbsp;-&nbsp;SDLC&nbsp;-&nbsp;-&nbsp;Ro
le: Systems Development Lead <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Syst
ems Development Lead') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
4737
4738 <!-- The col tag allows style a
pplication based on the column, particularly widths -->
4739 <col class="sdlc3Artifact" id="
colCS2AR20&nbsp;-&nbsp;-&nbsp;ZS2Artifact" />
4740 <col class="sdlc3Phase" id="col
CS2AR20&nbsp;-&nbsp;-&nbsp;ZS2Phase" />
4741 <col class="sdlc3Guide" id="col
CS2AR20&nbsp;-&nbsp;-&nbsp;ZS2Guidelines" />
4742 <col class="sdlc3LastRevisedDat
e" id="colCS2AR20&nbsp;-&nbsp;-&nbsp;ZS2LRDate" />
4743
4744 <!-- The thead are the column h
eaders -->
4745 <thead>
4746 <tr>
4747 <th id="CH1CS2AR20&nbsp;-&nbsp;-&nbsp;
;-&nbsp;-&nbsp;ZS2Artifact" spry:sort="artifact">Artifact</th>
4748 <th id="CH2CS2AR20&nbsp;-&nbsp;-&nbsp;
;-&nbsp;-&nbsp;ZS2Phase" spry:sort="phase">Phase</th>
4749 <th id="CH3CS2AR20&nbsp;-&nbsp;-&nbsp;
;-&nbsp;-&nbsp;ZS2Guidelines">Guidelines</th>
4750 <th id="CH4CS2AR20&nbsp;-&nbsp;-&nbsp;
;-&nbsp;-&nbsp;ZS2LRDate" spry:sort="lastRevisedDate">Last&nbsp;-&nbsp;-&nbsp;Revised</th>
4751 </tr>
4752 </thead>
4753
4754 <!-- The tfoot creates the tabl
e footer -->
4755 <tfoot>
4756 <tr>
4757 <td colspan="4"><!-- #B
eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
4758 </tr>
4759 </tfoot>
4760
4761 <!-- The tbody creates the tabl
e content -->
4762 <tbody>
4763 <tr spry:repeat="dsSDLC3art
ifact" spry:test="('{role}' == 'Systems Development Lead') || ('{role}' == 'Systems Development Lead ')">
4764 <th id="RCS2AR20&nbsp;-&nbsp;-&nbsp;
&nbsp;-&nbsp;-&nbsp;ZS2{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;-&nbsp;ZS2Artifact">
4765 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
t}": {comments}>{artifact}</a></span>
4766 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
t}">{artifact}</a></span>
4767 <span class="artifa
ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
4768 </th>
4769 <td headers="RCS2AR20&n
bsp;-&nbsp;-&nbsp;ZS2{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;ZS2Artifact CH2CS2AR20&nbsp;-&nbsp;-&nbsp;ZS2Phase">{phase}</td>
4770 <td headers="RCS2AR20&n
bsp;-&nbsp;-&nbsp;ZS2{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;ZS2Artifact CH3CS2AR20&nbsp;-&nbsp;-&nbsp;ZS2Guidelines" class="al
ignCenter">
4771 <span class="artifactGuidel
ines" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
4772 </td>
4773 <td headers="RCS2AR20&n
bsp;-&nbsp;-&nbsp;ZS2{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;-&nbsp;ZS2Artifact CH4CS2AR20&nbsp;-&nbsp;-&nbsp;ZS2LRDate">{lastRevisedD
ate}</td>
4774 </tr>
4775 </tbody>
4776 </table>

```

```

4777                                     </div>
4778
4779                                     </div>
4780                                     </div>
4781
4782
4783
4784                                     <div class="AccordionPanel" id="apCS2AR20&nbsp;
-&nbsp;ZT">
4785                                     <div class="AccordionPanelTab">Lead&nbsp;SD
LC&nbsp;Roles: T</div>
4786                                     <div class="AccordionPanelContent SpryHidde
nRegion" spry:region="dsSDLC3artifact dsSDLC3role">
4787
4788                                     <div class="AccordionTableWrapper first
AccordionTable">
4789                                     <div class="sdlcDescriptor" spry:re
peat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Telecommunication Manager')">
4790                                     <h2>Telecommunication Manager D
escription:</h2>
4791                                     {dsSDLC3role::roleDescription}
4792                                     </div>
4793                                     <table cellspacing="1" id="tblCS2AR
20&nbsp;-&nbsp;ZT0" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: Telecommunication Manager.">
4794
4795                                     <!-- The is the table header/ti
tle -->
4796                                     <caption>Lead&nbsp;SDLC&nbsp;Ro
le: Telecommunication Manager <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'Tel
ecommunication Manager') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
4797
4798                                     <!-- The col tag allows style a
pplication based on the column, particularly widths -->
4799                                     <col class="sdlc3Artifact" id="
colCS2AR20&nbsp;-&nbsp;ZT0Artifact" />
4800                                     <col class="sdlc3Phase" id="col
CS2AR20&nbsp;-&nbsp;ZT0Phase" />
4801                                     <col class="sdlc3Guide" id="col
CS2AR20&nbsp;-&nbsp;ZT0Guidelines" />
4802                                     <col class="sdlc3LastRevisedDat
e" id="colCS2AR20&nbsp;-&nbsp;ZT0LRDate" />
4803
4804                                     <!-- The thead are the column h
eaders -->
4805                                     <thead>
4806                                     <tr>
4807                                     <th id="CH1CS2AR20&nbsp;
-&nbsp;ZT0Artifact" spry:sort="artifact">Artifact</th>
4808                                     <th id="CH2CS2AR20&nbsp;
-&nbsp;ZT0Phase" spry:sort="phase">Phase</th>
4809                                     <th id="CH3CS2AR20&nbsp;
-&nbsp;ZT0Guidelines">Guidelines</th>
4810                                     <th id="CH4CS2AR20&nbsp;
-&nbsp;ZT0LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
4811                                     </tr>
4812                                     </thead>
4813
4814                                     <!-- The tfoot creates the tabl
e footer -->
4815                                     <tfoot>
4816                                     <tr>
4817                                     <td colspan="4"><!-- #B
eginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns ar
e sortable by clicking the column header.<!-- #EndLibraryItem --></td>
4818                                     </tr>
4819                                     </tfoot>
4820
4821                                     <!-- The tbody creates the tabl
e content -->
4822                                     <tbody>
4823                                     <tr spry:repeat="dsSDLC3art
ifact" spry:test="('{role}' == 'Telecommunication Manager') || ('{role}' == 'Telecommunication Manager')">
4824                                     <th id="RCS2AR20&nbsp;-
&nbsp;ZT0{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;ZT0Artifact">
4825                                     <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
t}: {comments}">{artifact}</a></span>
4826                                     <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
t}">{artifact}</a></span>

```

```

4827 ctNotLinked" spry:if="'{artifactURL}' == ''">{artifact}</span>
4828 </th>
4829 <td headers="RCS2AR20&n
4830 bsp;-&nbsp;ZT0{ds_RowID} CH1CS2AR20&nbsp;ZT0Artifact CH2CS2AR20&nbsp;ZT0Phase">{phase}</td>
4831 <td headers="RCS2AR20&n
4832 bsp;-&nbsp;ZT0{ds_RowID} CH1CS2AR20&nbsp;ZT0Artifact CH3CS2AR20&nbsp;ZT0Guidelines" class="alignCenter">
4833 <span class="artifactGuidelines" spry:if="'{guidelinesURL}' != ''"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
4834 </td>
4835 <td headers="RCS2AR20&n
4836 bsp;-&nbsp;ZT0{ds_RowID} CH1CS2AR20&nbsp;ZT0Artifact CH4CS2AR20&nbsp;ZT0LRDate">{lastRevisedDate}</td>
4837 </tr>
4838 </tbody>
4839 </table>
4840 </div>
4841 <div class="AccordionTableWrapper">
4842 <div class="sdlcDescriptor" spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'TBD')">
4843 <h2>TBD:</h2>
4844 {dsSDLC3role::roleDescription}
4845 </div>
4846 <table cellspacing="1" id="tblCS2AR20&nbsp;ZT1" summary="Listing of artifacts by Lead&nbsp;SDLC&nbsp;Role: TBD.">
4847 <caption>Lead&nbsp;SDLC&nbsp;Role: TBD <span spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'TBD') && ('{dsSDLC3role::roleAbbr}' != '')">({dsSDLC3role::roleAbbr})</span></caption>
4848 <!-- The col tag allows style application based on the column, particularly widths -->
4849 <col class="sdlc3Artifact" id="colCS2AR20&nbsp;ZT1Artifact" />
4850 <col class="sdlc3Phase" id="colCS2AR20&nbsp;ZT1Phase" />
4851 <col class="sdlc3Guide" id="colCS2AR20&nbsp;ZT1Guidelines" />
4852 <col class="sdlc3LastRevisedDate" id="colCS2AR20&nbsp;ZT1LRDate" />
4853 <!-- The thead are the column headers -->
4854 <thead>
4855 <tr>
4856 <th id="CH1CS2AR20&nbsp;ZT1Artifact" spry:sort="artifact">Artifact</th>
4857 <th id="CH2CS2AR20&nbsp;ZT1Phase" spry:sort="phase">Phase</th>
4858 <th id="CH3CS2AR20&nbsp;ZT1Guidelines">Guidelines</th>
4859 <th id="CH4CS2AR20&nbsp;ZT1LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
4860 </tr>
4861 </thead>
4862 <!-- The tfoot creates the table footer -->
4863 <tfoot>
4864 <tr>
4865 <td colspan="4"><!-- #BeginLibraryItem "/Library/SDLC30ChildSet2TblFooter.lbi" -->The Artifact, Phase, and Last Revised columns are sortable by clicking the column header.<!-- #EndLibraryItem --></td>
4866 </tr>
4867 </tfoot>
4868 <!-- The tbody creates the table content -->
4869 <tbody>
4870 <tr spry:repeat="dsSDLC3artifact" spry:test="('{role}' == 'TBD') || ('{role}' == 'TBD ')">
4871 <th id="RCS2AR20&nbsp;ZT1Artifact" spry:sort="artifact">Artifact</th>
4872 <th id="RCS2AR20&nbsp;ZT1Phase" spry:sort="phase">Phase</th>
4873 <th id="RCS2AR20&nbsp;ZT1Guidelines">Guidelines</th>
4874 <th id="RCS2AR20&nbsp;ZT1LRDate" spry:sort="lastRevisedDate">Last&nbsp;Revised</th>
4875 <td colspan="4">
4876 <div class="sdlcDescriptor" spry:repeat="dsSDLC3role" spry:test="('{dsSDLC3role::roleName}' == 'TBD') && ('{dsSDLC3role::roleAbbr}' != '')">
4877 <h2>TBD:</h2>
4878 {dsSDLC3role::roleDescription}
4879 </div>

```

```
4878 &nbsp;ZT1{ds_RowID}" headers="CH1CS2AR20&nbsp;-&nbsp;ZT1Artifact"> <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' != '')"><a href="{artifactURL}" title="{artifac
t}: {comments}">{artifact}</a></span>
4879 <span class="artifa
ctLinked" spry:if="('{artifactURL}' != '') && ('{comments}' == '')"><a href="{artifactURL}" title="{artifac
t}">{artifact}</a></span>
4880 <span class="artifa
ctNotLinked" spry:if="('{artifactURL}' == '')">{artifact}</span>
4881 </th>
4882 <td headers="RCS2AR20&n
bsp;-&nbsp;ZT1{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;ZT1Artifact CH2CS2AR20&nbsp;-&nbsp;ZT1Phase">{phase}</td>
4883 <td headers="RCS2AR20&n
bsp;-&nbsp;ZT1{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;ZT1Artifact CH3CS2AR20&nbsp;-&nbsp;ZT1Guidelines" class="al
ignCenter">
4884 <span class="artifactGuidel
ines" spry:if="('{guidelinesURL}' != '')"><a href="{guidelinesURL}" title="{guidelinesTitle}"></a></span>
4885 </td>
4886 <td headers="RCS2AR20&n
bsp;-&nbsp;ZT1{ds_RowID} CH1CS2AR20&nbsp;-&nbsp;ZT1Artifact CH4CS2AR20&nbsp;-&nbsp;ZT1LRDate">{lastRevisedD
ate}</td>
4887 </tr>
4888 </tbody>
4889 </table>
4890 </div>
4891
4892 </div>
4893 </div>
4894
4895
4896
4897
4898
4899
4900
4901
4902
4903
4904
4905
4906
4907 </div>
4908 </div>
4909
4910
4911
4912
4913
4914
4915
4916
4917
4918
4919
4920
4921
4922
4923
4924
4925
4926 </div>
4927 </div>
4928 </div>
4929 </div>
4930
4931
4932
4933
4934
4935
4936
4937 </div>
4938 <div class="TabbedPanelsContentGroupFooterLeft">
4939 <div class="TabbedPanelsContentGroupFooterRight"></div>
4940 </div>
4941 </div>
4942 </div>
4943
```

```
4944         </div>
4945     <!-- End WrapperContentMain -->
4946     <div id="ClearFix" class="clearFix"></div>
4947 </div>
4948 <!-- End WrapperContent. Start WrapperFooter. -->
4949 <div id="WrapperFooter">
4950     <!-- Start FooterISDBranding DIV: ISD publish info -->
4951     <div id="FooterISDBranding">
4952         <span class="printOff">The OCIO Site is published by <acronym title="Office of the
Chief Information Officer's Customer Support Services Group">CSSG's</acronym> <a href="mailto:OCIOWebSupportCoordinator@uspto.gov?Subject=OCIO_Website">Information Services Division</a>.</span>
4954         <span class="printOn">Printed from the Office of the Chief Information Officer web
site, which is published by CSSG/ISD.</span>
4955     </div>
4956     <!-- End FooterISDBranding. Start FooterNavigation -->
4957     <div id="FooterNavigation">
4958         <!-- Start FooterNavGlobalSite: Global site navigation -->
4959         <div id="FooterNavGlobalSite"><a href=" ../index.html" title="The OCIO Home Page">OC
IO Home</a> <a href=" ../cio_desk/cio_desk.html" title="CIO's Desk">CIO's Desk</a> <a href=" ../it_invest.htm
l" title="IT Investment and Planning">IT Investment & Planning</a> <a href=" ../it_dev.html" title="IT D
evelopment">IT Development</a> <a href=" ../it_ops.html" title="IT Operations">IT Operations</a> <a href=" ..
/ocio_admin.html" title="OCIO Administration">OCIO Admin</a> <a href=" ../org/org.html" title="OCIO Organiza
tion">OCIO Org</a> <a href=" ../biz_customers/biz_customers.html" title="Business Customers">Biz Customers</
a> <a href=" ../archive/archive.html">Archive</a>
4960         <!-- End FooterNavGlobalSite. Start FooterNavGlobalUSPTO: USPTO navigation -->
4961         <div id="FooterNavGlobalUSPTO">USPTO Intranet: <a href="http://ptoweb/ptointranet/i
ndex.htm">Intranet Home</a> <a href="http://ptoweb/ptointranet/index.htm">Index</a> <a href="http://ptoweb/
ptointranet/resources.htm">Resources</a> <a href="http://ptoweb.uspto.gov/ptointranet/contacts.htm">Contact
s</a> <a href="http://ptoweb/cgi-bin/exitconf.pl?target=www.uspto.gov">Internet</a> <a href="http://ptoweb2
:8080/">Search</a>
4962         </div>
4963         <!-- End FooterNavGlobalUSPTO. Start FooterDisclaimer -->
4964         <div id="FooterDisclaimer">
4965             <p>If you cannot access a file because of a missing or non-working plug-in for
Microsoft Word, Microsoft Excel or Adobe Acrobat,<br />
4966             please contact the Help Desk at 571-272-9000 for installation assistance.</
p>
4967             <p><strong>Note:</strong> The 
icon is used to denote an external link which takes the user to another location outside the CIO website.<br />
4968             Links without the external link icon are internal to the CIO Website.</p>
4969         </div>
4970         <!-- End FooterDisclaimer. Start FooterLastModified: Script inserts the last modifi
ed date of this html page -->
4971         <div id="FooterLastModified"></div>
4972         <!-- End FooterLastModified. -->
4973     </div>
4974 </div>
4975 <!-- End WrapperFooter -->
4976 </div>
4977 </div>
4978 </div>
4979 </div>
4980 <!-- InstanceBeginEditable name="SpryScriptActivationCode" -->
4981
4982 <!-- InstanceEndEditable -->
4983 </body>
4984 <!-- InstanceEnd --></html>
4985
```